

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Fonctions de L'électronique / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|-------|------|---------|
| 1 | 191939072104 | 11.0 | 12.75 | 11.7 | NORMALE |
| 2 | 181834018293 | 15.0 | 12.5 | 14.0 | NORMALE |
| 3 | 191939073184 | 16.0 | 13.0 | 14.8 | NORMALE |
| 4 | 191939073149 | 14.0 | 9.5 | 12.2 | NORMALE |
| 5 | 191939064550 | 15.0 | 13.0 | 14.2 | NORMALE |
| 6 | 181839069459 | 15.0 | 14.0 | 14.6 | NORMALE |
| 7 | 191939067682 | 18.0 | 18.0 | 18.0 | NORMALE |
| 8 | 191939065867 | 12.0 | 10.0 | 11.2 | NORMALE |
| 9 | 191939054301 | 12.0 | 12.5 | 12.2 | NORMALE |
| 10 | 191939067038 | 18.0 | 14.5 | 16.6 | NORMALE |
| 11 | 191939065949 | 13.0 | 11.25 | 12.3 | NORMALE |
| 12 | 191939071336 | 15.0 | 9.0 | 12.6 | NORMALE |
| 13 | 191939072023 | 14.0 | 11.0 | 12.8 | NORMALE |
| 14 | 191939072157 | 15.0 | 11.5 | 13.6 | NORMALE |
| 15 | 191939073188 | 12.0 | 10.0 | 11.2 | NORMALE |
| 16 | 191939066275 | 12.0 | 11.0 | 11.6 | NORMALE |
| 17 | 181839063061 | 15.0 | 13.0 | 14.2 | NORMALE |
| 18 | 191939067582 | 13.0 | 14.0 | 13.4 | NORMALE |
| 19 | 191939078493 | 14.0 | 13.0 | 13.6 | NORMALE |
| 20 | 191939072090 | 10.0 | 11.0 | 10.4 | NORMALE |
| 21 | 191939072386 | 16.0 | 11.5 | 14.2 | NORMALE |
| 22 | 191939065976 | 12.0 | 14.0 | 12.8 | NORMALE |
| 23 | 191939067623 | 13.0 | 12.0 | 12.6 | NORMALE |
| 24 | 191939054314 | 13.0 | 11.0 | 12.2 | NORMALE |
| 25 | 191939064989 | 12.0 | 12.0 | 12.0 | NORMALE |
| 26 | 191939067710 | 12.0 | 12.0 | 12.0 | NORMALE |
| 27 | 181839064025 | 12.2 | 12.2 | 12.2 | NORMALE |
| 28 | 161639071394 | 13.0 | 12.0 | 12.6 | NORMALE |
| 29 | 191939063747 | 3.0 | 0.0 | 1.8 | NORMALE |
| 30 | 171739067217 | 9.0 | 12.5 | 10.4 | NORMALE |
| 31 | 191939066916 | 11.0 | 9.5 | 10.4 | NORMALE |
| 32 | 191939071323 | 0.0 | 0.0 | 0.0 | NORMALE |
| 33 | 191939064642 | 15.0 | 9.5 | 12.8 | NORMALE |
| 34 | 191939067618 | 17.0 | 15.0 | 16.2 | NORMALE |
| 35 | 161639070250 | 9.0 | 11.0 | 9.8 | NORMALE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Propagation D'Ondes et Antennes / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|-----|------|------------|
| 1 | 191939072104 | 2.0 | 0.0 | 2.0 | NORMALE |
| 2 | 181834018293 | 2.0 | 0.0 | 2.0 | NORMALE |
| 3 | 191939073184 | 11.0 | 0.0 | 11.0 | NORMALE |
| 4 | 191939073149 | 2.0 | 0.0 | 2.0 | NORMALE |
| 5 | 191939064550 | 2.0 | 0.0 | 2.0 | NORMALE |
| 6 | 181839069459 | 2.0 | 0.0 | 2.0 | NORMALE |
| 7 | 191939067682 | 6.0 | 0.0 | 6.0 | NORMALE |
| 8 | 191939065867 | 4.0 | 0.0 | 4.0 | NORMALE |
| 9 | 191939054301 | 3.0 | 0.0 | 3.0 | RATTRAPAGE |
| 10 | 191939067038 | 13.0 | 0.0 | 13.0 | NORMALE |
| 11 | 191939065949 | 2.0 | 0.0 | 2.0 | NORMALE |
| 12 | 191939071336 | 3.0 | 0.0 | 3.0 | NORMALE |
| 13 | 191939072023 | 2.0 | 0.0 | 2.0 | NORMALE |
| 14 | 191939072157 | 3.0 | 0.0 | 3.0 | RATTRAPAGE |
| 15 | 191939073188 | 2.0 | 0.0 | 2.0 | NORMALE |
| 16 | 191939066275 | 2.0 | 0.0 | 2.0 | NORMALE |
| 17 | 181839063061 | 4.0 | 0.0 | 4.0 | NORMALE |
| 18 | 191939067582 | 5.0 | 0.0 | 5.0 | NORMALE |
| 19 | 191939078493 | 6.0 | 0.0 | 6.0 | NORMALE |
| 20 | 191939072090 | 2.0 | 0.0 | 2.0 | NORMALE |
| 21 | 191939072386 | 2.0 | 0.0 | 2.0 | NORMALE |
| 22 | 191939065976 | 2.0 | 0.0 | 2.0 | NORMALE |
| 23 | 191939067623 | 2.0 | 0.0 | 2.0 | NORMALE |
| 24 | 191939054314 | 3.0 | 0.0 | 3.0 | RATTRAPAGE |
| 25 | 191939064989 | 4.0 | 0.0 | 4.0 | NORMALE |
| 26 | 191939067710 | 3.0 | 0.0 | 3.0 | NORMALE |
| 27 | 181839064025 | 8.0 | 0.0 | 8.0 | NORMALE |
| 28 | 161639071394 | 2.0 | 0.0 | 2.0 | NORMALE |
| 29 | 191939063747 | 3.0 | 0.0 | 3.0 | RATTRAPAGE |
| 30 | 171739067217 | 2.0 | 0.0 | 2.0 | NORMALE |
| 31 | 191939066916 | 2.0 | 0.0 | 2.0 | NORMALE |
| 32 | 191939071323 | 0.0 | 0.0 | 0.0 | NORMALE |
| 33 | 191939064642 | 2.0 | 0.0 | 2.0 | NORMALE |
| 34 | 191939067618 | 3.0 | 0.0 | 3.0 | NORMALE |
| 35 | 161639070250 | 3.0 | 0.0 | 3.0 | RATTRAPAGE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Réseaux Informatiques Locaux / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|-------|-------|------------|
| 1 | 191939072104 | 12.5 | 15.96 | 13.88 | NORMALE |
| 2 | 181834018293 | 14.5 | 15.96 | 15.08 | NORMALE |
| 3 | 191939073184 | 12.5 | 10.96 | 11.88 | NORMALE |
| 4 | 191939073149 | 17.0 | 15.96 | 16.58 | NORMALE |
| 5 | 191939064550 | 16.0 | 15.96 | 15.98 | NORMALE |
| 6 | 181839069459 | 14.5 | 14.64 | 14.56 | NORMALE |
| 7 | 191939067682 | 13.5 | 15.96 | 14.48 | NORMALE |
| 8 | 191939065867 | 12.0 | 5.64 | 9.46 | NORMALE |
| 9 | 191939054301 | 12.0 | 15.3 | 13.32 | NORMALE |
| 10 | 191939067038 | 19.0 | 15.96 | 17.78 | NORMALE |
| 11 | 191939065949 | 13.5 | 15.96 | 14.48 | NORMALE |
| 12 | 191939071336 | 12.5 | 15.3 | 13.62 | NORMALE |
| 13 | 191939072023 | 16.0 | 15.3 | 15.72 | NORMALE |
| 14 | 191939072157 | 10.0 | 15.96 | 12.38 | NORMALE |
| 15 | 191939073188 | 15.0 | 15.96 | 15.38 | NORMALE |
| 16 | 191939066275 | 9.5 | 13.96 | 11.28 | NORMALE |
| 17 | 181839063061 | 14.5 | 15.3 | 14.82 | NORMALE |
| 18 | 191939067582 | 16.0 | 14.64 | 15.46 | NORMALE |
| 19 | 191939078493 | 16.0 | 14.3 | 15.32 | NORMALE |
| 20 | 191939072090 | 10.5 | 15.96 | 12.68 | NORMALE |
| 21 | 191939072386 | 11.0 | 15.96 | 12.98 | NORMALE |
| 22 | 191939065976 | 15.5 | 15.96 | 15.68 | NORMALE |
| 23 | 191939067623 | 9.0 | 13.3 | 10.72 | NORMALE |
| 24 | 191939054314 | 14.0 | 8.96 | 11.98 | RATTRAPAGE |
| 25 | 191939064989 | 13.5 | 15.96 | 14.48 | NORMALE |
| 26 | 191939067710 | 18.0 | 15.96 | 17.18 | NORMALE |
| 27 | 181839064025 | 14.5 | 14.5 | 14.5 | NORMALE |
| 28 | 161639071394 | 10.3 | 10.3 | 10.3 | NORMALE |
| 29 | 191939063747 | 6.5 | 8.98 | 7.49 | NORMALE |
| 30 | 171739067217 | 13.0 | 11.96 | 12.58 | NORMALE |
| 31 | 191939066916 | 12.5 | 15.96 | 13.88 | NORMALE |
| 32 | 191939071323 | 0.0 | 4.98 | 1.99 | NORMALE |
| 33 | 191939064642 | 13.0 | 15.96 | 14.18 | NORMALE |
| 34 | 191939067618 | 14.5 | 15.96 | 15.08 | NORMALE |
| 35 | 161639070250 | 10.5 | 4.32 | 8.03 | NORMALE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Systèmes à Microprocesseurs / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|-------|-------|---------|
| 1 | 191939072104 | 5.0 | 4.8 | 4.92 | NORMALE |
| 2 | 181834018293 | 13.0 | 11.75 | 12.5 | NORMALE |
| 3 | 191939073184 | 17.0 | 9.3 | 13.92 | NORMALE |
| 4 | 191939073149 | 14.0 | 5.2 | 10.48 | NORMALE |
| 5 | 191939064550 | 15.0 | 12.0 | 13.8 | NORMALE |
| 6 | 181839069459 | 12.5 | 5.95 | 9.88 | NORMALE |
| 7 | 191939067682 | 19.0 | 15.9 | 17.76 | NORMALE |
| 8 | 191939065867 | 9.0 | 12.0 | 10.2 | NORMALE |
| 9 | 191939054301 | 4.5 | 5.2 | 4.78 | NORMALE |
| 10 | 191939067038 | 16.0 | 13.4 | 14.96 | NORMALE |
| 11 | 191939065949 | 9.0 | 5.5 | 7.6 | NORMALE |
| 12 | 191939071336 | 6.0 | 6.3 | 6.12 | NORMALE |
| 13 | 191939072023 | 6.0 | 4.0 | 5.2 | NORMALE |
| 14 | 191939072157 | 0.0 | 0.0 | 0.0 | NORMALE |
| 15 | 191939073188 | 9.5 | 7.15 | 8.56 | NORMALE |
| 16 | 191939066275 | 16.0 | 5.75 | 11.9 | NORMALE |
| 17 | 181839063061 | 5.5 | 7.45 | 6.28 | NORMALE |
| 18 | 191939067582 | 14.5 | 10.5 | 12.9 | NORMALE |
| 19 | 191939078493 | 15.0 | 15.1 | 15.04 | NORMALE |
| 20 | 191939072090 | 7.5 | 0.0 | 4.5 | NORMALE |
| 21 | 191939072386 | 14.5 | 12.15 | 13.56 | NORMALE |
| 22 | 191939065976 | 13.5 | 11.75 | 12.8 | NORMALE |
| 23 | 191939067623 | 10.0 | 0.0 | 6.0 | NORMALE |
| 24 | 191939054314 | 6.0 | 5.95 | 5.98 | NORMALE |
| 25 | 191939064989 | 9.0 | 2.7 | 6.48 | NORMALE |
| 26 | 191939067710 | 14.5 | 6.95 | 11.48 | NORMALE |
| 27 | 181839064025 | 8.33 | 8.33 | 8.33 | NORMALE |
| 28 | 161639071394 | 5.0 | 0.0 | 3.0 | NORMALE |
| 29 | 191939063747 | 6.0 | 4.0 | 5.2 | NORMALE |
| 30 | 171739067217 | 11.5 | 14.6 | 12.74 | NORMALE |
| 31 | 191939066916 | 12.0 | 10.1 | 11.24 | NORMALE |
| 32 | 191939071323 | 0.0 | 4.8 | 1.92 | NORMALE |
| 33 | 191939064642 | 14.5 | 8.0 | 11.9 | NORMALE |
| 34 | 191939067618 | 14.0 | 6.7 | 11.08 | NORMALE |
| 35 | 161639070250 | 7.5 | 0.0 | 4.5 | NORMALE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Technologie des Composants Electroniques 2 / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|-----|------|---------|
| 1 | 191939072104 | 12.0 | 0.0 | 12.0 | NORMALE |
| 2 | 181834018293 | 13.0 | 0.0 | 13.0 | NORMALE |
| 3 | 191939073184 | 13.0 | 0.0 | 13.0 | NORMALE |
| 4 | 191939073149 | 12.0 | 0.0 | 12.0 | NORMALE |
| 5 | 191939064550 | 8.0 | 0.0 | 8.0 | NORMALE |
| 6 | 181839069459 | 15.0 | 0.0 | 15.0 | NORMALE |
| 7 | 191939067682 | 10.0 | 0.0 | 10.0 | NORMALE |
| 8 | 191939065867 | 11.0 | 0.0 | 11.0 | NORMALE |
| 9 | 191939054301 | 11.0 | 0.0 | 11.0 | NORMALE |
| 10 | 191939067038 | 12.0 | 0.0 | 12.0 | NORMALE |
| 11 | 191939065949 | 10.0 | 0.0 | 10.0 | NORMALE |
| 12 | 191939071336 | 10.0 | 0.0 | 10.0 | NORMALE |
| 13 | 191939072023 | 12.0 | 0.0 | 12.0 | NORMALE |
| 14 | 191939072157 | 10.0 | 0.0 | 10.0 | NORMALE |
| 15 | 191939073188 | 10.0 | 0.0 | 10.0 | NORMALE |
| 16 | 191939066275 | 10.0 | 0.0 | 10.0 | NORMALE |
| 17 | 181839063061 | 3.0 | 0.0 | 3.0 | NORMALE |
| 18 | 191939067582 | 12.0 | 0.0 | 12.0 | NORMALE |
| 19 | 191939078493 | 10.0 | 0.0 | 10.0 | NORMALE |
| 20 | 191939072090 | 13.0 | 0.0 | 13.0 | NORMALE |
| 21 | 191939072386 | 10.0 | 0.0 | 10.0 | NORMALE |
| 22 | 191939065976 | 8.0 | 0.0 | 8.0 | NORMALE |
| 23 | 191939067623 | 3.0 | 0.0 | 3.0 | NORMALE |
| 24 | 191939054314 | 3.0 | 0.0 | 3.0 | NORMALE |
| 25 | 191939064989 | 2.0 | 0.0 | 2.0 | NORMALE |
| 26 | 191939067710 | 11.0 | 0.0 | 11.0 | NORMALE |
| 27 | 181839064025 | 8.0 | 0.0 | 8.0 | NORMALE |
| 28 | 161639071394 | 0.0 | 0.0 | 0.0 | NORMALE |
| 29 | 191939063747 | 2.0 | 0.0 | 2.0 | NORMALE |
| 30 | 171739067217 | 15.0 | 0.0 | 15.0 | NORMALE |
| 31 | 191939066916 | 5.0 | 0.0 | 5.0 | NORMALE |
| 32 | 191939071323 | 0.0 | 0.0 | 0.0 | NORMALE |
| 33 | 191939064642 | 10.0 | 0.0 | 10.0 | NORMALE |
| 34 | 191939067618 | 3.0 | 0.0 | 3.0 | NORMALE |
| 35 | 161639070250 | 0.0 | 0.0 | 0.0 | NORMALE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Thec. et fab. des circ. intég. / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|-----|------|------------|
| 1 | 191939072104 | 5.0 | 0.0 | 5.0 | RATTRAPAGE |
| 2 | 181834018293 | 12.0 | 0.0 | 12.0 | NORMALE |
| 3 | 191939073184 | 13.0 | 0.0 | 13.0 | NORMALE |
| 4 | 191939073149 | 2.0 | 0.0 | 2.0 | NORMALE |
| 5 | 191939064550 | 12.5 | 0.0 | 12.5 | NORMALE |
| 6 | 181839069459 | 17.0 | 0.0 | 17.0 | NORMALE |
| 7 | 191939067682 | 5.0 | 0.0 | 5.0 | NORMALE |
| 8 | 191939065867 | 2.0 | 0.0 | 2.0 | NORMALE |
| 9 | 191939054301 | 7.0 | 0.0 | 7.0 | RATTRAPAGE |
| 10 | 191939067038 | 10.5 | 0.0 | 10.5 | NORMALE |
| 11 | 191939065949 | 6.0 | 0.0 | 6.0 | NORMALE |
| 12 | 191939071336 | 8.0 | 0.0 | 8.0 | NORMALE |
| 13 | 191939072023 | 4.5 | 0.0 | 4.5 | NORMALE |
| 14 | 191939072157 | 8.0 | 0.0 | 8.0 | RATTRAPAGE |
| 15 | 191939073188 | 2.0 | 0.0 | 2.0 | NORMALE |
| 16 | 191939066275 | 7.0 | 0.0 | 7.0 | NORMALE |
| 17 | 181839063061 | 2.0 | 0.0 | 2.0 | NORMALE |
| 18 | 191939067582 | 8.0 | 0.0 | 8.0 | NORMALE |
| 19 | 191939078493 | 17.0 | 0.0 | 17.0 | NORMALE |
| 20 | 191939072090 | 9.5 | 0.0 | 9.5 | NORMALE |
| 21 | 191939072386 | 12.0 | 0.0 | 12.0 | NORMALE |
| 22 | 191939065976 | 5.0 | 0.0 | 5.0 | NORMALE |
| 23 | 191939067623 | 2.0 | 0.0 | 2.0 | NORMALE |
| 24 | 191939054314 | 7.5 | 0.0 | 7.5 | RATTRAPAGE |
| 25 | 191939064989 | 11.0 | 0.0 | 11.0 | NORMALE |
| 26 | 191939067710 | 5.5 | 0.0 | 5.5 | NORMALE |
| 27 | 181839064025 | 5.0 | 0.0 | 5.0 | NORMALE |
| 28 | 161639071394 | 5.0 | 0.0 | 5.0 | NORMALE |
| 29 | 191939063747 | 8.0 | 0.0 | 8.0 | RATTRAPAGE |
| 30 | 171739067217 | 12.0 | 0.0 | 12.0 | NORMALE |
| 31 | 191939066916 | 11.0 | 0.0 | 11.0 | NORMALE |
| 32 | 191939071323 | 0.0 | 0.0 | 0.0 | NORMALE |
| 33 | 191939064642 | 5.0 | 0.0 | 5.0 | NORMALE |
| 34 | 191939067618 | 7.5 | 0.0 | 7.5 | NORMALE |
| 35 | 161639070250 | 0.0 | 0.0 | 0.0 | NORMALE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: TP Fonctions de L'électronique / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|------|------|---------|
| 1 | 191939072104 | 0.0 | 13.0 | 13.0 | NORMALE |
| 2 | 181834018293 | 0.0 | 13.0 | 13.0 | NORMALE |
| 3 | 191939073184 | 0.0 | 13.0 | 13.0 | NORMALE |
| 4 | 191939073149 | 0.0 | 10.0 | 10.0 | NORMALE |
| 5 | 191939064550 | 0.0 | 13.0 | 13.0 | NORMALE |
| 6 | 181839069459 | 0.0 | 14.0 | 14.0 | NORMALE |
| 7 | 191939067682 | 0.0 | 19.0 | 19.0 | NORMALE |
| 8 | 191939065867 | 0.0 | 10.0 | 10.0 | NORMALE |
| 9 | 191939054301 | 0.0 | 10.0 | 10.0 | NORMALE |
| 10 | 191939067038 | 0.0 | 16.0 | 16.0 | NORMALE |
| 11 | 191939065949 | 0.0 | 10.0 | 10.0 | NORMALE |
| 12 | 191939071336 | 0.0 | 10.0 | 10.0 | NORMALE |
| 13 | 191939072023 | 0.0 | 10.0 | 10.0 | NORMALE |
| 14 | 191939072157 | 0.0 | 10.0 | 10.0 | NORMALE |
| 15 | 191939073188 | 0.0 | 10.0 | 10.0 | NORMALE |
| 16 | 191939066275 | 0.0 | 10.0 | 10.0 | NORMALE |
| 17 | 181839063061 | 0.0 | 12.0 | 12.0 | NORMALE |
| 18 | 191939067582 | 0.0 | 13.0 | 13.0 | NORMALE |
| 19 | 191939078493 | 0.0 | 15.0 | 15.0 | NORMALE |
| 20 | 191939072090 | 0.0 | 12.0 | 12.0 | NORMALE |
| 21 | 191939072386 | 0.0 | 10.0 | 10.0 | NORMALE |
| 22 | 191939065976 | 0.0 | 17.0 | 17.0 | NORMALE |
| 23 | 191939067623 | 0.0 | 13.0 | 13.0 | NORMALE |
| 24 | 191939054314 | 0.0 | 10.0 | 10.0 | NORMALE |
| 25 | 191939064989 | 0.0 | 12.0 | 12.0 | NORMALE |
| 26 | 191939067710 | 0.0 | 12.0 | 12.0 | NORMALE |
| 27 | 181839064025 | 0.0 | 13.0 | 13.0 | NORMALE |
| 28 | 161639071394 | 0.0 | 10.0 | 10.0 | NORMALE |
| 29 | 191939063747 | 0.0 | 0.0 | 0.0 | NORMALE |
| 30 | 171739067217 | 0.0 | 13.0 | 13.0 | NORMALE |
| 31 | 191939066916 | 0.0 | 10.0 | 10.0 | NORMALE |
| 32 | 191939071323 | 0.0 | 0.0 | 0.0 | NORMALE |
| 33 | 191939064642 | 0.0 | 10.0 | 10.0 | NORMALE |
| 34 | 191939067618 | 0.0 | 15.0 | 15.0 | NORMALE |
| 35 | 161639070250 | 0.0 | 11.0 | 11.0 | NORMALE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: TP Signal et Réseaux Locaux / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|-------|-------|---------|
| 1 | 191939072104 | 0.0 | 14.0 | 14.0 | NORMALE |
| 2 | 181834018293 | 0.0 | 14.88 | 14.88 | NORMALE |
| 3 | 191939073184 | 0.0 | 14.88 | 14.88 | NORMALE |
| 4 | 191939073149 | 0.0 | 14.88 | 14.88 | NORMALE |
| 5 | 191939064550 | 0.0 | 14.13 | 14.13 | NORMALE |
| 6 | 181839069459 | 0.0 | 8.5 | 8.5 | NORMALE |
| 7 | 191939067682 | 0.0 | 14.63 | 14.63 | NORMALE |
| 8 | 191939065867 | 0.0 | 13.5 | 13.5 | NORMALE |
| 9 | 191939054301 | 0.0 | 14.88 | 14.88 | NORMALE |
| 10 | 191939067038 | 0.0 | 14.5 | 14.5 | NORMALE |
| 11 | 191939065949 | 0.0 | 15.0 | 15.0 | NORMALE |
| 12 | 191939071336 | 0.0 | 14.5 | 14.5 | NORMALE |
| 13 | 191939072023 | 0.0 | 14.38 | 14.38 | NORMALE |
| 14 | 191939072157 | 0.0 | 14.38 | 14.38 | NORMALE |
| 15 | 191939073188 | 0.0 | 14.5 | 14.5 | NORMALE |
| 16 | 191939066275 | 0.0 | 14.38 | 14.38 | NORMALE |
| 17 | 181839063061 | 0.0 | 14.38 | 14.38 | NORMALE |
| 18 | 191939067582 | 0.0 | 14.25 | 14.25 | NORMALE |
| 19 | 191939078493 | 0.0 | 14.63 | 14.63 | NORMALE |
| 20 | 191939072090 | 0.0 | 13.38 | 13.38 | NORMALE |
| 21 | 191939072386 | 0.0 | 14.13 | 14.13 | NORMALE |
| 22 | 191939065976 | 0.0 | 14.75 | 14.75 | NORMALE |
| 23 | 191939067623 | 0.0 | 14.5 | 14.5 | NORMALE |
| 24 | 191939054314 | 0.0 | 14.5 | 14.5 | NORMALE |
| 25 | 191939064989 | 0.0 | 15.5 | 15.5 | NORMALE |
| 26 | 191939067710 | 0.0 | 13.88 | 13.88 | NORMALE |
| 27 | 181839064025 | 0.0 | 15.0 | 15.0 | NORMALE |
| 28 | 161639071394 | 0.0 | 15.0 | 15.0 | NORMALE |
| 29 | 191939063747 | 0.0 | 15.0 | 15.0 | NORMALE |
| 30 | 171739067217 | 0.0 | 15.5 | 15.5 | NORMALE |
| 31 | 191939066916 | 0.0 | 15.0 | 15.0 | NORMALE |
| 32 | 191939071323 | 0.0 | 13.5 | 13.5 | NORMALE |
| 33 | 191939064642 | 0.0 | 14.88 | 14.88 | NORMALE |
| 34 | 191939067618 | 0.0 | 13.88 | 13.88 | NORMALE |
| 35 | 161639070250 | 0.0 | 0.0 | 0.0 | NORMALE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: TP Systèmes à Microprocesseurs / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|-------|-------|---------|
| 1 | 191939072104 | 0.0 | 11.0 | 11.0 | NORMALE |
| 2 | 181834018293 | 0.0 | 13.0 | 13.0 | NORMALE |
| 3 | 191939073184 | 0.0 | 11.0 | 11.0 | NORMALE |
| 4 | 191939073149 | 0.0 | 11.0 | 11.0 | NORMALE |
| 5 | 191939064550 | 0.0 | 12.0 | 12.0 | NORMALE |
| 6 | 181839069459 | 0.0 | 12.0 | 12.0 | NORMALE |
| 7 | 191939067682 | 0.0 | 10.0 | 10.0 | NORMALE |
| 8 | 191939065867 | 0.0 | 13.0 | 13.0 | NORMALE |
| 9 | 191939054301 | 0.0 | 12.0 | 12.0 | NORMALE |
| 10 | 191939067038 | 0.0 | 12.0 | 12.0 | NORMALE |
| 11 | 191939065949 | 0.0 | 12.0 | 12.0 | NORMALE |
| 12 | 191939071336 | 0.0 | 12.0 | 12.0 | NORMALE |
| 13 | 191939072023 | 0.0 | 11.0 | 11.0 | NORMALE |
| 14 | 191939072157 | 0.0 | 11.0 | 11.0 | NORMALE |
| 15 | 191939073188 | 0.0 | 12.0 | 12.0 | NORMALE |
| 16 | 191939066275 | 0.0 | 8.0 | 8.0 | NORMALE |
| 17 | 181839063061 | 0.0 | 13.0 | 13.0 | NORMALE |
| 18 | 191939067582 | 0.0 | 12.0 | 12.0 | NORMALE |
| 19 | 191939078493 | 0.0 | 10.0 | 10.0 | NORMALE |
| 20 | 191939072090 | 0.0 | 11.0 | 11.0 | NORMALE |
| 21 | 191939072386 | 0.0 | 11.0 | 11.0 | NORMALE |
| 22 | 191939065976 | 0.0 | 12.0 | 12.0 | NORMALE |
| 23 | 191939067623 | 0.0 | 0.0 | 0.0 | NORMALE |
| 24 | 191939054314 | 0.0 | 12.0 | 12.0 | NORMALE |
| 25 | 191939064989 | 0.0 | 13.0 | 13.0 | NORMALE |
| 26 | 191939067710 | 0.0 | 12.0 | 12.0 | NORMALE |
| 27 | 181839064025 | 0.0 | 11.25 | 11.25 | NORMALE |
| 28 | 161639071394 | 0.0 | 0.0 | 0.0 | NORMALE |
| 29 | 191939063747 | 0.0 | 12.0 | 12.0 | NORMALE |
| 30 | 171739067217 | 0.0 | 14.0 | 14.0 | NORMALE |
| 31 | 191939066916 | 0.0 | 13.0 | 13.0 | NORMALE |
| 32 | 191939071323 | 0.0 | 0.0 | 0.0 | NORMALE |
| 33 | 191939064642 | 0.0 | 12.0 | 12.0 | NORMALE |
| 34 | 191939067618 | 0.0 | 12.0 | 12.0 | NORMALE |
| 35 | 161639070250 | 0.0 | 12.0 | 12.0 | NORMALE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Traitement du Signal / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|------|------|------------|
| 1 | 191939072104 | 13.0 | 15.0 | 13.8 | RATTRAPAGE |
| 2 | 181834018293 | 3.0 | 12.0 | 6.6 | NORMALE |
| 3 | 191939073184 | 12.0 | 16.0 | 13.6 | NORMALE |
| 4 | 191939073149 | 3.0 | 12.0 | 6.6 | NORMALE |
| 5 | 191939064550 | 3.0 | 12.0 | 6.6 | NORMALE |
| 6 | 181839069459 | 5.0 | 13.0 | 8.2 | NORMALE |
| 7 | 191939067682 | 20.0 | 20.0 | 20.0 | NORMALE |
| 8 | 191939065867 | 3.0 | 12.0 | 6.6 | NORMALE |
| 9 | 191939054301 | 16.0 | 12.0 | 14.4 | RATTRAPAGE |
| 10 | 191939067038 | 5.0 | 13.0 | 8.2 | NORMALE |
| 11 | 191939065949 | 2.0 | 12.0 | 6.0 | NORMALE |
| 12 | 191939071336 | 7.0 | 14.0 | 9.8 | NORMALE |
| 13 | 191939072023 | 4.0 | 12.0 | 7.2 | NORMALE |
| 14 | 191939072157 | 18.0 | 13.0 | 16.0 | RATTRAPAGE |
| 15 | 191939073188 | 5.0 | 13.0 | 8.2 | NORMALE |
| 16 | 191939066275 | 7.0 | 14.0 | 9.8 | NORMALE |
| 17 | 181839063061 | 6.0 | 13.0 | 8.8 | NORMALE |
| 18 | 191939067582 | 3.0 | 12.0 | 6.6 | NORMALE |
| 19 | 191939078493 | 12.0 | 16.0 | 13.6 | NORMALE |
| 20 | 191939072090 | 3.0 | 12.0 | 6.6 | NORMALE |
| 21 | 191939072386 | 3.0 | 12.0 | 6.6 | NORMALE |
| 22 | 191939065976 | 4.0 | 12.0 | 7.2 | NORMALE |
| 23 | 191939067623 | 6.0 | 13.0 | 8.8 | NORMALE |
| 24 | 191939054314 | 18.0 | 12.0 | 15.6 | RATTRAPAGE |
| 25 | 191939064989 | 18.0 | 12.0 | 15.6 | RATTRAPAGE |
| 26 | 191939067710 | 8.0 | 14.0 | 10.4 | NORMALE |
| 27 | 181839064025 | 10.0 | 10.0 | 10.0 | NORMALE |
| 28 | 161639071394 | 10.0 | 10.0 | 10.0 | NORMALE |
| 29 | 191939063747 | 3.0 | 12.0 | 6.6 | NORMALE |
| 30 | 171739067217 | 2.0 | 12.0 | 6.0 | NORMALE |
| 31 | 191939066916 | 2.0 | 12.0 | 6.0 | NORMALE |
| 32 | 191939071323 | 0.0 | 0.0 | 0.0 | NORMALE |
| 33 | 191939064642 | 4.0 | 12.0 | 7.2 | NORMALE |
| 34 | 191939067618 | 1.0 | 12.0 | 5.4 | NORMALE |
| 35 | 161639070250 | 3.0 | 12.0 | 6.6 | NORMALE |

2021/2022

Filière: électronique
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Travaux Avant-Projet / Section A / 1

PV de délibération par matière (Session Rattrapage)

| # | Matricule | Examen | CC | MG | Session |
|----|--------------|--------|------|------|---------|
| 1 | 191939072104 | 11.0 | 16.0 | 13.0 | NORMALE |
| 2 | 181834018293 | 16.0 | 16.0 | 16.0 | NORMALE |
| 3 | 191939073184 | 17.0 | 17.0 | 17.0 | NORMALE |
| 4 | 191939073149 | 11.5 | 17.0 | 13.7 | NORMALE |
| 5 | 191939064550 | 15.0 | 16.0 | 15.4 | NORMALE |
| 6 | 181839069459 | 18.0 | 16.0 | 17.2 | NORMALE |
| 7 | 191939067682 | 16.0 | 18.0 | 16.8 | NORMALE |
| 8 | 191939065867 | 12.0 | 16.0 | 13.6 | NORMALE |
| 9 | 191939054301 | 15.0 | 16.0 | 15.4 | NORMALE |
| 10 | 191939067038 | 17.0 | 16.0 | 16.6 | NORMALE |
| 11 | 191939065949 | 16.0 | 16.0 | 16.0 | NORMALE |
| 12 | 191939071336 | 19.0 | 16.0 | 17.8 | NORMALE |
| 13 | 191939072023 | 16.0 | 16.0 | 16.0 | NORMALE |
| 14 | 191939072157 | 13.5 | 16.0 | 14.5 | NORMALE |
| 15 | 191939073188 | 12.5 | 17.0 | 14.3 | NORMALE |
| 16 | 191939066275 | 9.5 | 16.0 | 12.1 | NORMALE |
| 17 | 181839063061 | 16.0 | 16.0 | 16.0 | NORMALE |
| 18 | 191939067582 | 12.5 | 16.0 | 13.9 | NORMALE |
| 19 | 191939078493 | 18.0 | 16.0 | 17.2 | NORMALE |
| 20 | 191939072090 | 16.0 | 16.0 | 16.0 | NORMALE |
| 21 | 191939072386 | 14.0 | 16.0 | 14.8 | NORMALE |
| 22 | 191939065976 | 11.5 | 16.0 | 13.3 | NORMALE |
| 23 | 191939067623 | 13.5 | 16.0 | 14.5 | NORMALE |
| 24 | 191939054314 | 10.0 | 16.0 | 12.4 | NORMALE |
| 25 | 191939064989 | 5.0 | 16.0 | 9.4 | NORMALE |
| 26 | 191939067710 | 11.5 | 16.0 | 13.3 | NORMALE |
| 27 | 181839064025 | 12.5 | 12.5 | 12.5 | NORMALE |
| 28 | 161639071394 | 10.0 | 10.0 | 10.0 | NORMALE |
| 29 | 191939063747 | 12.0 | 16.0 | 13.6 | NORMALE |
| 30 | 171739067217 | 17.0 | 16.0 | 16.6 | NORMALE |
| 31 | 191939066916 | 17.0 | 16.0 | 16.6 | NORMALE |
| 32 | 191939071323 | 0.0 | 0.0 | 0.0 | NORMALE |
| 33 | 191939064642 | 16.0 | 16.0 | 16.0 | NORMALE |
| 34 | 191939067618 | 17.0 | 16.0 | 16.6 | NORMALE |
| 35 | 161639070250 | 7.0 | 16.0 | 10.6 | NORMALE |