

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: Hydraulique générale II / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	9.5	13.9	11.26	NORMALE
2	171739081729	0.0	0.0	0.0	NORMALE
3	161639072362	0.0	0.0	0.0	NORMALE
4	181839053371	0.0	1.05	0.42	NORMALE
5	171739066159	0.0	0.0	0.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	4.5	3.1	3.94	NORMALE
8	171739073723	0.0	6.7	2.68	NORMALE
9	21079055973	10.0	11.5	10.6	NORMALE
10	191939067578	6.0	6.8	6.32	NORMALE
11	181839068275	3.0	8.5	5.2	NORMALE
12	191939065957	13.0	16.9	14.56	NORMALE
13	21099039467	4.5	0.45	2.88	NORMALE
14	181839073630	0.0	7.9	3.16	NORMALE
15	191939054638	3.0	13.3	7.12	NORMALE
16	191939065482	0.0	8.9	3.56	NORMALE
17	171839079159	9.5	12.3	10.62	NORMALE
18	171739065201	4.5	1.05	3.12	NORMALE
19	191939067696	2.5	9.3	5.22	NORMALE
20	181839071161	5.5	7.5	6.3	NORMALE
21	161539074321	0.0	0.0	0.0	NORMALE
22	191939071364	4.5	11.9	7.46	NORMALE
23	191939068071	5.0	10.0	7.0	NORMALE
24	181839073397	4.5	5.4	4.86	NORMALE
25	191939070045	9.0	9.0	9.0	NORMALE
26	171439060696	0.0	0.0	0.0	NORMALE
27	191939066200	8.5	5.4	7.26	NORMALE
28	191939071365	2.5	8.6	4.94	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: Hydrogéologie / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	13.0	15.5	14.0	NORMALE
2	171739081729	10.4	10.4	10.4	NORMALE
3	161639072362	0.0	0.0	0.0	NORMALE
4	181839053371	0.0	10.2	4.08	NORMALE
5	171739066159	10.44	10.44	10.44	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	3.0	10.0	5.8	NORMALE
8	171739073723	3.0	0.0	1.8	NORMALE
9	21079055973	17.0	13.5	15.6	NORMALE
10	191939067578	9.0	11.0	9.8	NORMALE
11	181839068275	8.0	10.0	8.8	NORMALE
12	191939065957	18.5	19.1	18.74	NORMALE
13	21099039467	4.0	0.0	2.4	NORMALE
14	181839073630	0.0	10.0	4.0	NORMALE
15	191939054638	14.0	14.8	14.32	NORMALE
16	191939065482	5.0	14.6	8.84	NORMALE
17	171839079159	11.0	11.0	11.0	NORMALE
18	171739065201	15.0	15.0	15.0	NORMALE
19	191939067696	7.0	10.4	8.36	NORMALE
20	181839071161	0.0	10.0	4.0	NORMALE
21	161539074321	0.0	0.0	0.0	NORMALE
22	191939071364	8.0	11.8	9.52	NORMALE
23	191939068071	7.5	11.6	9.14	NORMALE
24	181839073397	3.0	10.0	5.8	NORMALE
25	191939070045	13.0	12.2	12.68	NORMALE
26	171439060696	0.0	0.0	0.0	NORMALE
27	191939066200	9.0	11.6	10.04	NORMALE
28	191939071365	10.0	11.6	10.64	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: Hydrologie II / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	17.0	9.4	13.96	NORMALE
2	171739081729	0.0	0.0	0.0	NORMALE
3	161639072362	0.0	0.0	0.0	NORMALE
4	181839053371	0.0	6.0	2.4	NORMALE
5	171739066159	0.0	0.0	0.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	5.5	10.9	7.66	NORMALE
8	171739073723	0.0	10.0	4.0	NORMALE
9	21079055973	17.5	10.3	14.62	NORMALE
10	191939067578	7.5	7.0	7.3	NORMALE
11	181839068275	3.5	9.5	5.9	NORMALE
12	191939065957	17.5	11.0	14.9	NORMALE
13	21099039467	3.5	4.05	3.72	NORMALE
14	181839073630	0.0	10.0	4.0	NORMALE
15	191939054638	15.5	13.0	14.5	NORMALE
16	191939065482	1.0	10.6	4.84	NORMALE
17	171839079159	11.0	10.4	10.76	NORMALE
18	171739065201	0.0	0.0	0.0	NORMALE
19	191939067696	6.5	10.8	8.22	NORMALE
20	181839071161	2.0	12.2	6.08	NORMALE
21	161539074321	11.0	11.0	11.0	NORMALE
22	191939071364	15.5	12.2	14.18	NORMALE
23	191939068071	9.0	11.0	9.8	NORMALE
24	181839073397	2.0	10.3	5.32	NORMALE
25	191939070045	15.5	10.5	13.5	NORMALE
26	171439060696	0.0	0.0	0.0	NORMALE
27	191939066200	14.5	11.0	13.1	NORMALE
28	191939071365	7.5	12.2	9.38	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: Irrigation / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	19.5	0.0	19.5	NORMALE
2	171739081729	14.5	0.0	14.5	NORMALE
3	161639072362	16.0	0.0	16.0	NORMALE
4	181839053371	0.0	0.0	0.0	NORMALE
5	171739066159	0.0	0.0	0.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	9.5	0.0	9.5	NORMALE
8	171739073723	0.0	0.0	0.0	NORMALE
9	21079055973	14.5	0.0	14.5	NORMALE
10	191939067578	10.5	0.0	10.5	NORMALE
11	181839068275	8.0	0.0	8.0	NORMALE
12	191939065957	19.5	0.0	19.5	NORMALE
13	21099039467	0.0	0.0	0.0	NORMALE
14	181839073630	0.0	0.0	0.0	NORMALE
15	191939054638	12.0	0.0	12.0	NORMALE
16	191939065482	2.0	0.0	2.0	NORMALE
17	171839079159	19.5	0.0	19.5	NORMALE
18	171739065201	10.0	0.0	10.0	NORMALE
19	191939067696	13.5	0.0	13.5	NORMALE
20	181839071161	11.5	0.0	11.5	NORMALE
21	161539074321	16.0	0.0	16.0	NORMALE
22	191939071364	16.5	0.0	16.5	NORMALE
23	191939068071	16.5	0.0	16.5	NORMALE
24	181839073397	14.0	0.0	14.0	NORMALE
25	191939070045	10.0	0.0	10.0	NORMALE
26	171439060696	14.0	0.0	14.0	NORMALE
27	191939066200	12.0	0.0	12.0	NORMALE
28	191939071365	13.0	0.0	13.0	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: Législation des eaux / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	10.0	0.0	10.0	NORMALE
2	171739081729	0.0	0.0	0.0	NORMALE
3	161639072362	0.0	0.0	0.0	NORMALE
4	181839053371	0.0	0.0	0.0	NORMALE
5	171739066159	0.0	0.0	0.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	8.0	0.0	8.0	NORMALE
8	171739073723	0.0	0.0	0.0	NORMALE
9	21079055973	13.0	0.0	13.0	NORMALE
10	191939067578	6.5	0.0	6.5	NORMALE
11	181839068275	13.5	0.0	13.5	NORMALE
12	191939065957	19.0	0.0	19.0	NORMALE
13	21099039467	5.0	0.0	5.0	NORMALE
14	181839073630	5.5	0.0	5.5	NORMALE
15	191939054638	13.0	0.0	13.0	NORMALE
16	191939065482	0.0	0.0	0.0	NORMALE
17	171839079159	19.0	0.0	19.0	NORMALE
18	171739065201	0.0	0.0	0.0	NORMALE
19	191939067696	10.0	0.0	10.0	NORMALE
20	181839071161	10.5	0.0	10.5	NORMALE
21	161539074321	15.0	0.0	15.0	NORMALE
22	191939071364	9.5	0.0	9.5	NORMALE
23	191939068071	14.0	0.0	14.0	NORMALE
24	181839073397	7.0	0.0	7.0	NORMALE
25	191939070045	16.5	0.0	16.5	NORMALE
26	171439060696	0.0	0.0	0.0	NORMALE
27	191939066200	11.5	0.0	11.5	NORMALE
28	191939071365	9.0	0.0	9.0	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: Mécanique des Sols / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	2.0	11.0	5.6	NORMALE
2	171739081729	0.0	0.0	0.0	NORMALE
3	161639072362	0.0	0.0	0.0	NORMALE
4	181839053371	0.0	5.0	2.0	NORMALE
5	171739066159	0.0	0.0	0.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	1.0	2.4	1.56	NORMALE
8	171739073723	0.0	5.0	2.0	NORMALE
9	21079055973	12.0	7.0	10.0	NORMALE
10	191939067578	1.0	5.0	2.6	NORMALE
11	181839068275	1.0	5.0	2.6	NORMALE
12	191939065957	12.5	15.8	13.82	NORMALE
13	21099039467	2.0	0.0	1.2	NORMALE
14	181839073630	1.0	7.0	3.4	NORMALE
15	191939054638	4.0	5.0	4.4	NORMALE
16	191939065482	1.0	12.6	5.64	NORMALE
17	171839079159	11.0	13.4	11.96	NORMALE
18	171739065201	2.0	0.0	1.2	NORMALE
19	191939067696	1.0	4.4	2.36	NORMALE
20	181839071161	2.0	8.4	4.56	NORMALE
21	161539074321	0.0	0.0	0.0	NORMALE
22	191939071364	4.0	11.0	6.8	NORMALE
23	191939068071	0.5	6.4	2.86	NORMALE
24	181839073397	1.0	9.0	4.2	NORMALE
25	191939070045	2.0	11.6	5.84	NORMALE
26	171439060696	0.0	0.0	0.0	NORMALE
27	191939066200	2.0	6.4	3.76	NORMALE
28	191939071365	2.0	5.0	3.2	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: Ouvrages hydrauliques / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	18.0	14.4	16.56	NORMALE
2	171739081729	0.0	0.0	0.0	NORMALE
3	161639072362	12.52	12.52	12.52	NORMALE
4	181839053371	0.0	6.0	2.4	NORMALE
5	171739066159	0.0	0.0	0.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	3.5	10.0	6.1	NORMALE
8	171739073723	0.0	0.0	0.0	NORMALE
9	21079055973	19.0	10.0	15.4	NORMALE
10	191939067578	16.0	12.15	14.46	NORMALE
11	181839068275	3.5	6.9	4.86	NORMALE
12	191939065957	19.5	14.55	17.52	NORMALE
13	21099039467	4.5	0.0	2.7	NORMALE
14	181839073630	3.5	8.8	5.62	NORMALE
15	191939054638	17.0	10.0	14.2	NORMALE
16	191939065482	3.5	10.3	6.22	NORMALE
17	171839079159	19.5	13.95	17.28	NORMALE
18	171739065201	10.0	0.0	6.0	NORMALE
19	191939067696	13.0	12.95	12.98	NORMALE
20	181839071161	5.0	12.0	7.8	NORMALE
21	161539074321	0.0	0.0	0.0	NORMALE
22	191939071364	13.0	13.95	13.38	NORMALE
23	191939068071	9.0	12.85	10.54	NORMALE
24	181839073397	3.5	9.3	5.82	NORMALE
25	191939070045	17.5	14.75	16.4	NORMALE
26	171439060696	0.0	0.0	0.0	NORMALE
27	191939066200	11.5	14.45	12.68	NORMALE
28	191939071365	15.0	11.55	13.62	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: Système D'informations Géographiques / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	18.0	0.0	18.0	NORMALE
2	171739081729	7.0	0.0	7.0	NORMALE
3	161639072362	10.0	0.0	10.0	NORMALE
4	181839053371	0.0	0.0	0.0	NORMALE
5	171739066159	0.0	0.0	0.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	1.0	0.0	1.0	NORMALE
8	171739073723	14.0	0.0	14.0	NORMALE
9	21079055973	14.0	0.0	14.0	NORMALE
10	191939067578	11.0	0.0	11.0	NORMALE
11	181839068275	4.5	0.0	4.5	NORMALE
12	191939065957	11.5	0.0	11.5	NORMALE
13	21099039467	6.0	0.0	6.0	NORMALE
14	181839073630	6.0	0.0	6.0	NORMALE
15	191939054638	11.0	0.0	11.0	NORMALE
16	191939065482	5.0	0.0	5.0	NORMALE
17	171839079159	20.0	0.0	20.0	NORMALE
18	171739065201	11.0	0.0	11.0	NORMALE
19	191939067696	3.0	0.0	3.0	NORMALE
20	181839071161	8.0	0.0	8.0	NORMALE
21	161539074321	10.0	0.0	10.0	NORMALE
22	191939071364	14.5	0.0	14.5	NORMALE
23	191939068071	7.0	0.0	7.0	NORMALE
24	181839073397	11.5	0.0	11.5	NORMALE
25	191939070045	10.5	0.0	10.5	NORMALE
26	171439060696	0.0	0.0	0.0	NORMALE
27	191939066200	17.5	0.0	17.5	NORMALE
28	191939071365	10.0	0.0	10.0	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: TP Hydraulique / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	0.0	13.0	13.0	NORMALE
2	171739081729	0.0	12.75	12.75	NORMALE
3	161639072362	0.0	12.25	12.25	NORMALE
4	181839053371	0.0	10.0	10.0	NORMALE
5	171739066159	0.0	13.0	13.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	0.0	11.5	11.5	NORMALE
8	171739073723	0.0	10.0	10.0	NORMALE
9	21079055973	0.0	10.0	10.0	NORMALE
10	191939067578	0.0	12.0	12.0	NORMALE
11	181839068275	0.0	11.0	11.0	NORMALE
12	191939065957	0.0	14.0	14.0	NORMALE
13	21099039467	0.0	0.0	0.0	NORMALE
14	181839073630	0.0	11.5	11.5	NORMALE
15	191939054638	0.0	13.5	13.5	NORMALE
16	191939065482	0.0	12.0	12.0	NORMALE
17	171839079159	0.0	10.0	10.0	NORMALE
18	171739065201	0.0	11.0	11.0	NORMALE
19	191939067696	0.0	12.0	12.0	NORMALE
20	181839071161	0.0	13.0	13.0	NORMALE
21	161539074321	0.0	10.67	10.67	NORMALE
22	191939071364	0.0	12.0	12.0	NORMALE
23	191939068071	0.0	13.0	13.0	NORMALE
24	181839073397	0.0	13.0	13.0	NORMALE
25	191939070045	0.0	12.5	12.5	NORMALE
26	171439060696	0.0	13.25	13.25	NORMALE
27	191939066200	0.0	12.5	12.5	NORMALE
28	191939071365	0.0	13.0	13.0	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: TP Mécanique des Sols / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	0.0	16.0	16.0	NORMALE
2	171739081729	0.0	11.0	11.0	NORMALE
3	161639072362	0.0	15.0	15.0	NORMALE
4	181839053371	0.0	0.0	0.0	NORMALE
5	171739066159	0.0	10.0	10.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	0.0	13.75	13.75	NORMALE
8	171739073723	0.0	14.5	14.5	NORMALE
9	21079055973	0.0	14.0	14.0	NORMALE
10	191939067578	0.0	15.0	15.0	NORMALE
11	181839068275	0.0	13.5	13.5	NORMALE
12	191939065957	0.0	15.5	15.5	NORMALE
13	21099039467	0.0	0.0	0.0	NORMALE
14	181839073630	0.0	14.5	14.5	NORMALE
15	191939054638	0.0	15.0	15.0	NORMALE
16	191939065482	0.0	15.0	15.0	NORMALE
17	171839079159	0.0	12.0	12.0	NORMALE
18	171739065201	0.0	6.0	6.0	NORMALE
19	191939067696	0.0	14.0	14.0	NORMALE
20	181839071161	0.0	14.5	14.5	NORMALE
21	161539074321	0.0	15.0	15.0	NORMALE
22	191939071364	0.0	15.5	15.5	NORMALE
23	191939068071	0.0	14.5	14.5	NORMALE
24	181839073397	0.0	13.5	13.5	NORMALE
25	191939070045	0.0	15.0	15.0	NORMALE
26	171439060696	0.0	10.0	10.0	NORMALE
27	191939066200	0.0	14.0	14.0	NORMALE
28	191939071365	0.0	14.5	14.5	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: TP Topographie / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	0.0	16.0	16.0	NORMALE
2	171739081729	0.0	14.85	14.85	NORMALE
3	161639072362	0.0	12.85	12.85	NORMALE
4	181839053371	0.0	0.0	0.0	NORMALE
5	171739066159	0.0	13.15	13.15	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	0.0	14.0	14.0	NORMALE
8	171739073723	0.0	14.3	14.3	NORMALE
9	21079055973	0.0	14.25	14.25	NORMALE
10	191939067578	0.0	16.25	16.25	NORMALE
11	181839068275	0.0	12.75	12.75	NORMALE
12	191939065957	0.0	16.0	16.0	NORMALE
13	21099039467	0.0	0.0	0.0	NORMALE
14	181839073630	0.0	15.85	15.85	NORMALE
15	191939054638	0.0	15.75	15.75	NORMALE
16	191939065482	0.0	15.85	15.85	NORMALE
17	171839079159	0.0	16.3	16.3	NORMALE
18	171739065201	0.0	20.0	20.0	NORMALE
19	191939067696	0.0	16.25	16.25	NORMALE
20	181839071161	0.0	14.75	14.75	NORMALE
21	161539074321	0.0	10.0	10.0	NORMALE
22	191939071364	0.0	17.0	17.0	NORMALE
23	191939068071	0.0	15.75	15.75	NORMALE
24	181839073397	0.0	15.75	15.75	NORMALE
25	191939070045	0.0	17.0	17.0	NORMALE
26	171439060696	0.0	13.15	13.15	NORMALE
27	191939066200	0.0	15.25	15.25	NORMALE
28	191939071365	0.0	17.0	17.0	NORMALE

2021/2

Filière: hydraulique
Hydraulique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°714 du 05 Aout 2015

Matière: Traitement et épuration des eaux / Section A / 1

PV de délibération par matière (Session Normale)

#	Matricule	Examen	CC	MG	Session
1	191939065978	17.0	14.1	15.84	NORMALE
2	171739081729	6.59	6.59	6.59	NORMALE
3	161639072362	8.7	8.7	8.7	NORMALE
4	181839053371	0.0	2.7	1.08	NORMALE
5	171739066159	0.0	0.0	0.0	NORMALE
6	161639075230	0.0	0.0	0.0	NORMALE
7	181839063936	0.0	3.4	1.36	NORMALE
8	171739073723	1.0	3.5	2.0	NORMALE
9	21079055973	12.0	16.2	13.68	NORMALE
10	191939067578	2.0	9.95	5.18	NORMALE
11	181839068275	1.0	6.5	3.2	NORMALE
12	191939065957	15.0	15.7	15.28	NORMALE
13	21099039467	1.5	0.0	0.9	NORMALE
14	181839073630	1.0	5.8	2.92	NORMALE
15	191939054638	1.5	3.6	2.34	NORMALE
16	191939065482	1.0	7.4	3.56	NORMALE
17	171839079159	6.1	6.1	6.1	NORMALE
18	171739065201	9.5	9.5	9.5	NORMALE
19	191939067696	2.5	8.75	5.0	NORMALE
20	181839071161	0.0	4.0	1.6	NORMALE
21	161539074321	7.36	7.36	7.36	NORMALE
22	191939071364	4.5	9.2	6.38	NORMALE
23	191939068071	3.0	10.4	5.96	NORMALE
24	181839073397	2.5	7.6	4.54	NORMALE
25	191939070045	6.0	10.25	7.7	NORMALE
26	171439060696	0.0	0.0	0.0	NORMALE
27	191939066200	7.0	0.0	4.2	NORMALE
28	191939071365	5.5	9.85	7.24	NORMALE