

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: anglais technique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	8.0	0.0	8.0	NORMALE
2	191939067657	1.0	0.0	1.0	NORMALE
3	202039069737	10.0	0.0	10.0	NORMALE
4	202039065534	1.0	0.0	1.0	NORMALE
5	202039066167	18.0	0.0	18.0	NORMALE
6	202039062177	16.0	0.0	16.0	NORMALE
7	202039067362	1.0	0.0	1.0	NORMALE
8	202039062908	8.0	0.0	8.0	NORMALE
9	191939065952	10.0	0.0	10.0	NORMALE
10	202039066160	7.0	0.0	7.0	NORMALE
11	202039063851	5.0	0.0	5.0	NORMALE
12	202039065512	10.0	0.0	10.0	NORMALE
13	202039068925	5.0	0.0	5.0	NORMALE
14	202039065516	10.0	0.0	10.0	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	1.0	0.0	1.0	NORMALE
17	202039070262	7.0	0.0	7.0	NORMALE
18	202039067732	10.0	0.0	10.0	NORMALE
19	202039066061	13.0	0.0	13.0	NORMALE
20	202039061728	12.0	0.0	12.0	NORMALE
21	202039068940	17.0	0.0	17.0	NORMALE
22	202039067137	5.0	0.0	5.0	NORMALE
23	202039068439	5.0	0.0	5.0	NORMALE
24	202039069773	9.0	0.0	9.0	NORMALE
25	202039068503	12.0	0.0	12.0	NORMALE
26	191939072418	10.0	0.0	10.0	NORMALE
27	202039072271	4.0	0.0	4.0	NORMALE
28	202039065537	15.0	0.0	15.0	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	10.0	0.0	10.0	NORMALE
31	202039069672	14.0	0.0	14.0	NORMALE
32	202039069721	10.0	0.0	10.0	NORMALE
33	202039065511	7.0	0.0	7.0	NORMALE
34	202039066410	15.0	0.0	15.0	NORMALE
35	181539073679	12.0	0.0	12.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: anglais technique / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	12.0	0.0	12.0	NORMALE
2	202039064568	1.0	0.0	1.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	16.0	0.0	16.0	NORMALE
5	191939072105	10.0	0.0	10.0	NORMALE
6	202039071613	5.0	0.0	5.0	NORMALE
7	202039070189	8.0	0.0	8.0	NORMALE
8	202039061996	6.0	0.0	6.0	NORMALE
9	202039064296	16.0	0.0	16.0	NORMALE
10	202039069765	16.0	0.0	16.0	NORMALE
11	191939065946	17.0	0.0	17.0	NORMALE
12	202039067185	15.0	0.0	15.0	NORMALE
13	202039069739	10.0	0.0	10.0	NORMALE
14	202039061712	1.0	0.0	1.0	NORMALE
15	202039064669	10.0	0.0	10.0	NORMALE
16	202039072256	4.0	0.0	4.0	NORMALE
17	202039062995	18.0	0.0	18.0	NORMALE
18	191939069694	12.0	0.0	12.0	NORMALE
19	181839068247	16.0	0.0	16.0	NORMALE
20	202039061993	16.0	0.0	16.0	NORMALE
21	171739064740	13.5	0.0	13.5	NORMALE
22	202039068192	5.0	0.0	5.0	NORMALE
23	20079067639	13.0	0.0	13.0	NORMALE
24	202039065554	16.0	0.0	16.0	NORMALE
25	202039069788	1.0	0.0	1.0	NORMALE
26	202039071047	5.0	0.0	5.0	NORMALE
27	202039071553	11.0	0.0	11.0	NORMALE
28	202039071643	7.0	0.0	7.0	NORMALE
29	202039070281	13.0	0.0	13.0	NORMALE
30	202039069733	14.0	0.0	14.0	NORMALE
31	202039062792	18.0	0.0	18.0	NORMALE
32	202039062860	10.0	0.0	10.0	NORMALE
33	202039069688	10.0	0.0	10.0	NORMALE
34	202039067224	1.0	0.0	1.0	NORMALE
35	202039071006	4.0	0.0	4.0	NORMALE
36	202039065467	16.0	0.0	16.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: anglais technique / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	10.0	0.0	10.0	NORMALE
2	202039069791	5.0	0.0	5.0	NORMALE
3	202039065493	8.0	0.0	8.0	NORMALE
4	202039071928	14.0	0.0	14.0	NORMALE
5	202039067113	13.0	0.0	13.0	NORMALE
6	202039066373	2.0	0.0	2.0	NORMALE
7	202039063807	10.0	0.0	10.0	NORMALE
8	202034016206	10.0	0.0	10.0	NORMALE
9	181839050202	16.0	0.0	16.0	NORMALE
10	202039071719	0.0	0.0	0.0	NORMALE
11	202039067844	10.0	0.0	10.0	NORMALE
12	202039070143	10.0	0.0	10.0	NORMALE
13	191939068659	11.0	0.0	11.0	NORMALE
14	202039067207	2.0	0.0	2.0	NORMALE
15	191939065518	10.0	0.0	10.0	NORMALE
16	202039062174	2.0	0.0	2.0	NORMALE
17	181839066240	1.0	0.0	1.0	NORMALE
18	202039061924	1.0	0.0	1.0	NORMALE
19	202039066429	8.0	0.0	8.0	NORMALE
20	202039064336	5.0	0.0	5.0	NORMALE
21	181839063054	14.0	0.0	14.0	NORMALE
22	202039066157	15.0	0.0	15.0	NORMALE
23	202039067198	0.0	0.0	0.0	NORMALE
24	202039066103	12.0	0.0	12.0	NORMALE
25	202039062963	2.0	0.0	2.0	NORMALE
26	202039070918	5.0	0.0	5.0	NORMALE
27	202039062201	10.0	0.0	10.0	NORMALE
28	202039069665	14.0	0.0	14.0	NORMALE
29	202039064313	14.0	0.0	14.0	NORMALE
30	191939073174	15.0	0.0	15.0	NORMALE
31	202039062216	8.0	0.0	8.0	NORMALE
32	202039063387	17.0	0.0	17.0	NORMALE
33	191939054565	13.0	0.0	13.0	NORMALE
34	202039063561	7.0	0.0	7.0	NORMALE
35	202039066144	10.0	0.0	10.0	NORMALE
36	202039065507	8.0	0.0	8.0	NORMALE
37	202039071723	12.0	0.0	12.0	NORMALE
38	202039065109	11.0	0.0	11.0	NORMALE
39	202039065450	19.0	0.0	19.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: anglais technique / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	1.0	0.0	1.0	NORMALE
2	202039070150	11.0	0.0	11.0	NORMALE
3	202039064538	1.0	0.0	1.0	NORMALE
4	202039067225	10.0	0.0	10.0	NORMALE
5	191939066762	12.0	0.0	12.0	NORMALE
6	202039062689	7.0	0.0	7.0	NORMALE
7	202039067220	14.0	0.0	14.0	NORMALE
8	202039066105	10.0	0.0	10.0	NORMALE
9	202039069772	7.0	0.0	7.0	NORMALE
10	202039062175	0.0	0.0	0.0	NORMALE
11	202039076231	18.0	0.0	18.0	NORMALE
12	171739051075	11.0	0.0	11.0	NORMALE
13	202039062636	7.0	0.0	7.0	NORMALE
14	202039063584	2.0	0.0	2.0	NORMALE
15	202039067271	10.0	0.0	10.0	NORMALE
16	202039064260	2.0	0.0	2.0	NORMALE
17	202039071750	10.0	0.0	10.0	NORMALE
18	202039069494	18.0	0.0	18.0	NORMALE
19	202039067252	10.0	0.0	10.0	NORMALE
20	202039062005	4.0	0.0	4.0	NORMALE
21	202039065531	10.0	0.0	10.0	NORMALE
22	202039065517	8.0	0.0	8.0	NORMALE
23	202039063582	7.0	0.0	7.0	NORMALE
24	202039065530	18.0	0.0	18.0	NORMALE
25	181439072334	12.0	0.0	12.0	NORMALE
26	202039070114	15.0	0.0	15.0	NORMALE
27	181839071025	10.0	0.0	10.0	NORMALE
28	202039067116	10.0	0.0	10.0	NORMALE
29	202039067742	18.0	0.0	18.0	NORMALE
30	202039062962	12.0	0.0	12.0	NORMALE
31	202039063765	9.0	0.0	9.0	NORMALE
32	202039066378	11.0	0.0	11.0	NORMALE
33	202039065535	8.0	0.0	8.0	NORMALE
34	202039065495	14.0	0.0	14.0	NORMALE
35	202039071166	5.0	0.0	5.0	NORMALE
36	202039065539	12.0	0.0	12.0	NORMALE
37	202039065521	7.0	0.0	7.0	NORMALE
38	202039062830	10.0	0.0	10.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electronique Fondamentale 1 / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	3.0	7.25	4.7	NORMALE
2	191939067657	3.0	1.0	2.2	NORMALE
3	202039069737	7.5	13.5	9.9	NORMALE
4	202039065534	3.5	8.0	5.3	NORMALE
5	202039066167	9.0	10.25	9.5	NORMALE
6	202039062177	3.5	8.0	5.3	NORMALE
7	202039067362	4.5	8.5	6.1	NORMALE
8	202039062908	0.5	0.0	0.3	NORMALE
9	191939065952	7.0	0.0	4.2	NORMALE
10	202039066160	1.0	8.0	3.8	NORMALE
11	202039063851	5.5	9.0	6.9	NORMALE
12	202039065512	2.5	8.75	5.0	NORMALE
13	202039068925	4.0	9.0	6.0	NORMALE
14	202039065516	7.0	13.5	9.6	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	3.5	8.5	5.5	NORMALE
17	202039070262	2.0	11.25	5.7	NORMALE
18	202039067732	5.5	10.0	7.3	NORMALE
19	202039066061	13.0	16.25	14.3	NORMALE
20	202039061728	4.0	7.0	5.2	NORMALE
21	202039068940	1.5	7.5	3.9	NORMALE
22	202039067137	5.5	8.5	6.7	NORMALE
23	202039068439	1.0	7.75	3.7	NORMALE
24	202039069773	8.5	8.75	8.6	NORMALE
25	202039068503	5.0	7.0	5.8	NORMALE
26	191939072418	1.5	8.25	4.2	NORMALE
27	202039072271	3.5	7.25	5.0	NORMALE
28	202039065537	1.5	8.75	4.4	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	0.5	0.0	0.3	NORMALE
31	202039069672	11.5	14.75	12.8	NORMALE
32	202039069721	3.5	8.0	5.3	NORMALE
33	202039065511	1.0	8.25	3.9	NORMALE
34	202039066410	1.0	10.5	4.8	NORMALE
35	181539073679	2.5	8.25	4.8	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electronique Fondamentale 1 / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	1.0	7.75	3.7	NORMALE
2	202039064568	3.0	6.0	4.2	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.5	0.0	0.3	NORMALE
5	191939072105	3.5	8.25	5.4	NORMALE
6	202039071613	1.0	4.0	2.2	NORMALE
7	202039070189	8.5	10.75	9.4	NORMALE
8	202039061996	2.5	9.5	5.3	NORMALE
9	202039064296	5.5	0.0	3.3	NORMALE
10	202039069765	6.0	9.5	7.4	NORMALE
11	191939065946	2.0	9.25	4.9	NORMALE
12	202039067185	3.0	7.5	4.8	NORMALE
13	202039069739	0.5	7.5	3.3	NORMALE
14	202039061712	1.5	1.0	1.3	NORMALE
15	202039064669	8.0	10.5	9.0	NORMALE
16	202039072256	1.0	9.0	4.2	NORMALE
17	202039062995	7.5	12.5	9.5	NORMALE
18	191939069694	3.5	0.0	2.1	NORMALE
19	181839068247	14.0	8.5	11.8	NORMALE
20	202039061993	3.0	8.0	5.0	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	13.5	8.0	11.3	NORMALE
23	20079067639	0.5	7.25	3.2	NORMALE
24	202039065554	16.5	14.0	15.5	NORMALE
25	202039069788	0.5	7.0	3.1	NORMALE
26	202039071047	4.0	7.75	5.5	NORMALE
27	202039071553	2.0	9.0	4.8	NORMALE
28	202039071643	2.0	5.0	3.2	NORMALE
29	202039070281	3.5	0.0	2.1	NORMALE
30	202039069733	2.5	10.5	5.7	NORMALE
31	202039062792	0.5	7.5	3.3	NORMALE
32	202039062860	6.0	7.5	6.6	NORMALE
33	202039069688	3.0	7.0	4.6	NORMALE
34	202039067224	0.5	6.5	2.9	NORMALE
35	202039071006	5.5	7.25	6.2	NORMALE
36	202039065467	5.5	11.0	7.7	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electronique Fondamentale 1 / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	8.5	6.75	7.8	NORMALE
2	202039069791	0.5	8.25	3.6	NORMALE
3	202039065493	3.5	8.0	5.3	NORMALE
4	202039071928	0.0	7.0	2.8	NORMALE
5	202039067113	5.0	7.5	6.0	NORMALE
6	202039066373	0.5	7.5	3.3	NORMALE
7	202039063807	7.0	6.25	6.7	NORMALE
8	202034016206	3.5	8.75	5.6	NORMALE
9	181839050202	2.0	7.25	4.1	NORMALE
10	202039071719	5.0	7.75	6.1	NORMALE
11	202039067844	3.0	3.75	3.3	NORMALE
12	202039070143	2.5	6.0	3.9	NORMALE
13	191939068659	4.0	7.5	5.4	NORMALE
14	202039067207	3.5	6.25	4.6	NORMALE
15	191939065518	3.5	6.0	4.5	NORMALE
16	202039062174	0.5	7.25	3.2	NORMALE
17	181839066240	0.0	5.0	2.0	NORMALE
18	202039061924	1.5	6.0	3.3	NORMALE
19	202039066429	4.5	6.25	5.2	NORMALE
20	202039064336	6.5	6.25	6.4	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	4.5	7.25	5.6	NORMALE
23	202039067198	11.0	6.25	9.1	NORMALE
24	202039066103	6.5	6.25	6.4	NORMALE
25	202039062963	3.5	6.75	4.8	NORMALE
26	202039070918	3.5	10.0	6.1	NORMALE
27	202039062201	1.5	7.0	3.7	NORMALE
28	202039069665	2.5	6.75	4.2	NORMALE
29	202039064313	6.0	7.0	6.4	NORMALE
30	191939073174	0.5	6.75	3.0	NORMALE
31	202039062216	0.5	7.25	3.2	NORMALE
32	202039063387	12.0	8.5	10.6	NORMALE
33	191939054565	0.5	0.0	0.3	NORMALE
34	202039063561	0.5	6.5	2.9	NORMALE
35	202039066144	1.5	7.25	3.8	NORMALE
36	202039065507	5.0	7.25	5.9	NORMALE
37	202039071723	4.5	7.75	5.8	NORMALE
38	202039065109	16.5	15.5	16.1	NORMALE
39	202039065450	3.5	6.75	4.8	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electronique Fondamentale 1 / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	4.0	7.0	5.2	NORMALE
2	202039070150	3.0	7.0	4.6	NORMALE
3	202039064538	1.0	7.5	3.6	NORMALE
4	202039067225	5.5	6.75	6.0	NORMALE
5	191939066762	0.5	0.0	0.3	NORMALE
6	202039062689	1.5	7.0	3.7	NORMALE
7	202039067220	9.0	7.0	8.2	NORMALE
8	202039066105	5.5	11.25	7.8	NORMALE
9	202039069772	3.0	6.0	4.2	NORMALE
10	202039062175	1.5	6.75	3.6	NORMALE
11	202039076231	16.0	15.5	15.8	NORMALE
12	171739051075	0.5	0.0	0.3	NORMALE
13	202039062636	0.5	10.0	4.3	NORMALE
14	202039063584	3.0	6.5	4.4	NORMALE
15	202039067271	0.5	13.75	5.8	NORMALE
16	202039064260	0.5	4.5	2.1	NORMALE
17	202039071750	0.5	5.75	2.6	NORMALE
18	202039069494	9.0	9.75	9.3	NORMALE
19	202039067252	1.0	11.5	5.2	NORMALE
20	202039062005	0.5	7.0	3.1	NORMALE
21	202039065531	8.0	11.75	9.5	NORMALE
22	202039065517	9.0	6.5	8.0	NORMALE
23	202039063582	2.0	7.25	4.1	NORMALE
24	202039065530	3.5	3.25	3.4	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	2.0	10.0	5.2	NORMALE
27	181839071025	0.0	3.25	1.3	NORMALE
28	202039067116	9.0	7.25	8.3	NORMALE
29	202039067742	1.0	5.75	2.9	NORMALE
30	202039062962	1.0	5.75	2.9	NORMALE
31	202039063765	1.0	6.75	3.3	NORMALE
32	202039066378	0.5	0.0	0.3	NORMALE
33	202039065535	6.0	7.75	6.7	NORMALE
34	202039065495	7.5	14.0	10.1	NORMALE
35	202039071166	2.5	6.5	4.1	NORMALE
36	202039065539	5.0	3.0	4.2	NORMALE
37	202039065521	2.0	13.75	6.7	NORMALE
38	202039062830	3.5	7.0	4.9	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electrotechnique Fondamentale I / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	0.5	12.0	5.1	NORMALE
2	191939067657	0.0	10.0	4.0	NORMALE
3	202039069737	10.5	12.5	11.3	NORMALE
4	202039065534	0.0	6.0	2.4	NORMALE
5	202039066167	12.0	12.5	12.2	NORMALE
6	202039062177	0.0	10.5	4.2	NORMALE
7	202039067362	0.0	12.5	5.0	NORMALE
8	202039062908	1.5	9.0	4.5	NORMALE
9	191939065952	0.0	0.0	0.0	NORMALE
10	202039066160	9.0	11.0	9.8	NORMALE
11	202039063851	13.0	8.0	11.0	NORMALE
12	202039065512	1.0	2.0	1.4	NORMALE
13	202039068925	0.0	11.0	4.4	NORMALE
14	202039065516	1.0	13.0	5.8	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	15.0	11.5	13.6	NORMALE
17	202039070262	1.0	13.0	5.8	NORMALE
18	202039067732	0.0	12.0	4.8	NORMALE
19	202039066061	20.0	12.0	16.8	NORMALE
20	202039061728	1.5	12.0	5.7	NORMALE
21	202039068940	1.0	9.0	4.2	NORMALE
22	202039067137	1.0	13.5	6.0	NORMALE
23	202039068439	0.0	10.0	4.0	NORMALE
24	202039069773	5.0	11.5	7.6	NORMALE
25	202039068503	1.0	7.0	3.4	NORMALE
26	191939072418	3.0	13.5	7.2	NORMALE
27	202039072271	0.0	10.0	4.0	NORMALE
28	202039065537	0.0	12.0	4.8	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	0.0	0.0	0.0	NORMALE
31	202039069672	8.5	11.5	9.7	NORMALE
32	202039069721	0.5	12.0	5.1	NORMALE
33	202039065511	1.0	7.0	3.4	NORMALE
34	202039066410	1.0	8.0	3.8	NORMALE
35	181539073679	0.0	11.5	4.6	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electrotechnique Fondamentale 1 / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	5.0	12.0	7.8	NORMALE
2	202039064568	1.0	8.5	4.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	3.0	1.2	NORMALE
5	191939072105	1.0	9.0	4.2	NORMALE
6	202039071613	3.0	7.0	4.6	NORMALE
7	202039070189	1.0	11.0	5.0	NORMALE
8	202039061996	0.0	9.5	3.8	NORMALE
9	202039064296	11.0	12.0	11.4	NORMALE
10	202039069765	11.0	13.0	11.8	NORMALE
11	191939065946	0.0	11.5	4.6	NORMALE
12	202039067185	4.0	9.0	6.0	NORMALE
13	202039069739	0.0	10.0	4.0	NORMALE
14	202039061712	0.0	11.0	4.4	NORMALE
15	202039064669	10.0	10.0	10.0	NORMALE
16	202039072256	2.5	11.0	5.9	NORMALE
17	202039062995	2.0	10.5	5.4	NORMALE
18	191939069694	0.0	16.0	6.4	NORMALE
19	181839068247	18.5	10.0	15.1	NORMALE
20	202039061993	0.0	15.0	6.0	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	0.0	15.0	6.0	NORMALE
23	20079067639	0.0	11.0	4.4	NORMALE
24	202039065554	12.5	10.0	11.5	NORMALE
25	202039069788	0.5	7.0	3.1	NORMALE
26	202039071047	9.0	12.0	10.2	NORMALE
27	202039071553	0.0	14.0	5.6	NORMALE
28	202039071643	0.0	8.0	3.2	NORMALE
29	202039070281	3.0	5.0	3.8	NORMALE
30	202039069733	1.5	16.0	7.3	NORMALE
31	202039062792	0.0	10.5	4.2	NORMALE
32	202039062860	12.5	12.5	12.5	NORMALE
33	202039069688	1.5	10.0	4.9	NORMALE
34	202039067224	0.0	8.0	3.2	NORMALE
35	202039071006	1.0	11.0	5.0	NORMALE
36	202039065467	3.0	12.0	6.6	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electrotechnique Fondamentale I / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	11.0	15.0	12.6	NORMALE
2	202039069791	1.0	8.0	3.8	NORMALE
3	202039065493	9.0	12.0	10.2	NORMALE
4	202039071928	0.0	1.0	0.4	NORMALE
5	202039067113	5.0	11.5	7.6	NORMALE
6	202039066373	0.0	8.0	3.2	NORMALE
7	202039063807	2.0	7.5	4.2	NORMALE
8	202034016206	0.0	11.0	4.4	NORMALE
9	181839050202	0.0	12.0	4.8	NORMALE
10	202039071719	4.0	10.0	6.4	NORMALE
11	202039067844	1.0	10.0	4.6	NORMALE
12	202039070143	0.0	9.0	3.6	NORMALE
13	191939068659	0.0	8.0	3.2	NORMALE
14	202039067207	11.0	12.0	11.4	NORMALE
15	191939065518	6.5	8.0	7.1	NORMALE
16	202039062174	0.0	8.0	3.2	NORMALE
17	181839066240	0.0	8.0	3.2	NORMALE
18	202039061924	0.0	9.0	3.6	NORMALE
19	202039066429	1.0	8.5	4.0	NORMALE
20	202039064336	1.0	8.0	3.8	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	11.0	0.0	6.6	NORMALE
23	202039067198	14.5	10.0	12.7	NORMALE
24	202039066103	4.5	10.5	6.9	NORMALE
25	202039062963	3.0	9.0	5.4	NORMALE
26	202039070918	0.0	9.5	3.8	NORMALE
27	202039062201	1.0	10.0	4.6	NORMALE
28	202039069665	4.5	8.0	5.9	NORMALE
29	202039064313	1.0	8.5	4.0	NORMALE
30	191939073174	6.0	8.0	6.8	NORMALE
31	202039062216	0.0	12.5	5.0	NORMALE
32	202039063387	15.0	13.0	14.2	NORMALE
33	191939054565	0.0	2.0	0.8	NORMALE
34	202039063561	0.0	7.0	2.8	NORMALE
35	202039066144	9.0	12.0	10.2	NORMALE
36	202039065507	3.5	15.0	8.1	NORMALE
37	202039071723	0.0	10.5	4.2	NORMALE
38	202039065109	4.0	13.5	7.8	NORMALE
39	202039065450	4.0	10.0	6.4	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electrotechnique Fondamentale I / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	1.0	14.5	6.4	NORMALE
2	202039070150	0.0	12.0	4.8	NORMALE
3	202039064538	0.0	1.0	0.4	NORMALE
4	202039067225	3.0	11.0	6.2	NORMALE
5	191939066762	0.0	7.0	2.8	NORMALE
6	202039062689	0.0	12.5	5.0	NORMALE
7	202039067220	0.0	14.0	5.6	NORMALE
8	202039066105	0.0	16.0	6.4	NORMALE
9	202039069772	0.5	18.5	7.7	NORMALE
10	202039062175	0.0	6.0	2.4	NORMALE
11	202039076231	19.5	18.5	19.1	NORMALE
12	171739051075	0.0	0.0	0.0	NORMALE
13	202039062636	0.0	10.0	4.0	NORMALE
14	202039063584	10.0	14.5	11.8	NORMALE
15	202039067271	3.0	13.0	7.0	NORMALE
16	202039064260	0.0	1.0	0.4	NORMALE
17	202039071750	5.0	2.0	3.8	NORMALE
18	202039069494	9.0	14.0	11.0	NORMALE
19	202039067252	0.0	11.5	4.6	NORMALE
20	202039062005	0.0	7.0	2.8	NORMALE
21	202039065531	18.0	12.0	15.6	NORMALE
22	202039065517	1.5	15.0	6.9	NORMALE
23	202039063582	9.5	12.0	10.5	NORMALE
24	202039065530	2.0	11.5	5.8	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	0.0	12.0	4.8	NORMALE
27	181839071025	0.0	12.0	4.8	NORMALE
28	202039067116	3.5	14.0	7.7	NORMALE
29	202039067742	0.0	11.0	4.4	NORMALE
30	202039062962	0.0	9.0	3.6	NORMALE
31	202039063765	0.0	12.5	5.0	NORMALE
32	202039066378	2.0	5.0	3.2	NORMALE
33	202039065535	1.0	8.5	4.0	NORMALE
34	202039065495	6.0	17.5	10.6	NORMALE
35	202039071166	1.0	5.0	2.6	NORMALE
36	202039065539	1.0	10.0	4.6	NORMALE
37	202039065521	10.0	20.0	14.0	NORMALE
38	202039062830	0.0	14.0	5.6	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Energies et environnement / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	13.5	0.0	13.5	NORMALE
2	191939067657	10.5	0.0	10.5	NORMALE
3	202039069737	14.5	0.0	14.5	NORMALE
4	202039065534	16.0	0.0	16.0	NORMALE
5	202039066167	18.0	0.0	18.0	NORMALE
6	202039062177	10.0	0.0	10.0	NORMALE
7	202039067362	14.0	0.0	14.0	NORMALE
8	202039062908	10.0	0.0	10.0	NORMALE
9	191939065952	12.0	0.0	12.0	NORMALE
10	202039066160	11.0	0.0	11.0	NORMALE
11	202039063851	18.5	0.0	18.5	NORMALE
12	202039065512	14.0	0.0	14.0	NORMALE
13	202039068925	11.0	0.0	11.0	NORMALE
14	202039065516	16.0	0.0	16.0	NORMALE
15	1902438177	15.5	0.0	15.5	NORMALE
16	202039062965	15.0	0.0	15.0	NORMALE
17	202039070262	16.5	0.0	16.5	NORMALE
18	202039067732	16.0	0.0	16.0	NORMALE
19	202039066061	18.5	0.0	18.5	NORMALE
20	202039061728	11.5	0.0	11.5	NORMALE
21	202039068940	11.0	0.0	11.0	NORMALE
22	202039067137	11.5	0.0	11.5	NORMALE
23	202039068439	13.0	0.0	13.0	NORMALE
24	202039069773	11.5	0.0	11.5	NORMALE
25	202039068503	10.0	0.0	10.0	NORMALE
26	191939072418	14.0	0.0	14.0	NORMALE
27	202039072271	10.0	0.0	10.0	NORMALE
28	202039065537	12.5	0.0	12.5	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	14.0	0.0	14.0	NORMALE
31	202039069672	16.0	0.0	16.0	NORMALE
32	202039069721	16.0	0.0	16.0	NORMALE
33	202039065511	14.0	0.0	14.0	NORMALE
34	202039066410	10.0	0.0	10.0	NORMALE
35	181539073679	15.5	0.0	15.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Energies et environnement / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	15.0	0.0	15.0	NORMALE
2	202039064568	15.0	0.0	15.0	NORMALE
3	191939067105	14.0	0.0	14.0	NORMALE
4	202039067348	12.5	0.0	12.5	NORMALE
5	191939072105	11.0	0.0	11.0	NORMALE
6	202039071613	12.5	0.0	12.5	NORMALE
7	202039070189	17.0	0.0	17.0	NORMALE
8	202039061996	14.5	0.0	14.5	NORMALE
9	202039064296	12.5	0.0	12.5	NORMALE
10	202039069765	16.0	0.0	16.0	NORMALE
11	191939065946	10.5	0.0	10.5	NORMALE
12	202039067185	15.0	0.0	15.0	NORMALE
13	202039069739	14.0	0.0	14.0	NORMALE
14	202039061712	15.5	0.0	15.5	NORMALE
15	202039064669	10.5	0.0	10.5	NORMALE
16	202039072256	11.5	0.0	11.5	NORMALE
17	202039062995	14.0	0.0	14.0	NORMALE
18	191939069694	13.0	0.0	13.0	NORMALE
19	181839068247	18.0	0.0	18.0	NORMALE
20	202039061993	14.0	0.0	14.0	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	16.0	0.0	16.0	NORMALE
23	20079067639	14.0	0.0	14.0	NORMALE
24	202039065554	18.5	0.0	18.5	NORMALE
25	202039069788	11.5	0.0	11.5	NORMALE
26	202039071047	16.0	0.0	16.0	NORMALE
27	202039071553	13.0	0.0	13.0	NORMALE
28	202039071643	16.0	0.0	16.0	NORMALE
29	202039070281	13.5	0.0	13.5	NORMALE
30	202039069733	12.0	0.0	12.0	NORMALE
31	202039062792	15.0	0.0	15.0	NORMALE
32	202039062860	13.5	0.0	13.5	NORMALE
33	202039069688	13.5	0.0	13.5	NORMALE
34	202039067224	12.5	0.0	12.5	NORMALE
35	202039071006	14.5	0.0	14.5	NORMALE
36	202039065467	15.0	0.0	15.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Energies et environnement / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	16.0	0.0	16.0	NORMALE
2	202039069791	12.0	0.0	12.0	NORMALE
3	202039065493	15.0	0.0	15.0	NORMALE
4	202039071928	14.0	0.0	14.0	NORMALE
5	202039067113	14.0	0.0	14.0	NORMALE
6	202039066373	10.0	0.0	10.0	NORMALE
7	202039063807	16.5	0.0	16.5	NORMALE
8	202034016206	16.5	0.0	16.5	NORMALE
9	181839050202	14.0	0.0	14.0	NORMALE
10	202039071719	16.0	0.0	16.0	NORMALE
11	202039067844	14.0	0.0	14.0	NORMALE
12	202039070143	10.0	0.0	10.0	NORMALE
13	191939068659	18.5	0.0	18.5	NORMALE
14	202039067207	15.0	0.0	15.0	NORMALE
15	191939065518	12.0	0.0	12.0	NORMALE
16	202039062174	13.5	0.0	13.5	NORMALE
17	181839066240	11.0	0.0	11.0	NORMALE
18	202039061924	14.0	0.0	14.0	NORMALE
19	202039066429	13.0	0.0	13.0	NORMALE
20	202039064336	13.5	0.0	13.5	NORMALE
21	181839063054	14.5	0.0	14.5	NORMALE
22	202039066157	15.5	0.0	15.5	NORMALE
23	202039067198	17.0	0.0	17.0	NORMALE
24	202039066103	13.0	0.0	13.0	NORMALE
25	202039062963	13.0	0.0	13.0	NORMALE
26	202039070918	14.5	0.0	14.5	NORMALE
27	202039062201	11.5	0.0	11.5	NORMALE
28	202039069665	13.0	0.0	13.0	NORMALE
29	202039064313	13.5	0.0	13.5	NORMALE
30	191939073174	10.0	0.0	10.0	NORMALE
31	202039062216	14.5	0.0	14.5	NORMALE
32	202039063387	18.5	0.0	18.5	NORMALE
33	191939054565	12.3	0.0	12.3	NORMALE
34	202039063561	14.0	0.0	14.0	NORMALE
35	202039066144	16.0	0.0	16.0	NORMALE
36	202039065507	12.5	0.0	12.5	NORMALE
37	202039071723	17.0	0.0	17.0	NORMALE
38	202039065109	13.0	0.0	13.0	NORMALE
39	202039065450	11.0	0.0	11.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Energies et environnement / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	13.0	0.0	13.0	NORMALE
2	202039070150	14.0	0.0	14.0	NORMALE
3	202039064538	11.0	0.0	11.0	NORMALE
4	202039067225	11.5	0.0	11.5	NORMALE
5	191939066762	15.5	0.0	15.5	NORMALE
6	202039062689	14.0	0.0	14.0	NORMALE
7	202039067220	14.0	0.0	14.0	NORMALE
8	202039066105	8.5	0.0	8.5	NORMALE
9	202039069772	11.0	0.0	11.0	NORMALE
10	202039062175	10.5	0.0	10.5	NORMALE
11	202039076231	17.0	0.0	17.0	NORMALE
12	171739051075	8.5	0.0	8.5	NORMALE
13	202039062636	13.5	0.0	13.5	NORMALE
14	202039063584	14.0	0.0	14.0	NORMALE
15	202039067271	13.0	0.0	13.0	NORMALE
16	202039064260	17.0	0.0	17.0	NORMALE
17	202039071750	16.0	0.0	16.0	NORMALE
18	202039069494	14.0	0.0	14.0	NORMALE
19	202039067252	15.0	0.0	15.0	NORMALE
20	202039062005	0.0	0.0	0.0	NORMALE
21	202039065531	14.0	0.0	14.0	NORMALE
22	202039065517	17.0	0.0	17.0	NORMALE
23	202039063582	14.0	0.0	14.0	NORMALE
24	202039065530	12.0	0.0	12.0	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	14.5	0.0	14.5	NORMALE
27	181839071025	12.5	0.0	12.5	NORMALE
28	202039067116	13.0	0.0	13.0	NORMALE
29	202039067742	11.0	0.0	11.0	NORMALE
30	202039062962	12.0	0.0	12.0	NORMALE
31	202039063765	12.5	0.0	12.5	NORMALE
32	202039066378	13.0	0.0	13.0	NORMALE
33	202039065535	11.0	0.0	11.0	NORMALE
34	202039065495	15.0	0.0	15.0	NORMALE
35	202039071166	11.0	0.0	11.0	NORMALE
36	202039065539	12.0	0.0	12.0	NORMALE
37	202039065521	0.0	0.0	0.0	NORMALE
38	202039062830	13.5	0.0	13.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Etat de l'art du génie électrique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	7.5	0.0	7.5	NORMALE
2	191939067657	7.5	0.0	7.5	NORMALE
3	202039069737	7.0	0.0	7.0	NORMALE
4	202039065534	7.0	0.0	7.0	NORMALE
5	202039066167	15.0	0.0	15.0	NORMALE
6	202039062177	6.5	0.0	6.5	NORMALE
7	202039067362	10.0	0.0	10.0	NORMALE
8	202039062908	8.5	0.0	8.5	NORMALE
9	191939065952	10.0	0.0	10.0	NORMALE
10	202039066160	10.0	0.0	10.0	NORMALE
11	202039063851	10.0	0.0	10.0	NORMALE
12	202039065512	7.5	0.0	7.5	NORMALE
13	202039068925	10.0	0.0	10.0	NORMALE
14	202039065516	7.0	0.0	7.0	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	10.0	0.0	10.0	NORMALE
17	202039070262	10.0	0.0	10.0	NORMALE
18	202039067732	9.0	0.0	9.0	NORMALE
19	202039066061	15.0	0.0	15.0	NORMALE
20	202039061728	9.0	0.0	9.0	NORMALE
21	202039068940	11.0	0.0	11.0	NORMALE
22	202039067137	5.5	0.0	5.5	NORMALE
23	202039068439	7.0	0.0	7.0	NORMALE
24	202039069773	10.5	0.0	10.5	NORMALE
25	202039068503	12.5	0.0	12.5	NORMALE
26	191939072418	7.0	0.0	7.0	NORMALE
27	202039072271	7.5	0.0	7.5	NORMALE
28	202039065537	12.0	0.0	12.0	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	10.5	0.0	10.5	NORMALE
31	202039069672	17.5	0.0	17.5	NORMALE
32	202039069721	9.0	0.0	9.0	NORMALE
33	202039065511	9.5	0.0	9.5	NORMALE
34	202039066410	8.0	0.0	8.0	NORMALE
35	181539073679	8.5	0.0	8.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Etat de l'artdu génie électrique / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	5.0	0.0	5.0	NORMALE
2	202039064568	10.5	0.0	10.5	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	8.5	0.0	8.5	NORMALE
5	191939072105	10.0	0.0	10.0	NORMALE
6	202039071613	11.0	0.0	11.0	NORMALE
7	202039070189	11.5	0.0	11.5	NORMALE
8	202039061996	9.0	0.0	9.0	NORMALE
9	202039064296	8.0	0.0	8.0	NORMALE
10	202039069765	15.0	0.0	15.0	NORMALE
11	191939065946	6.5	0.0	6.5	NORMALE
12	202039067185	6.5	0.0	6.5	NORMALE
13	202039069739	8.5	0.0	8.5	NORMALE
14	202039061712	7.5	0.0	7.5	NORMALE
15	202039064669	8.0	0.0	8.0	NORMALE
16	202039072256	10.5	0.0	10.5	NORMALE
17	202039062995	7.5	0.0	7.5	NORMALE
18	191939069694	15.5	0.0	15.5	NORMALE
19	181839068247	11.5	0.0	11.5	NORMALE
20	202039061993	12.0	0.0	12.0	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	7.5	0.0	7.5	NORMALE
23	20079067639	11.5	0.0	11.5	NORMALE
24	202039065554	2.0	0.0	2.0	NORMALE
25	202039069788	10.5	0.0	10.5	NORMALE
26	202039071047	12.0	0.0	12.0	NORMALE
27	202039071553	11.0	0.0	11.0	NORMALE
28	202039071643	11.0	0.0	11.0	NORMALE
29	202039070281	0.0	0.0	0.0	NORMALE
30	202039069733	6.5	0.0	6.5	NORMALE
31	202039062792	12.5	0.0	12.5	NORMALE
32	202039062860	10.0	0.0	10.0	NORMALE
33	202039069688	10.0	0.0	10.0	NORMALE
34	202039067224	8.5	0.0	8.5	NORMALE
35	202039071006	10.0	0.0	10.0	NORMALE
36	202039065467	9.5	0.0	9.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Etat de l'art du génie électrique / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	14.0	0.0	14.0	NORMALE
2	202039069791	7.5	0.0	7.5	NORMALE
3	202039065493	13.5	0.0	13.5	NORMALE
4	202039071928	6.0	0.0	6.0	NORMALE
5	202039067113	15.0	0.0	15.0	NORMALE
6	202039066373	9.0	0.0	9.0	NORMALE
7	202039063807	15.5	0.0	15.5	NORMALE
8	202034016206	11.5	0.0	11.5	NORMALE
9	181839050202	8.0	0.0	8.0	NORMALE
10	202039071719	8.5	0.0	8.5	NORMALE
11	202039067844	7.5	0.0	7.5	NORMALE
12	202039070143	9.5	0.0	9.5	NORMALE
13	191939068659	11.0	0.0	11.0	NORMALE
14	202039067207	13.0	0.0	13.0	NORMALE
15	191939065518	6.5	0.0	6.5	NORMALE
16	202039062174	7.0	0.0	7.0	NORMALE
17	181839066240	8.5	0.0	8.5	NORMALE
18	202039061924	4.5	0.0	4.5	NORMALE
19	202039066429	8.5	0.0	8.5	NORMALE
20	202039064336	8.0	0.0	8.0	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	11.5	0.0	11.5	NORMALE
23	202039067198	9.0	0.0	9.0	NORMALE
24	202039066103	11.0	0.0	11.0	NORMALE
25	202039062963	7.0	0.0	7.0	NORMALE
26	202039070918	14.5	0.0	14.5	NORMALE
27	202039062201	8.5	0.0	8.5	NORMALE
28	202039069665	9.5	0.0	9.5	NORMALE
29	202039064313	10.0	0.0	10.0	NORMALE
30	191939073174	0.0	0.0	0.0	NORMALE
31	202039062216	7.0	0.0	7.0	NORMALE
32	202039063387	16.5	0.0	16.5	NORMALE
33	191939054565	7.5	0.0	7.5	NORMALE
34	202039063561	15.5	0.0	15.5	NORMALE
35	202039066144	16.5	0.0	16.5	NORMALE
36	202039065507	14.5	0.0	14.5	NORMALE
37	202039071723	10.5	0.0	10.5	NORMALE
38	202039065109	9.0	0.0	9.0	NORMALE
39	202039065450	9.0	0.0	9.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Etat de l'art du génie électrique / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	8.0	0.0	8.0	NORMALE
2	202039070150	7.5	0.0	7.5	NORMALE
3	202039064538	10.0	0.0	10.0	NORMALE
4	202039067225	7.0	0.0	7.0	NORMALE
5	191939066762	5.5	0.0	5.5	NORMALE
6	202039062689	12.5	0.0	12.5	NORMALE
7	202039067220	11.0	0.0	11.0	NORMALE
8	202039066105	10.0	0.0	10.0	NORMALE
9	202039069772	9.0	0.0	9.0	NORMALE
10	202039062175	10.0	0.0	10.0	NORMALE
11	202039076231	14.5	0.0	14.5	NORMALE
12	171739051075	10.0	0.0	10.0	NORMALE
13	202039062636	8.0	0.0	8.0	NORMALE
14	202039063584	7.0	0.0	7.0	NORMALE
15	202039067271	6.5	0.0	6.5	NORMALE
16	202039064260	7.5	0.0	7.5	NORMALE
17	202039071750	5.0	0.0	5.0	NORMALE
18	202039069494	9.0	0.0	9.0	NORMALE
19	202039067252	10.0	0.0	10.0	NORMALE
20	202039062005	7.5	0.0	7.5	NORMALE
21	202039065531	13.0	0.0	13.0	NORMALE
22	202039065517	10.0	0.0	10.0	NORMALE
23	202039063582	7.0	0.0	7.0	NORMALE
24	202039065530	7.5	0.0	7.5	NORMALE
25	181439072334	10.0	0.0	10.0	NORMALE
26	202039070114	7.5	0.0	7.5	NORMALE
27	181839071025	12.0	0.0	12.0	NORMALE
28	202039067116	11.5	0.0	11.5	NORMALE
29	202039067742	9.5	0.0	9.5	NORMALE
30	202039062962	10.5	0.0	10.5	NORMALE
31	202039063765	10.0	0.0	10.0	NORMALE
32	202039066378	7.0	0.0	7.0	NORMALE
33	202039065535	7.5	0.0	7.5	NORMALE
34	202039065495	10.5	0.0	10.5	NORMALE
35	202039071166	7.0	0.0	7.0	NORMALE
36	202039065539	9.0	0.0	9.0	NORMALE
37	202039065521	0.0	0.0	0.0	NORMALE
38	202039062830	14.0	0.0	14.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Informatique 3 / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	0.0	12.0	12.0	NORMALE
2	191939067657	0.0	9.0	9.0	NORMALE
3	202039069737	0.0	13.0	13.0	NORMALE
4	202039065534	0.0	13.0	13.0	NORMALE
5	202039066167	0.0	18.5	18.5	NORMALE
6	202039062177	0.0	16.0	16.0	NORMALE
7	202039067362	0.0	15.5	15.5	NORMALE
8	202039062908	0.0	13.0	13.0	NORMALE
9	191939065952	15.0	15.0	15.0	NORMALE
10	202039066160	0.0	12.0	12.0	NORMALE
11	202039063851	0.0	0.0	0.0	NORMALE
12	202039065512	0.0	13.0	13.0	NORMALE
13	202039068925	0.0	16.0	16.0	NORMALE
14	202039065516	0.0	13.0	13.0	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	0.0	15.5	15.5	NORMALE
17	202039070262	0.0	15.5	15.5	NORMALE
18	202039067732	0.0	12.0	12.0	NORMALE
19	202039066061	0.0	18.0	18.0	NORMALE
20	202039061728	0.0	16.0	16.0	NORMALE
21	202039068940	0.0	9.0	9.0	NORMALE
22	202039067137	0.0	15.5	15.5	NORMALE
23	202039068439	0.0	13.0	13.0	NORMALE
24	202039069773	0.0	15.0	15.0	NORMALE
25	202039068503	0.0	13.0	13.0	NORMALE
26	191939072418	0.0	16.0	16.0	NORMALE
27	202039072271	0.0	0.0	0.0	NORMALE
28	202039065537	0.0	9.0	9.0	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	0.0	0.0	0.0	NORMALE
31	202039069672	0.0	16.5	16.5	NORMALE
32	202039069721	0.0	15.0	15.0	NORMALE
33	202039065511	0.0	13.0	13.0	NORMALE
34	202039066410	0.0	15.5	15.5	NORMALE
35	181539073679	0.0	14.0	14.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Informatique 3 / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	0.0	15.0	15.0	NORMALE
2	202039064568	0.0	13.0	13.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	12.0	12.0	NORMALE
5	191939072105	14.0	14.0	14.0	NORMALE
6	202039071613	0.0	13.0	13.0	NORMALE
7	202039070189	0.0	15.0	15.0	NORMALE
8	202039061996	0.0	15.0	15.0	NORMALE
9	202039064296	0.0	13.0	13.0	NORMALE
10	202039069765	0.0	15.0	15.0	NORMALE
11	191939065946	0.0	15.0	15.0	NORMALE
12	202039067185	0.0	13.0	13.0	NORMALE
13	202039069739	0.0	16.0	16.0	NORMALE
14	202039061712	0.0	16.0	16.0	NORMALE
15	202039064669	0.0	13.0	13.0	NORMALE
16	202039072256	0.0	16.0	16.0	NORMALE
17	202039062995	0.0	13.0	13.0	NORMALE
18	191939069694	13.0	13.0	13.0	NORMALE
19	181839068247	0.0	16.0	16.0	NORMALE
20	202039061993	0.0	15.0	15.0	NORMALE
21	171739064740	13.0	13.0	13.0	NORMALE
22	202039068192	0.0	13.0	13.0	NORMALE
23	20079067639	0.0	16.0	16.0	NORMALE
24	202039065554	0.0	12.0	12.0	NORMALE
25	202039069788	0.0	15.0	15.0	NORMALE
26	202039071047	0.0	15.0	15.0	NORMALE
27	202039071553	0.0	13.0	13.0	NORMALE
28	202039071643	0.0	16.0	16.0	NORMALE
29	202039070281	0.0	0.0	0.0	NORMALE
30	202039069733	0.0	12.0	12.0	NORMALE
31	202039062792	0.0	14.0	14.0	NORMALE
32	202039062860	0.0	12.0	12.0	NORMALE
33	202039069688	0.0	16.0	16.0	NORMALE
34	202039067224	0.0	12.0	12.0	NORMALE
35	202039071006	0.0	15.0	15.0	NORMALE
36	202039065467	0.0	15.0	15.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Informatique 3 / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	0.0	15.0	15.0	NORMALE
2	202039069791	0.0	12.0	12.0	NORMALE
3	202039065493	0.0	15.0	15.0	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	0.0	15.0	15.0	NORMALE
6	202039066373	0.0	15.0	15.0	NORMALE
7	202039063807	0.0	15.0	15.0	NORMALE
8	202034016206	0.0	15.0	15.0	NORMALE
9	181839050202	0.0	11.0	11.0	NORMALE
10	202039071719	0.0	15.0	15.0	NORMALE
11	202039067844	0.0	15.0	15.0	NORMALE
12	202039070143	0.0	12.0	12.0	NORMALE
13	191939068659	0.0	14.5	14.5	NORMALE
14	202039067207	0.0	15.0	15.0	NORMALE
15	191939065518	0.0	16.0	16.0	NORMALE
16	202039062174	0.0	15.0	15.0	NORMALE
17	181839066240	0.0	14.5	14.5	NORMALE
18	202039061924	0.0	15.0	15.0	NORMALE
19	202039066429	0.0	15.0	15.0	NORMALE
20	202039064336	0.0	15.0	15.0	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	0.0	16.0	16.0	NORMALE
23	202039067198	0.0	15.0	15.0	NORMALE
24	202039066103	0.0	14.0	14.0	NORMALE
25	202039062963	0.0	12.5	12.5	NORMALE
26	202039070918	0.0	15.0	15.0	NORMALE
27	202039062201	0.0	14.0	14.0	NORMALE
28	202039069665	0.0	15.0	15.0	NORMALE
29	202039064313	0.0	15.0	15.0	NORMALE
30	191939073174	15.0	15.0	15.0	NORMALE
31	202039062216	0.0	14.5	14.5	NORMALE
32	202039063387	0.0	16.0	16.0	NORMALE
33	191939054565	0.0	12.5	12.5	NORMALE
34	202039063561	0.0	15.0	15.0	NORMALE
35	202039066144	0.0	15.0	15.0	NORMALE
36	202039065507	0.0	15.0	15.0	NORMALE
37	202039071723	0.0	15.5	15.5	NORMALE
38	202039065109	0.0	16.0	16.0	NORMALE
39	202039065450	0.0	15.0	15.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Informatique 3 / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	0.0	16.0	16.0	NORMALE
2	202039070150	0.0	14.0	14.0	NORMALE
3	202039064538	0.0	9.0	9.0	NORMALE
4	202039067225	0.0	15.5	15.5	NORMALE
5	191939066762	0.0	15.0	15.0	NORMALE
6	202039062689	0.0	14.0	14.0	NORMALE
7	202039067220	0.0	14.0	14.0	NORMALE
8	202039066105	0.0	0.0	0.0	NORMALE
9	202039069772	0.0	17.0	17.0	NORMALE
10	202039062175	0.0	14.5	14.5	NORMALE
11	202039076231	0.0	15.5	15.5	NORMALE
12	171739051075	0.0	10.0	10.0	NORMALE
13	202039062636	0.0	17.0	17.0	NORMALE
14	202039063584	0.0	16.5	16.5	NORMALE
15	202039067271	0.0	16.0	16.0	NORMALE
16	202039064260	0.0	0.0	0.0	NORMALE
17	202039071750	0.0	0.0	0.0	NORMALE
18	202039069494	0.0	16.0	16.0	NORMALE
19	202039067252	0.0	14.0	14.0	NORMALE
20	202039062005	0.0	14.0	14.0	NORMALE
21	202039065531	0.0	15.0	15.0	NORMALE
22	202039065517	0.0	17.0	17.0	NORMALE
23	202039063582	0.0	16.0	16.0	NORMALE
24	202039065530	0.0	15.0	15.0	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	0.0	14.0	14.0	NORMALE
27	181839071025	15.0	15.0	15.0	NORMALE
28	202039067116	0.0	16.0	16.0	NORMALE
29	202039067742	0.0	17.0	17.0	NORMALE
30	202039062962	0.0	17.0	17.0	NORMALE
31	202039063765	0.0	14.0	14.0	NORMALE
32	202039066378	0.0	15.5	15.5	NORMALE
33	202039065535	0.0	16.0	16.0	NORMALE
34	202039065495	0.0	16.0	16.0	NORMALE
35	202039071166	0.0	14.5	14.5	NORMALE
36	202039065539	0.0	15.0	15.0	NORMALE
37	202039065521	0.0	16.0	16.0	NORMALE
38	202039062830	0.0	14.5	14.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Mathématiques 3 / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	7.0	10.0	8.2	NORMALE
2	191939067657	7.0	0.0	4.2	NORMALE
3	202039069737	7.0	3.0	5.4	NORMALE
4	202039065534	7.0	8.0	7.4	NORMALE
5	202039066167	7.0	14.0	9.8	NORMALE
6	202039062177	7.0	12.0	9.0	NORMALE
7	202039067362	7.0	12.0	9.0	NORMALE
8	202039062908	7.0	6.0	6.6	NORMALE
9	191939065952	10.2	10.2	10.2	NORMALE
10	202039066160	7.0	10.0	8.2	NORMALE
11	202039063851	7.0	10.0	8.2	NORMALE
12	202039065512	7.0	10.0	8.2	NORMALE
13	202039068925	7.0	15.0	10.2	NORMALE
14	202039065516	7.0	15.0	10.2	NORMALE
15	1902438177	7.0	8.0	7.4	NORMALE
16	202039062965	8.0	14.0	10.4	NORMALE
17	202039070262	7.0	10.0	8.2	NORMALE
18	202039067732	7.0	10.0	8.2	NORMALE
19	202039066061	9.0	10.0	9.4	NORMALE
20	202039061728	7.0	9.0	7.8	NORMALE
21	202039068940	7.0	10.0	8.2	NORMALE
22	202039067137	7.0	14.0	9.8	NORMALE
23	202039068439	7.0	10.0	8.2	NORMALE
24	202039069773	7.0	10.0	8.2	NORMALE
25	202039068503	7.0	10.0	8.2	NORMALE
26	191939072418	7.0	10.0	8.2	NORMALE
27	202039072271	7.0	2.0	5.0	NORMALE
28	202039065537	7.0	2.0	5.0	NORMALE
29	202039063798	7.0	0.0	4.2	NORMALE
30	202039077041	7.0	0.0	4.2	NORMALE
31	202039069672	8.0	15.0	10.8	NORMALE
32	202039069721	7.0	10.0	8.2	NORMALE
33	202039065511	7.0	10.0	8.2	NORMALE
34	202039066410	7.0	10.0	8.2	NORMALE
35	181539073679	8.0	10.0	8.8	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Mathématiques 3 / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	7.0	10.0	8.2	NORMALE
2	202039064568	0.0	2.0	0.8	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	7.0	2.0	5.0	NORMALE
5	191939072105	10.2	10.2	10.2	NORMALE
6	202039071613	8.0	1.0	5.2	NORMALE
7	202039070189	7.0	9.0	7.8	NORMALE
8	202039061996	7.0	10.0	8.2	NORMALE
9	202039064296	7.0	1.0	4.6	NORMALE
10	202039069765	7.0	10.0	8.2	NORMALE
11	191939065946	9.0	10.0	9.4	NORMALE
12	202039067185	7.0	14.0	9.8	NORMALE
13	202039069739	8.0	2.0	5.6	NORMALE
14	202039061712	7.0	2.0	5.0	NORMALE
15	202039064669	7.0	17.0	11.0	NORMALE
16	202039072256	7.0	10.0	8.2	NORMALE
17	202039062995	8.0	17.0	11.6	NORMALE
18	191939069694	10.2	10.2	10.2	NORMALE
19	181839068247	11.3	11.3	11.3	NORMALE
20	202039061993	7.0	14.0	9.8	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	7.0	10.0	8.2	NORMALE
23	20079067639	7.0	10.0	8.2	NORMALE
24	202039065554	12.5	17.0	14.3	NORMALE
25	202039069788	7.0	0.0	4.2	NORMALE
26	202039071047	9.0	10.0	9.4	NORMALE
27	202039071553	7.0	9.0	7.8	NORMALE
28	202039071643	8.0	9.0	8.4	NORMALE
29	202039070281	7.0	0.0	4.2	NORMALE
30	202039069733	7.0	10.0	8.2	NORMALE
31	202039062792	7.0	10.0	8.2	NORMALE
32	202039062860	7.0	10.0	8.2	NORMALE
33	202039069688	7.0	10.0	8.2	NORMALE
34	202039067224	7.0	12.0	9.0	NORMALE
35	202039071006	7.0	10.0	8.2	NORMALE
36	202039065467	7.0	10.0	8.2	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Mathématiques 3 / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	7.0	10.0	8.2	NORMALE
2	202039069791	7.0	11.0	8.6	NORMALE
3	202039065493	7.0	9.0	7.8	NORMALE
4	202039071928	7.0	10.0	8.2	NORMALE
5	202039067113	9.0	10.0	9.4	NORMALE
6	202039066373	7.0	10.0	8.2	NORMALE
7	202039063807	9.0	3.0	6.6	NORMALE
8	202034016206	7.0	2.0	5.0	NORMALE
9	181839050202	7.0	11.0	8.6	NORMALE
10	202039071719	7.0	10.0	8.2	NORMALE
11	202039067844	7.0	10.0	8.2	NORMALE
12	202039070143	7.0	11.0	8.6	NORMALE
13	191939068659	7.0	10.0	8.2	NORMALE
14	202039067207	7.0	10.0	8.2	NORMALE
15	191939065518	7.0	10.0	8.2	NORMALE
16	202039062174	7.0	2.0	5.0	NORMALE
17	181839066240	7.0	2.0	5.0	NORMALE
18	202039061924	0.0	9.0	3.6	NORMALE
19	202039066429	7.0	10.0	8.2	NORMALE
20	202039064336	7.0	12.0	9.0	NORMALE
21	181839063054	10.2	10.2	10.2	NORMALE
22	202039066157	9.0	16.0	11.8	NORMALE
23	202039067198	7.0	16.0	10.6	NORMALE
24	202039066103	7.0	10.0	8.2	NORMALE
25	202039062963	7.0	2.0	5.0	NORMALE
26	202039070918	7.0	10.0	8.2	NORMALE
27	202039062201	7.0	10.0	8.2	NORMALE
28	202039069665	7.0	10.0	8.2	NORMALE
29	202039064313	7.0	4.0	5.8	NORMALE
30	191939073174	10.2	10.2	10.2	NORMALE
31	202039062216	7.0	10.0	8.2	NORMALE
32	202039063387	8.5	16.0	11.5	NORMALE
33	191939054565	7.0	2.0	5.0	NORMALE
34	202039063561	7.0	10.0	8.2	NORMALE
35	202039066144	7.0	12.0	9.0	NORMALE
36	202039065507	7.0	2.0	5.0	NORMALE
37	202039071723	7.0	13.0	9.4	NORMALE
38	202039065109	12.0	16.0	13.6	NORMALE
39	202039065450	7.0	10.0	8.2	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Mathématiques 3 / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	7.0	13.0	9.4	NORMALE
2	202039070150	7.0	10.0	8.2	NORMALE
3	202039064538	7.0	2.0	5.0	NORMALE
4	202039067225	7.0	9.0	7.8	NORMALE
5	191939066762	7.0	2.0	5.0	NORMALE
6	202039062689	7.0	10.0	8.2	NORMALE
7	202039067220	7.0	10.0	8.2	NORMALE
8	202039066105	7.0	10.0	8.2	NORMALE
9	202039069772	7.0	10.0	8.2	NORMALE
10	202039062175	7.0	9.0	7.8	NORMALE
11	202039076231	16.0	13.0	14.8	NORMALE
12	171739051075	7.0	2.0	5.0	NORMALE
13	202039062636	7.0	10.0	8.2	NORMALE
14	202039063584	7.0	10.0	8.2	NORMALE
15	202039067271	7.0	10.0	8.2	NORMALE
16	202039064260	7.0	2.0	5.0	NORMALE
17	202039071750	7.0	2.0	5.0	NORMALE
18	202039069494	7.0	10.0	8.2	NORMALE
19	202039067252	7.0	10.0	8.2	NORMALE
20	202039062005	7.0	12.0	9.0	NORMALE
21	202039065531	7.0	10.0	8.2	NORMALE
22	202039065517	7.0	10.0	8.2	NORMALE
23	202039063582	9.0	10.0	9.4	NORMALE
24	202039065530	7.0	1.0	4.6	NORMALE
25	181439072334	13.4	13.4	13.4	NORMALE
26	202039070114	7.0	10.0	8.2	NORMALE
27	181839071025	10.2	10.2	10.2	NORMALE
28	202039067116	9.5	13.0	10.9	NORMALE
29	202039067742	7.0	10.0	8.2	NORMALE
30	202039062962	7.0	10.0	8.2	NORMALE
31	202039063765	7.0	10.0	8.2	NORMALE
32	202039066378	7.0	10.0	8.2	NORMALE
33	202039065535	7.0	10.0	8.2	NORMALE
34	202039065495	7.0	13.0	9.4	NORMALE
35	202039071166	7.0	10.0	8.2	NORMALE
36	202039065539	7.0	2.0	5.0	NORMALE
37	202039065521	7.0	10.0	8.2	NORMALE
38	202039062830	7.0	10.0	8.2	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Ondes et Vibrations / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	6.0	12.2	8.48	NORMALE
2	191939067657	3.5	7.2	4.98	NORMALE
3	202039069737	8.5	12.8	10.22	NORMALE
4	202039065534	0.5	10.4	4.46	NORMALE
5	202039066167	16.75	15.2	16.13	NORMALE
6	202039062177	8.0	14.0	10.4	NORMALE
7	202039067362	8.0	13.6	10.24	NORMALE
8	202039062908	11.5	14.4	12.66	NORMALE
9	191939065952	0.5	0.0	0.3	NORMALE
10	202039066160	0.5	7.4	3.26	NORMALE
11	202039063851	3.0	12.8	6.92	NORMALE
12	202039065512	5.0	11.6	7.64	NORMALE
13	202039068925	6.5	11.0	8.3	NORMALE
14	202039065516	13.0	13.4	13.16	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	7.5	12.4	9.46	NORMALE
17	202039070262	7.5	10.4	8.66	NORMALE
18	202039067732	5.0	10.2	7.08	NORMALE
19	202039066061	16.0	16.8	16.32	NORMALE
20	202039061728	3.0	13.4	7.16	NORMALE
21	202039068940	3.0	8.6	5.24	NORMALE
22	202039067137	10.0	14.2	11.68	NORMALE
23	202039068439	2.0	8.8	4.72	NORMALE
24	202039069773	5.5	9.6	7.14	NORMALE
25	202039068503	6.5	11.4	8.46	NORMALE
26	191939072418	7.0	10.0	8.2	NORMALE
27	202039072271	5.5	12.0	8.1	NORMALE
28	202039065537	2.0	11.6	5.84	NORMALE
29	202039063798	0.0	9.4	3.76	NORMALE
30	202039077041	0.5	8.4	3.66	NORMALE
31	202039069672	10.0	12.2	10.88	NORMALE
32	202039069721	4.0	10.2	6.48	NORMALE
33	202039065511	3.5	12.4	7.06	NORMALE
34	202039066410	7.5	11.4	9.06	NORMALE
35	181539073679	0.0	13.0	5.2	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Ondes et Vibrations / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	5.5	13.2	8.58	NORMALE
2	202039064568	5.0	14.8	8.92	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.5	7.6	3.34	NORMALE
5	191939072105	2.0	9.8	5.12	NORMALE
6	202039071613	5.0	9.2	6.68	NORMALE
7	202039070189	12.0	12.0	12.0	NORMALE
8	202039061996	9.0	10.4	9.56	NORMALE
9	202039064296	4.0	8.8	5.92	NORMALE
10	202039069765	14.0	14.2	14.08	NORMALE
11	191939065946	0.5	10.0	4.3	NORMALE
12	202039067185	7.0	9.8	8.12	NORMALE
13	202039069739	1.0	8.4	3.96	NORMALE
14	202039061712	5.0	10.4	7.16	NORMALE
15	202039064669	11.0	18.0	13.8	NORMALE
16	202039072256	2.0	9.2	4.88	NORMALE
17	202039062995	13.0	15.2	13.88	NORMALE
18	191939069694	0.0	8.0	3.2	NORMALE
19	181839068247	15.0	18.0	16.2	NORMALE
20	202039061993	3.0	10.2	5.88	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	10.5	13.4	11.66	NORMALE
23	20079067639	2.5	12.4	6.46	NORMALE
24	202039065554	15.0	16.8	15.72	NORMALE
25	202039069788	2.0	7.4	4.16	NORMALE
26	202039071047	5.0	13.6	8.44	NORMALE
27	202039071553	5.0	10.2	7.08	NORMALE
28	202039071643	5.0	10.2	7.08	NORMALE
29	202039070281	0.5	10.4	4.46	NORMALE
30	202039069733	11.0	14.6	12.44	NORMALE
31	202039062792	6.0	13.4	8.96	NORMALE
32	202039062860	7.0	14.0	9.8	NORMALE
33	202039069688	5.0	12.2	7.88	NORMALE
34	202039067224	1.0	10.2	4.68	NORMALE
35	202039071006	0.5	12.0	5.1	NORMALE
36	202039065467	5.0	14.2	8.68	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Ondes et Vibrations / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	11.0	10.2	10.68	NORMALE
2	202039069791	1.0	9.0	4.2	NORMALE
3	202039065493	8.0	11.1	9.24	NORMALE
4	202039071928	0.5	9.2	3.98	NORMALE
5	202039067113	5.0	10.7	7.28	NORMALE
6	202039066373	3.5	9.2	5.78	NORMALE
7	202039063807	11.0	10.5	10.8	NORMALE
8	202034016206	5.0	10.0	7.0	NORMALE
9	181839050202	3.0	9.0	5.4	NORMALE
10	202039071719	15.0	11.0	13.4	NORMALE
11	202039067844	3.5	10.9	6.46	NORMALE
12	202039070143	4.0	10.0	6.4	NORMALE
13	191939068659	10.0	12.0	10.8	NORMALE
14	202039067207	6.0	9.0	7.2	NORMALE
15	191939065518	6.0	13.1	8.84	NORMALE
16	202039062174	3.0	10.0	5.8	NORMALE
17	181839066240	0.5	11.4	4.86	NORMALE
18	202039061924	2.0	10.4	5.36	NORMALE
19	202039066429	6.0	11.2	8.08	NORMALE
20	202039064336	2.5	9.0	5.1	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	14.0	10.2	12.48	NORMALE
23	202039067198	4.0	10.2	6.48	NORMALE
24	202039066103	1.5	11.0	5.3	NORMALE
25	202039062963	7.5	10.0	8.5	NORMALE
26	202039070918	2.0	13.5	6.6	NORMALE
27	202039062201	10.0	9.4	9.76	NORMALE
28	202039069665	6.0	10.9	7.96	NORMALE
29	202039064313	1.5	11.8	5.62	NORMALE
30	191939073174	5.0	10.0	7.0	NORMALE
31	202039062216	1.5	9.4	4.66	NORMALE
32	202039063387	16.5	14.0	15.5	NORMALE
33	191939054565	0.5	10.9	4.66	NORMALE
34	202039063561	5.5	12.2	8.18	NORMALE
35	202039066144	5.0	9.0	6.6	NORMALE
36	202039065507	2.5	10.2	5.58	NORMALE
37	202039071723	7.5	12.6	9.54	NORMALE
38	202039065109	3.5	10.1	6.14	NORMALE
39	202039065450	8.0	9.6	8.64	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Ondes et Vibrations / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	3.0	10.2	5.88	NORMALE
2	202039070150	4.5	12.2	7.58	NORMALE
3	202039064538	0.5	10.0	4.3	NORMALE
4	202039067225	3.0	11.1	6.24	NORMALE
5	191939066762	3.0	10.1	5.84	NORMALE
6	202039062689	4.5	10.0	6.7	NORMALE
7	202039067220	8.0	12.8	9.92	NORMALE
8	202039066105	3.0	10.2	5.88	NORMALE
9	202039069772	4.0	9.1	6.04	NORMALE
10	202039062175	4.5	12.8	7.82	NORMALE
11	202039076231	15.0	15.0	15.0	NORMALE
12	171739051075	0.5	11.0	4.7	NORMALE
13	202039062636	1.0	10.2	4.68	NORMALE
14	202039063584	12.0	12.1	12.04	NORMALE
15	202039067271	5.0	9.3	6.72	NORMALE
16	202039064260	0.0	11.4	4.56	NORMALE
17	202039071750	2.5	9.0	5.1	NORMALE
18	202039069494	12.0	10.2	11.28	NORMALE
19	202039067252	4.5	11.6	7.34	NORMALE
20	202039062005	0.5	11.5	4.9	NORMALE
21	202039065531	4.0	12.0	7.2	NORMALE
22	202039065517	6.5	13.6	9.34	NORMALE
23	202039063582	8.0	11.0	9.2	NORMALE
24	202039065530	3.5	9.0	5.7	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	1.0	10.2	4.68	NORMALE
27	181839071025	2.5	11.4	6.06	NORMALE
28	202039067116	11.0	13.5	12.0	NORMALE
29	202039067742	1.0	14.0	6.2	NORMALE
30	202039062962	1.0	9.0	4.2	NORMALE
31	202039063765	5.0	13.2	8.28	NORMALE
32	202039066378	4.5	12.2	7.58	NORMALE
33	202039065535	1.0	11.0	5.0	NORMALE
34	202039065495	8.0	11.6	9.44	NORMALE
35	202039071166	4.0	11.4	6.96	NORMALE
36	202039065539	2.0	9.1	4.84	NORMALE
37	202039065521	0.5	9.1	3.94	NORMALE
38	202039062830	3.5	10.0	6.1	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Probabilité et Statistiques / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	10.0	10.0	10.0	NORMALE
2	191939067657	5.5	12.0	8.1	NORMALE
3	202039069737	6.0	18.0	10.8	NORMALE
4	202039065534	16.0	18.0	16.8	NORMALE
5	202039066167	13.5	18.0	15.3	NORMALE
6	202039062177	14.5	17.0	15.5	NORMALE
7	202039067362	16.0	18.0	16.8	NORMALE
8	202039062908	7.0	15.0	10.2	NORMALE
9	191939065952	14.5	14.5	14.5	NORMALE
10	202039066160	9.0	18.0	12.6	NORMALE
11	202039063851	11.0	18.0	13.8	NORMALE
12	202039065512	9.0	11.0	9.8	NORMALE
13	202039068925	6.0	11.0	8.0	NORMALE
14	202039065516	6.5	18.0	11.1	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	17.0	18.0	17.4	NORMALE
17	202039070262	11.0	16.5	13.2	NORMALE
18	202039067732	11.5	16.0	13.3	NORMALE
19	202039066061	18.5	18.0	18.3	NORMALE
20	202039061728	12.5	14.0	13.1	NORMALE
21	202039068940	2.5	10.0	5.5	NORMALE
22	202039067137	17.5	17.5	17.5	NORMALE
23	202039068439	5.0	14.0	8.6	NORMALE
24	202039069773	13.5	17.0	14.9	NORMALE
25	202039068503	4.0	15.5	8.6	NORMALE
26	191939072418	11.0	15.0	12.6	NORMALE
27	202039072271	1.0	11.0	5.0	NORMALE
28	202039065537	6.0	18.0	10.8	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	2.0	0.0	1.2	NORMALE
31	202039069672	17.5	16.0	16.9	NORMALE
32	202039069721	10.0	18.0	13.2	NORMALE
33	202039065511	5.0	14.5	8.8	NORMALE
34	202039066410	3.0	16.0	8.2	NORMALE
35	181539073679	13.9	13.9	13.9	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Probabilité et Statistiques / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	7.0	16.5	10.8	NORMALE
2	202039064568	3.0	13.0	7.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	4.0	13.0	7.6	NORMALE
5	191939072105	10.0	10.0	10.0	NORMALE
6	202039071613	10.0	15.5	12.2	NORMALE
7	202039070189	12.5	15.0	13.5	NORMALE
8	202039061996	10.0	17.0	12.8	NORMALE
9	202039064296	6.0	15.0	9.6	NORMALE
10	202039069765	15.5	17.5	16.3	NORMALE
11	191939065946	6.0	14.0	9.2	NORMALE
12	202039067185	8.0	18.0	12.0	NORMALE
13	202039069739	13.5	14.5	13.9	NORMALE
14	202039061712	10.0	13.0	11.2	NORMALE
15	202039064669	3.0	12.0	6.6	NORMALE
16	202039072256	8.5	15.5	11.3	NORMALE
17	202039062995	16.5	17.0	16.7	NORMALE
18	191939069694	11.2	11.2	11.2	NORMALE
19	181839068247	13.5	13.0	13.3	NORMALE
20	202039061993	0.0	13.5	5.4	NORMALE
21	171739064740	12.3	12.3	12.3	NORMALE
22	202039068192	7.5	15.5	10.7	NORMALE
23	20079067639	7.0	11.0	8.6	NORMALE
24	202039065554	15.0	18.0	16.2	NORMALE
25	202039069788	8.0	10.0	8.8	NORMALE
26	202039071047	11.0	14.0	12.2	NORMALE
27	202039071553	10.5	17.0	13.1	NORMALE
28	202039071643	12.0	12.5	12.2	NORMALE
29	202039070281	5.0	0.0	3.0	NORMALE
30	202039069733	7.0	8.5	7.6	NORMALE
31	202039062792	10.0	18.0	13.2	NORMALE
32	202039062860	13.5	17.0	14.9	NORMALE
33	202039069688	15.0	12.5	14.0	NORMALE
34	202039067224	7.5	13.5	9.9	NORMALE
35	202039071006	8.5	13.5	10.5	NORMALE
36	202039065467	15.0	14.0	14.6	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Probabilité et Statistiques / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	14.5	18.0	15.9	NORMALE
2	202039069791	4.0	13.0	7.6	NORMALE
3	202039065493	8.5	14.0	10.7	NORMALE
4	202039071928	0.5	12.5	5.3	NORMALE
5	202039067113	12.0	16.0	13.6	NORMALE
6	202039066373	11.0	12.0	11.4	NORMALE
7	202039063807	11.0	14.0	12.2	NORMALE
8	202034016206	1.0	10.0	4.6	NORMALE
9	181839050202	10.0	10.0	10.0	NORMALE
10	202039071719	0.0	17.0	6.8	NORMALE
11	202039067844	3.0	8.0	5.0	NORMALE
12	202039070143	11.0	15.0	12.6	NORMALE
13	191939068659	10.0	15.0	12.0	NORMALE
14	202039067207	13.5	15.0	14.1	NORMALE
15	191939065518	6.0	15.0	9.6	NORMALE
16	202039062174	4.0	12.0	7.2	NORMALE
17	181839066240	2.0	14.5	7.0	NORMALE
18	202039061924	11.5	14.0	12.5	NORMALE
19	202039066429	7.0	11.0	8.6	NORMALE
20	202039064336	10.0	13.5	11.4	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	14.5	18.0	15.9	NORMALE
23	202039067198	0.0	16.0	6.4	NORMALE
24	202039066103	15.0	15.0	15.0	NORMALE
25	202039062963	14.5	14.0	14.3	NORMALE
26	202039070918	10.0	18.0	13.2	NORMALE
27	202039062201	15.0	16.0	15.4	NORMALE
28	202039069665	14.0	17.5	15.4	NORMALE
29	202039064313	12.5	17.5	14.5	NORMALE
30	191939073174	6.8	6.8	6.8	NORMALE
31	202039062216	3.0	15.0	7.8	NORMALE
32	202039063387	19.0	17.0	18.2	NORMALE
33	191939054565	3.0	8.0	5.0	NORMALE
34	202039063561	5.0	16.0	9.4	NORMALE
35	202039066144	8.5	18.0	12.3	NORMALE
36	202039065507	9.0	14.0	11.0	NORMALE
37	202039071723	10.0	15.5	12.2	NORMALE
38	202039065109	18.5	18.0	18.3	NORMALE
39	202039065450	11.5	15.0	12.9	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Probabilité et Statistiques / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	7.5	11.0	8.9	NORMALE
2	202039070150	8.0	17.0	11.6	NORMALE
3	202039064538	2.0	13.0	6.4	NORMALE
4	202039067225	11.0	13.0	11.8	NORMALE
5	191939066762	4.0	12.5	7.4	NORMALE
6	202039062689	13.5	14.5	13.9	NORMALE
7	202039067220	11.5	14.0	12.5	NORMALE
8	202039066105	0.0	18.0	7.2	NORMALE
9	202039069772	7.0	17.0	11.0	NORMALE
10	202039062175	15.5	14.5	15.1	NORMALE
11	202039076231	16.5	18.0	17.1	NORMALE
12	171739051075	1.0	4.5	2.4	NORMALE
13	202039062636	19.0	17.0	18.2	NORMALE
14	202039063584	16.5	17.0	16.7	NORMALE
15	202039067271	5.0	10.0	7.0	NORMALE
16	202039064260	7.0	10.0	8.2	NORMALE
17	202039071750	7.0	15.5	10.4	NORMALE
18	202039069494	13.0	10.0	11.8	NORMALE
19	202039067252	5.0	13.0	8.2	NORMALE
20	202039062005	1.0	6.5	3.2	NORMALE
21	202039065531	16.0	16.5	16.2	NORMALE
22	202039065517	9.0	15.0	11.4	NORMALE
23	202039063582	8.0	18.0	12.0	NORMALE
24	202039065530	10.0	15.0	12.0	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	10.0	17.0	12.8	NORMALE
27	181839071025	6.3	6.3	6.3	NORMALE
28	202039067116	18.0	11.5	15.4	NORMALE
29	202039067742	3.0	15.0	7.8	NORMALE
30	202039062962	4.0	11.0	6.8	NORMALE
31	202039063765	11.0	12.0	11.4	NORMALE
32	202039066378	10.0	15.0	12.0	NORMALE
33	202039065535	7.0	17.0	11.0	NORMALE
34	202039065495	16.0	17.0	16.4	NORMALE
35	202039071166	12.0	14.0	12.8	NORMALE
36	202039065539	7.0	16.5	10.8	NORMALE
37	202039065521	5.0	10.0	7.0	NORMALE
38	202039062830	15.0	13.0	14.2	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Electronique 1 et Electrotechnique 1 / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	0.0	14.3	14.3	NORMALE
2	191939067657	0.0	12.75	12.75	NORMALE
3	202039069737	0.0	15.0	15.0	NORMALE
4	202039065534	0.0	11.5	11.5	NORMALE
5	202039066167	0.0	14.25	14.25	NORMALE
6	202039062177	0.0	13.13	13.13	NORMALE
7	202039067362	0.0	12.63	12.63	NORMALE
8	202039062908	0.0	14.0	14.0	NORMALE
9	191939065952	0.0	16.0	16.0	NORMALE
10	202039066160	0.0	13.13	13.13	NORMALE
11	202039063851	0.0	11.25	11.25	NORMALE
12	202039065512	0.0	11.5	11.5	NORMALE
13	202039068925	0.0	13.0	13.0	NORMALE
14	202039065516	0.0	13.75	13.75	NORMALE
15	1902438177	0.0	10.5	10.5	NORMALE
16	202039062965	0.0	14.88	14.88	NORMALE
17	202039070262	0.0	14.75	14.75	NORMALE
18	202039067732	0.0	14.25	14.25	NORMALE
19	202039066061	0.0	15.88	15.88	NORMALE
20	202039061728	0.0	14.25	14.25	NORMALE
21	202039068940	0.0	10.25	10.25	NORMALE
22	202039067137	0.0	14.13	14.13	NORMALE
23	202039068439	0.0	14.75	14.75	NORMALE
24	202039069773	0.0	12.88	12.88	NORMALE
25	202039068503	0.0	13.5	13.5	NORMALE
26	191939072418	0.0	13.25	13.25	NORMALE
27	202039072271	0.0	13.25	13.25	NORMALE
28	202039065537	0.0	12.0	12.0	NORMALE
29	202039063798	0.0	10.0	10.0	NORMALE
30	202039077041	0.0	10.5	10.5	NORMALE
31	202039069672	0.0	15.12	15.12	NORMALE
32	202039069721	0.0	14.75	14.75	NORMALE
33	202039065511	0.0	11.63	11.63	NORMALE
34	202039066410	0.0	10.5	10.5	NORMALE
35	181539073679	0.0	10.94	10.94	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Electronique 1 et Electrotechnique 1 / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	0.0	13.8	13.8	NORMALE
2	202039064568	0.0	14.5	14.5	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	12.75	12.75	NORMALE
5	191939072105	0.0	15.38	15.38	NORMALE
6	202039071613	0.0	12.25	12.25	NORMALE
7	202039070189	0.0	13.0	13.0	NORMALE
8	202039061996	0.0	12.75	12.75	NORMALE
9	202039064296	0.0	10.0	10.0	NORMALE
10	202039069765	0.0	13.75	13.75	NORMALE
11	191939065946	0.0	15.25	15.25	NORMALE
12	202039067185	0.0	13.5	13.5	NORMALE
13	202039069739	0.0	11.5	11.5	NORMALE
14	202039061712	0.0	0.0	0.0	NORMALE
15	202039064669	0.0	13.75	13.75	NORMALE
16	202039072256	0.0	13.75	13.75	NORMALE
17	202039062995	0.0	14.5	14.5	NORMALE
18	191939069694	0.0	13.0	13.0	NORMALE
19	181839068247	0.0	11.5	11.5	NORMALE
20	202039061993	0.0	14.5	14.5	NORMALE
21	171739064740	0.0	17.5	17.5	NORMALE
22	202039068192	0.0	14.5	14.5	NORMALE
23	20079067639	0.0	13.25	13.25	NORMALE
24	202039065554	0.0	16.75	16.75	NORMALE
25	202039069788	0.0	10.5	10.5	NORMALE
26	202039071047	0.0	14.5	14.5	NORMALE
27	202039071553	0.0	11.0	11.0	NORMALE
28	202039071643	0.0	11.5	11.5	NORMALE
29	202039070281	0.0	0.0	0.0	NORMALE
30	202039069733	0.0	12.75	12.75	NORMALE
31	202039062792	0.0	15.0	15.0	NORMALE
32	202039062860	0.0	14.25	14.25	NORMALE
33	202039069688	0.0	11.5	11.5	NORMALE
34	202039067224	0.0	11.5	11.5	NORMALE
35	202039071006	0.0	14.0	14.0	NORMALE
36	202039065467	0.0	14.5	14.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Electronique 1 et Electrotechnique 1 / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	0.0	13.0	13.0	NORMALE
2	202039069791	0.0	10.75	10.75	NORMALE
3	202039065493	0.0	13.0	13.0	NORMALE
4	202039071928	0.0	10.75	10.75	NORMALE
5	202039067113	0.0	14.25	14.25	NORMALE
6	202039066373	0.0	14.25	14.25	NORMALE
7	202039063807	0.0	12.0	12.0	NORMALE
8	202034016206	0.0	14.25	14.25	NORMALE
9	181839050202	0.0	13.38	13.38	NORMALE
10	202039071719	0.0	13.25	13.25	NORMALE
11	202039067844	0.0	15.5	15.5	NORMALE
12	202039070143	0.0	13.0	13.0	NORMALE
13	191939068659	0.0	11.0	11.0	NORMALE
14	202039067207	0.0	13.0	13.0	NORMALE
15	191939065518	0.0	13.25	13.25	NORMALE
16	202039062174	0.0	15.0	15.0	NORMALE
17	181839066240	0.0	15.5	15.5	NORMALE
18	202039061924	0.0	13.25	13.25	NORMALE
19	202039066429	0.0	15.5	15.5	NORMALE
20	202039064336	0.0	13.38	13.38	NORMALE
21	181839063054	0.0	14.88	14.88	NORMALE
22	202039066157	0.0	15.5	15.5	NORMALE
23	202039067198	0.0	15.5	15.5	NORMALE
24	202039066103	0.0	11.0	11.0	NORMALE
25	202039062963	0.0	13.5	13.5	NORMALE
26	202039070918	0.0	13.0	13.0	NORMALE
27	202039062201	0.0	15.5	15.5	NORMALE
28	202039069665	0.0	12.75	12.75	NORMALE
29	202039064313	0.0	15.5	15.5	NORMALE
30	191939073174	0.0	14.25	14.25	NORMALE
31	202039062216	0.0	12.0	12.0	NORMALE
32	202039063387	0.0	15.5	15.5	NORMALE
33	191939054565	0.0	12.0	12.0	NORMALE
34	202039063561	0.0	12.75	12.75	NORMALE
35	202039066144	0.0	13.0	13.0	NORMALE
36	202039065507	0.0	13.5	13.5	NORMALE
37	202039071723	0.0	15.5	15.5	NORMALE
38	202039065109	0.0	15.5	15.5	NORMALE
39	202039065450	0.0	15.3	15.3	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Electronique 1 et Electrotechnique 1 / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	0.0	15.3	15.3	NORMALE
2	202039070150	0.0	15.0	15.0	NORMALE
3	202039064538	0.0	10.25	10.25	NORMALE
4	202039067225	0.0	11.25	11.25	NORMALE
5	191939066762	0.0	10.75	10.75	NORMALE
6	202039062689	0.0	14.5	14.5	NORMALE
7	202039067220	0.0	15.25	15.25	NORMALE
8	202039066105	0.0	12.25	12.25	NORMALE
9	202039069772	0.0	14.88	14.88	NORMALE
10	202039062175	0.0	12.13	12.13	NORMALE
11	202039076231	0.0	14.25	14.25	NORMALE
12	171739051075	0.0	0.0	0.0	NORMALE
13	202039062636	0.0	11.88	11.88	NORMALE
14	202039063584	0.0	15.25	15.25	NORMALE
15	202039067271	0.0	14.25	14.25	NORMALE
16	202039064260	0.0	10.75	10.75	NORMALE
17	202039071750	0.0	10.0	10.0	NORMALE
18	202039069494	0.0	15.25	15.25	NORMALE
19	202039067252	0.0	13.13	13.13	NORMALE
20	202039062005	0.0	0.0	0.0	NORMALE
21	202039065531	0.0	14.25	14.25	NORMALE
22	202039065517	0.0	15.0	15.0	NORMALE
23	202039063582	0.0	15.25	15.25	NORMALE
24	202039065530	0.0	13.0	13.0	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	0.0	11.5	11.5	NORMALE
27	181839071025	0.0	13.5	13.5	NORMALE
28	202039067116	0.0	15.25	15.25	NORMALE
29	202039067742	0.0	10.75	10.75	NORMALE
30	202039062962	0.0	12.25	12.25	NORMALE
31	202039063765	0.0	14.25	14.25	NORMALE
32	202039066378	0.0	10.75	10.75	NORMALE
33	202039065535	0.0	13.88	13.88	NORMALE
34	202039065495	0.0	14.5	14.5	NORMALE
35	202039071166	0.0	12.38	12.38	NORMALE
36	202039065539	0.0	11.75	11.75	NORMALE
37	202039065521	0.0	15.13	15.13	NORMALE
38	202039062830	0.0	12.0	12.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Ondes et Vibrations / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	0.0	14.5	14.5	NORMALE
2	191939067657	0.0	3.67	3.67	NORMALE
3	202039069737	0.0	13.0	13.0	NORMALE
4	202039065534	0.0	3.67	3.67	NORMALE
5	202039066167	0.0	14.67	14.67	NORMALE
6	202039062177	0.0	11.33	11.33	NORMALE
7	202039067362	0.0	14.67	14.67	NORMALE
8	202039062908	0.0	13.0	13.0	NORMALE
9	191939065952	0.0	13.33	13.33	NORMALE
10	202039066160	0.0	14.33	14.33	NORMALE
11	202039063851	0.0	11.5	11.5	NORMALE
12	202039065512	0.0	11.0	11.0	NORMALE
13	202039068925	0.0	11.33	11.33	NORMALE
14	202039065516	0.0	13.0	13.0	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	0.0	12.83	12.83	NORMALE
17	202039070262	0.0	13.0	13.0	NORMALE
18	202039067732	0.0	13.0	13.0	NORMALE
19	202039066061	0.0	16.0	16.0	NORMALE
20	202039061728	0.0	13.0	13.0	NORMALE
21	202039068940	0.0	3.33	3.33	NORMALE
22	202039067137	0.0	13.0	13.0	NORMALE
23	202039068439	0.0	14.5	14.5	NORMALE
24	202039069773	0.0	13.0	13.0	NORMALE
25	202039068503	0.0	14.5	14.5	NORMALE
26	191939072418	0.0	14.5	14.5	NORMALE
27	202039072271	0.0	16.0	16.0	NORMALE
28	202039065537	0.0	13.5	13.5	NORMALE
29	202039063798	0.0	4.0	4.0	NORMALE
30	202039077041	0.0	0.0	0.0	NORMALE
31	202039069672	0.0	12.33	12.33	NORMALE
32	202039069721	0.0	13.0	13.0	NORMALE
33	202039065511	0.0	11.0	11.0	NORMALE
34	202039066410	0.0	14.0	14.0	NORMALE
35	181539073679	0.0	9.7	9.7	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Ondes et Vibrations / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	0.0	14.67	14.67	NORMALE
2	202039064568	0.0	14.67	14.67	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	12.5	12.5	NORMALE
5	191939072105	0.0	14.33	14.33	NORMALE
6	202039071613	0.0	11.0	11.0	NORMALE
7	202039070189	0.0	11.83	11.83	NORMALE
8	202039061996	0.0	11.67	11.67	NORMALE
9	202039064296	0.0	0.0	0.0	NORMALE
10	202039069765	0.0	18.33	18.33	NORMALE
11	191939065946	0.0	14.67	14.67	NORMALE
12	202039067185	0.0	12.25	12.25	NORMALE
13	202039069739	0.0	12.83	12.83	NORMALE
14	202039061712	0.0	11.25	11.25	NORMALE
15	202039064669	0.0	10.67	10.67	NORMALE
16	202039072256	0.0	10.67	10.67	NORMALE
17	202039062995	0.0	18.33	18.33	NORMALE
18	191939069694	0.0	13.0	13.0	NORMALE
19	181839068247	0.0	12.83	12.83	NORMALE
20	202039061993	0.0	14.67	14.67	NORMALE
21	171739064740	0.0	7.33	7.33	NORMALE
22	202039068192	0.0	11.67	11.67	NORMALE
23	20079067639	0.0	11.67	11.67	NORMALE
24	202039065554	0.0	18.33	18.33	NORMALE
25	202039069788	0.0	11.25	11.25	NORMALE
26	202039071047	0.0	14.5	14.5	NORMALE
27	202039071553	0.0	11.83	11.83	NORMALE
28	202039071643	0.0	11.0	11.0	NORMALE
29	202039070281	0.0	4.17	4.17	NORMALE
30	202039069733	0.0	11.67	11.67	NORMALE
31	202039062792	0.0	18.33	18.33	NORMALE
32	202039062860	0.0	11.67	11.67	NORMALE
33	202039069688	0.0	12.83	12.83	NORMALE
34	202039067224	0.0	12.25	12.25	NORMALE
35	202039071006	0.0	14.67	14.67	NORMALE
36	202039065467	0.0	18.33	18.33	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Ondes et Vibrations / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	0.0	13.0	13.0	NORMALE
2	202039069791	0.0	5.0	5.0	NORMALE
3	202039065493	0.0	14.33	14.33	NORMALE
4	202039071928	0.0	3.83	3.83	NORMALE
5	202039067113	0.0	16.0	16.0	NORMALE
6	202039066373	0.0	12.0	12.0	NORMALE
7	202039063807	0.0	13.33	13.33	NORMALE
8	202034016206	0.0	15.0	15.0	NORMALE
9	181839050202	0.0	11.38	11.38	NORMALE
10	202039071719	0.0	14.67	14.67	NORMALE
11	202039067844	0.0	14.0	14.0	NORMALE
12	202039070143	0.0	10.0	10.0	NORMALE
13	191939068659	0.0	13.67	13.67	NORMALE
14	202039067207	0.0	16.0	16.0	NORMALE
15	191939065518	0.0	13.0	13.0	NORMALE
16	202039062174	0.0	2.67	2.67	NORMALE
17	181839066240	0.0	11.67	11.67	NORMALE
18	202039061924	0.0	15.67	15.67	NORMALE
19	202039066429	0.0	12.33	12.33	NORMALE
20	202039064336	0.0	15.33	15.33	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	0.0	15.33	15.33	NORMALE
23	202039067198	0.0	16.0	16.0	NORMALE
24	202039066103	0.0	12.75	12.75	NORMALE
25	202039062963	0.0	10.0	10.0	NORMALE
26	202039070918	0.0	14.33	14.33	NORMALE
27	202039062201	0.0	15.33	15.33	NORMALE
28	202039069665	0.0	15.0	15.0	NORMALE
29	202039064313	0.0	11.5	11.5	NORMALE
30	191939073174	0.0	12.0	12.0	NORMALE
31	202039062216	0.0	0.0	0.0	NORMALE
32	202039063387	0.0	15.33	15.33	NORMALE
33	191939054565	0.0	14.9	14.9	NORMALE
34	202039063561	0.0	15.33	15.33	NORMALE
35	202039066144	0.0	12.17	12.17	NORMALE
36	202039065507	0.0	14.33	14.33	NORMALE
37	202039071723	0.0	13.0	13.0	NORMALE
38	202039065109	0.0	16.0	16.0	NORMALE
39	202039065450	0.0	15.76	15.76	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Ondes et Vibrations / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	0.0	14.33	14.33	NORMALE
2	202039070150	0.0	10.0	10.0	NORMALE
3	202039064538	0.0	14.0	14.0	NORMALE
4	202039067225	0.0	12.67	12.67	NORMALE
5	191939066762	0.0	10.0	10.0	NORMALE
6	202039062689	0.0	12.0	12.0	NORMALE
7	202039067220	0.0	12.67	12.67	NORMALE
8	202039066105	0.0	13.17	13.17	NORMALE
9	202039069772	0.0	14.33	14.33	NORMALE
10	202039062175	0.0	12.0	12.0	NORMALE
11	202039076231	0.0	12.0	12.0	NORMALE
12	171739051075	0.0	10.88	10.88	NORMALE
13	202039062636	0.0	13.0	13.0	NORMALE
14	202039063584	0.0	14.67	14.67	NORMALE
15	202039067271	0.0	13.33	13.33	NORMALE
16	202039064260	0.0	0.0	0.0	NORMALE
17	202039071750	0.0	0.0	0.0	NORMALE
18	202039069494	0.0	14.0	14.0	NORMALE
19	202039067252	0.0	12.67	12.67	NORMALE
20	202039062005	0.0	13.67	13.67	NORMALE
21	202039065531	0.0	13.33	13.33	NORMALE
22	202039065517	0.0	12.67	12.67	NORMALE
23	202039063582	0.0	14.67	14.67	NORMALE
24	202039065530	0.0	10.0	10.0	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	0.0	10.0	10.0	NORMALE
27	181839071025	0.0	11.0	11.0	NORMALE
28	202039067116	0.0	14.33	14.33	NORMALE
29	202039067742	0.0	13.5	13.5	NORMALE
30	202039062962	0.0	13.0	13.0	NORMALE
31	202039063765	0.0	12.67	12.67	NORMALE
32	202039066378	0.0	12.67	12.67	NORMALE
33	202039065535	0.0	12.17	12.17	NORMALE
34	202039065495	0.0	10.83	10.83	NORMALE
35	202039071166	0.0	13.67	13.67	NORMALE
36	202039065539	0.0	10.0	10.0	NORMALE
37	202039065521	0.0	13.33	13.33	NORMALE
38	202039062830	0.0	13.67	13.67	NORMALE