

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Anglais technique / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	18.0	0.0	18.0	NORMALE
2	182035065803	19.0	0.0	19.0	NORMALE
3	202039066811	10.0	0.0	10.0	NORMALE
4	202039066546	10.0	0.0	10.0	NORMALE
5	202039064320	19.0	0.0	19.0	NORMALE
6	202039072055	14.0	0.0	14.0	NORMALE
7	202039069800	16.0	0.0	16.0	NORMALE
8	202039077193	5.0	0.0	5.0	NORMALE
9	181839071084	2.0	0.0	2.0	NORMALE
10	202039067846	17.0	0.0	17.0	NORMALE
11	202039067845	12.0	0.0	12.0	NORMALE
12	202039066147	19.0	0.0	19.0	NORMALE
13	202039075788	0.0	0.0	0.0	NORMALE
14	202039064300	11.0	0.0	11.0	NORMALE
15	202039065601	14.0	0.0	14.0	NORMALE
16	202039065184	10.0	0.0	10.0	NORMALE
17	202039071744	15.0	0.0	15.0	NORMALE
18	192039077138	20.0	0.0	20.0	NORMALE
19	202039067800	12.0	0.0	12.0	NORMALE
20	191939068019	2.0	0.0	2.0	NORMALE
21	202039062173	16.0	0.0	16.0	NORMALE
22	202039065127	13.0	0.0	13.0	NORMALE
23	202039065481	10.0	0.0	10.0	NORMALE
24	181839073639	10.0	0.0	10.0	NORMALE
25	202039050726	14.0	0.0	14.0	NORMALE
26	161639057189	11.0	0.0	11.0	NORMALE
27	202039069801	15.0	0.0	15.0	NORMALE
28	202039066854	10.0	0.0	10.0	NORMALE
29	202039065576	19.0	0.0	19.0	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	16.0	0.0	16.0	NORMALE
32	202039065612	19.0	0.0	19.0	NORMALE
33	202039065610	15.0	0.0	15.0	NORMALE
34	202039062224	10.0	0.0	10.0	NORMALE
35	202039066510	10.0	0.0	10.0	RATTRAPAGE
36	202039065595	19.0	0.0	19.0	NORMALE
37	202039064241	15.0	0.0	15.0	NORMALE
38	202039069511	10.0	0.0	10.0	RATTRAPAGE
39	202039062750	11.0	0.0	11.0	NORMALE
40	202039062577	10.0	0.0	10.0	NORMALE
41	202039063404	10.0	0.0	10.0	NORMALE
42	202039062981	19.0	0.0	19.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Anglais technique / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	14.0	0.0	14.0	NORMALE
2	202039066755	14.0	0.0	14.0	NORMALE
3	202039067377	15.0	0.0	15.0	NORMALE
4	202039065452	15.0	0.0	15.0	NORMALE
5	202039067268	12.0	0.0	12.0	NORMALE
6	202039072062	11.0	0.0	11.0	NORMALE
7	202039062137	18.0	0.0	18.0	NORMALE
8	191939067589	13.0	0.0	13.0	NORMALE
9	202039063566	11.0	0.0	11.0	NORMALE
10	181839063087	0.0	0.0	0.0	NORMALE
11	202039064229	17.0	0.0	17.0	NORMALE
12	202039066124	5.0	0.0	5.0	NORMALE
13	202039066130	16.0	0.0	16.0	NORMALE
14	202039065289	6.0	0.0	6.0	NORMALE
15	191939068888	19.0	0.0	19.0	NORMALE
16	191939071366	14.0	0.0	14.0	NORMALE
17	202039065598	12.0	0.0	12.0	NORMALE
18	191939063839	0.0	0.0	0.0	NORMALE
19	202039067355	5.0	0.0	5.0	NORMALE
20	202039062178	10.0	0.0	10.0	NORMALE
21	202039062196	10.0	0.0	10.0	NORMALE
22	202039066152	16.0	0.0	16.0	NORMALE
23	202039067673	10.0	0.0	10.0	NORMALE
24	202039071018	17.0	0.0	17.0	NORMALE
25	202039072253	15.0	0.0	15.0	NORMALE
26	202039071020	14.0	0.0	14.0	NORMALE
27	202039066541	5.0	0.0	5.0	NORMALE
28	202039066542	14.0	0.0	14.0	NORMALE
29	202039066142	10.0	0.0	10.0	NORMALE
30	202039062977	13.0	0.0	13.0	NORMALE
31	202039068938	12.0	0.0	12.0	NORMALE
32	171739066686	19.0	0.0	19.0	NORMALE
33	202039067342	10.0	0.0	10.0	NORMALE
34	202039066827	14.0	0.0	14.0	NORMALE
35	202039066548	12.0	0.0	12.0	NORMALE
36	202039063782	13.0	0.0	13.0	NORMALE
37	202039062979	19.0	0.0	19.0	NORMALE
38	202039062164	10.0	0.0	10.0	NORMALE
39	202039067799	10.0	0.0	10.0	NORMALE
40	202039071026	15.0	0.0	15.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Anglais technique / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	14.0	0.0	14.0	NORMALE
2	162039077204	18.0	0.0	18.0	NORMALE
3	202039066743	5.0	0.0	5.0	NORMALE
4	202039062985	14.0	0.0	14.0	NORMALE
5	202039071044	12.0	0.0	12.0	NORMALE
6	191939071620	11.0	0.0	11.0	NORMALE
7	202039062618	14.0	0.0	14.0	NORMALE
8	202039076978	12.0	0.0	12.0	NORMALE
9	181839069056	11.0	0.0	11.0	NORMALE
10	202039063340	18.0	0.0	18.0	NORMALE
11	202039068236	15.0	0.0	15.0	NORMALE
12	202039070649	10.0	0.0	10.0	NORMALE
13	202039063485	13.0	0.0	13.0	NORMALE
14	202039066140	10.0	0.0	10.0	NORMALE
15	202039071931	16.0	0.0	16.0	NORMALE
16	202039065553	12.0	0.0	12.0	NORMALE
17	202039065573	5.0	0.0	5.0	NORMALE
18	202039065203	10.0	0.0	10.0	NORMALE
19	202039062165	18.0	0.0	18.0	NORMALE
20	202039066141	11.0	0.0	11.0	NORMALE
21	202039070146	13.0	0.0	13.0	NORMALE
22	202039063353	10.0	0.0	10.0	NORMALE
23	202039070671	12.0	0.0	12.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	14.0	0.0	14.0	NORMALE
26	202039065305	17.0	0.0	17.0	NORMALE
27	191939067661	14.0	0.0	14.0	NORMALE
28	202039065435	14.0	0.0	14.0	NORMALE
29	202039065250	18.0	0.0	18.0	NORMALE
30	202039065602	12.0	0.0	12.0	NORMALE
31	191939071369	10.0	0.0	10.0	NORMALE
32	202039072266	10.0	0.0	10.0	NORMALE
33	202039062083	10.0	0.0	10.0	NORMALE
34	202039062122	18.0	0.0	18.0	NORMALE
35	202039069283	10.0	0.0	10.0	NORMALE
36	202039067795	17.0	0.0	17.0	NORMALE
37	191939068891	14.0	0.0	14.0	NORMALE
38	202039067860	10.0	0.0	10.0	NORMALE
39	202039063547	17.0	0.0	17.0	NORMALE
40	191939063859	15.0	0.0	15.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Chimie minieré / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	19.0	20.0	19.4	NORMALE
2	182035065803	15.5	20.0	17.3	NORMALE
3	202039066811	19.0	13.0	16.6	NORMALE
4	202039066546	18.0	20.0	18.8	NORMALE
5	202039064320	18.5	17.0	17.9	NORMALE
6	202039072055	10.5	15.0	12.3	NORMALE
7	202039069800	14.0	17.0	15.2	NORMALE
8	202039077193	17.0	20.0	18.2	NORMALE
9	181839071084	0.0	0.0	0.0	NORMALE
10	202039067846	16.5	16.0	16.3	NORMALE
11	202039067845	14.0	19.0	16.0	NORMALE
12	202039066147	16.0	20.0	17.6	NORMALE
13	202039075788	18.5	17.0	17.9	NORMALE
14	202039064300	10.5	16.0	12.7	RATTRAPAGE
15	202039065601	16.0	18.0	16.8	NORMALE
16	202039065184	12.0	20.0	15.2	NORMALE
17	202039071744	11.0	19.0	14.2	NORMALE
18	192039077138	17.5	20.0	18.5	NORMALE
19	202039067800	10.0	16.5	12.6	NORMALE
20	191939068019	0.5	10.0	4.3	NORMALE
21	202039062173	11.0	20.0	14.6	NORMALE
22	202039065127	9.5	18.0	12.9	NORMALE
23	202039065481	12.0	13.0	12.4	NORMALE
24	181839073639	15.0	20.0	17.0	NORMALE
25	202039050726	7.0	13.0	9.4	NORMALE
26	161639057189	14.0	16.0	14.8	RATTRAPAGE
27	202039069801	18.0	20.0	18.8	NORMALE
28	202039066854	2.0	17.0	8.0	NORMALE
29	202039065576	14.5	20.0	16.7	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	2.0	15.0	7.2	RATTRAPAGE
32	202039065612	14.5	17.0	15.5	NORMALE
33	202039065610	14.5	18.0	15.9	NORMALE
34	202039062224	12.0	20.0	15.2	NORMALE
35	202039066510	10.5	13.0	11.5	NORMALE
36	202039065595	7.0	16.0	10.6	NORMALE
37	202039064241	7.0	14.0	9.8	NORMALE
38	202039069511	8.5	15.0	11.1	NORMALE
39	202039062750	11.5	16.0	13.3	NORMALE
40	202039062577	20.0	16.0	18.4	NORMALE
41	202039063404	16.0	20.0	17.6	NORMALE
42	202039062981	20.0	20.0	20.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Chimie miniéré / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	13.0	14.0	13.4	NORMALE
2	202039066755	16.0	20.0	17.6	NORMALE
3	202039067377	14.0	20.0	16.4	NORMALE
4	202039065452	19.0	20.0	19.4	NORMALE
5	202039067268	19.0	20.0	19.4	NORMALE
6	202039072062	18.0	20.0	18.8	NORMALE
7	202039062137	19.0	17.0	18.2	NORMALE
8	191939067589	15.0	20.0	17.0	NORMALE
9	202039063566	3.0	16.0	8.2	NORMALE
10	181839063087	7.0	12.0	9.0	RATTRAPAGE
11	202039064229	7.0	19.0	11.8	NORMALE
12	202039066124	14.5	16.0	15.1	NORMALE
13	202039066130	14.0	10.0	12.4	NORMALE
14	202039065289	8.5	17.0	11.9	NORMALE
15	191939068888	19.0	20.0	19.4	NORMALE
16	191939071366	9.0	20.0	13.4	NORMALE
17	202039065598	15.0	14.0	14.6	NORMALE
18	191939063839	16.0	18.0	16.8	NORMALE
19	202039067355	16.0	13.0	14.8	NORMALE
20	202039062178	8.0	16.0	11.2	NORMALE
21	202039062196	10.0	15.0	12.0	NORMALE
22	202039066152	16.0	20.0	17.6	NORMALE
23	202039067673	13.0	17.0	14.6	NORMALE
24	202039071018	16.0	10.0	13.6	NORMALE
25	202039072253	10.0	18.0	13.2	NORMALE
26	202039071020	18.0	16.0	17.2	NORMALE
27	202039066541	16.5	16.0	16.3	NORMALE
28	202039066542	13.5	20.0	16.1	NORMALE
29	202039066142	17.0	13.0	15.4	RATTRAPAGE
30	202039062977	18.5	18.0	18.3	NORMALE
31	202039068938	14.5	20.0	16.7	NORMALE
32	171739066686	9.0	17.0	12.2	NORMALE
33	202039067342	15.0	13.0	14.2	NORMALE
34	202039066827	18.0	18.0	18.0	NORMALE
35	202039066548	13.0	20.0	15.8	NORMALE
36	202039063782	10.0	16.0	12.4	NORMALE
37	202039062979	15.0	17.0	15.8	NORMALE
38	202039062164	13.5	13.0	13.3	NORMALE
39	202039067799	10.5	16.0	12.7	NORMALE
40	202039071026	18.0	20.0	18.8	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Chimie miniéré / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	19.0	17.0	18.2	NORMALE
2	162039077204	16.0	20.0	17.6	NORMALE
3	202039066743	20.0	20.0	20.0	NORMALE
4	202039062985	18.5	17.0	17.9	NORMALE
5	202039071044	12.0	13.0	12.4	NORMALE
6	191939071620	9.0	17.0	12.2	NORMALE
7	202039062618	12.0	20.0	15.2	NORMALE
8	202039076978	4.0	15.0	8.4	RATTRAPAGE
9	181839069056	8.0	15.0	10.8	NORMALE
10	202039063340	8.0	12.0	9.6	NORMALE
11	202039068236	10.0	12.0	10.8	RATTRAPAGE
12	202039070649	11.0	19.0	14.2	NORMALE
13	202039063485	12.0	16.0	13.6	NORMALE
14	202039066140	17.5	14.0	16.1	NORMALE
15	202039071931	15.5	20.0	17.3	NORMALE
16	202039065553	6.0	18.0	10.8	NORMALE
17	202039065573	3.5	15.0	8.1	NORMALE
18	202039065203	12.5	20.0	15.5	NORMALE
19	202039062165	19.0	16.0	17.8	NORMALE
20	202039066141	3.0	14.0	7.4	NORMALE
21	202039070146	13.0	16.0	14.2	NORMALE
22	202039063353	3.0	17.0	8.6	NORMALE
23	202039070671	15.0	19.0	16.6	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	10.0	20.0	14.0	NORMALE
26	202039065305	6.0	15.0	9.6	NORMALE
27	191939067661	11.0	16.0	13.0	NORMALE
28	202039065435	10.0	20.0	14.0	NORMALE
29	202039065250	16.0	20.0	17.6	NORMALE
30	202039065602	9.5	18.0	12.9	NORMALE
31	191939071369	14.5	14.0	14.3	RATTRAPAGE
32	202039072266	14.0	18.0	15.6	NORMALE
33	202039062083	7.0	17.0	11.0	NORMALE
34	202039062122	9.5	20.0	13.7	NORMALE
35	202039069283	13.0	13.0	13.0	NORMALE
36	202039067795	11.0	17.0	13.4	NORMALE
37	191939068891	6.5	13.0	9.1	NORMALE
38	202039067860	14.0	18.0	15.6	NORMALE
39	202039063547	6.0	17.0	10.4	NORMALE
40	191939063859	6.0	20.0	11.6	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Dessin technique / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	12.0	12.0	NORMALE
2	182035065803	0.0	12.0	12.0	NORMALE
3	202039066811	0.0	10.0	10.0	NORMALE
4	202039066546	0.0	10.0	10.0	NORMALE
5	202039064320	0.0	12.0	12.0	NORMALE
6	202039072055	0.0	10.0	10.0	NORMALE
7	202039069800	0.0	11.0	11.0	NORMALE
8	202039077193	0.0	15.0	15.0	NORMALE
9	181839071084	0.0	0.0	0.0	NORMALE
10	202039067846	0.0	12.5	12.5	NORMALE
11	202039067845	0.0	12.5	12.5	NORMALE
12	202039066147	0.0	10.5	10.5	NORMALE
13	202039075788	0.0	16.0	16.0	NORMALE
14	202039064300	0.0	10.5	10.5	NORMALE
15	202039065601	0.0	10.0	10.0	NORMALE
16	202039065184	0.0	10.5	10.5	NORMALE
17	202039071744	0.0	11.5	11.5	NORMALE
18	192039077138	0.0	20.0	20.0	NORMALE
19	202039067800	0.0	11.0	11.0	NORMALE
20	191939068019	0.0	0.0	0.0	NORMALE
21	202039062173	0.0	10.0	10.0	NORMALE
22	202039065127	0.0	11.5	11.5	NORMALE
23	202039065481	0.0	10.0	10.0	NORMALE
24	181839073639	0.0	10.5	10.5	NORMALE
25	202039050726	0.0	11.0	11.0	NORMALE
26	161639057189	0.0	11.5	11.5	NORMALE
27	202039069801	0.0	12.0	12.0	NORMALE
28	202039066854	0.0	10.5	10.5	NORMALE
29	202039065576	0.0	10.5	10.5	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	0.0	16.0	16.0	NORMALE
32	202039065612	0.0	17.0	17.0	NORMALE
33	202039065610	0.0	11.0	11.0	NORMALE
34	202039062224	0.0	11.5	11.5	NORMALE
35	202039066510	0.0	10.0	10.0	NORMALE
36	202039065595	0.0	14.0	14.0	NORMALE
37	202039064241	0.0	11.5	11.5	NORMALE
38	202039069511	0.0	13.0	13.0	NORMALE
39	202039062750	0.0	14.25	14.25	NORMALE
40	202039062577	0.0	12.0	12.0	NORMALE
41	202039063404	0.0	12.5	12.5	NORMALE
42	202039062981	0.0	16.0	16.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Dessin technique / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	12.0	12.0	NORMALE
2	202039066755	0.0	15.5	15.5	NORMALE
3	202039067377	0.0	10.0	10.0	NORMALE
4	202039065452	0.0	16.0	16.0	NORMALE
5	202039067268	0.0	13.0	13.0	NORMALE
6	202039072062	0.0	12.5	12.5	NORMALE
7	202039062137	0.0	12.5	12.5	NORMALE
8	191939067589	0.0	17.0	17.0	NORMALE
9	202039063566	0.0	12.5	12.5	NORMALE
10	181839063087	0.0	11.0	11.0	NORMALE
11	202039064229	0.0	12.5	12.5	NORMALE
12	202039066124	0.0	15.0	15.0	NORMALE
13	202039066130	0.0	11.5	11.5	NORMALE
14	202039065289	0.0	11.0	11.0	NORMALE
15	191939068888	0.0	12.0	12.0	NORMALE
16	191939071366	0.0	12.5	12.5	NORMALE
17	202039065598	0.0	12.5	12.5	NORMALE
18	191939063839	0.0	11.0	11.0	NORMALE
19	202039067355	0.0	16.0	16.0	NORMALE
20	202039062178	0.0	16.0	16.0	NORMALE
21	202039062196	0.0	12.5	12.5	NORMALE
22	202039066152	0.0	14.0	14.0	NORMALE
23	202039067673	0.0	11.5	11.5	NORMALE
24	202039071018	0.0	16.0	16.0	NORMALE
25	202039072253	0.0	11.5	11.5	NORMALE
26	202039071020	0.0	12.0	12.0	NORMALE
27	202039066541	0.0	12.0	12.0	NORMALE
28	202039066542	0.0	11.5	11.5	NORMALE
29	202039066142	0.0	12.0	12.0	NORMALE
30	202039062977	0.0	16.0	16.0	NORMALE
31	202039068938	0.0	12.5	12.5	NORMALE
32	171739066686	0.0	12.5	12.5	NORMALE
33	202039067342	0.0	12.0	12.0	NORMALE
34	202039066827	0.0	12.0	12.0	NORMALE
35	202039066548	0.0	12.5	12.5	NORMALE
36	202039063782	0.0	0.0	0.0	NORMALE
37	202039062979	0.0	15.5	15.5	NORMALE
38	202039062164	0.0	12.5	12.5	NORMALE
39	202039067799	0.0	10.5	10.5	NORMALE
40	202039071026	0.0	15.0	15.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Dessin technique / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	0.0	13.0	13.0	NORMALE
2	162039077204	0.0	14.0	14.0	NORMALE
3	202039066743	0.0	11.0	11.0	NORMALE
4	202039062985	0.0	16.0	16.0	NORMALE
5	202039071044	0.0	11.5	11.5	NORMALE
6	191939071620	0.0	13.0	13.0	NORMALE
7	202039062618	0.0	12.5	12.5	NORMALE
8	202039076978	0.0	12.0	12.0	NORMALE
9	181839069056	0.0	10.5	10.5	NORMALE
10	202039063340	0.0	12.0	12.0	NORMALE
11	202039068236	0.0	11.0	11.0	NORMALE
12	202039070649	0.0	12.0	12.0	NORMALE
13	202039063485	0.0	11.0	11.0	NORMALE
14	202039066140	0.0	11.0	11.0	NORMALE
15	202039071931	0.0	0.0	0.0	NORMALE
16	202039065553	0.0	12.5	12.5	NORMALE
17	202039065573	0.0	10.5	10.5	NORMALE
18	202039065203	0.0	11.5	11.5	NORMALE
19	202039062165	0.0	16.0	16.0	NORMALE
20	202039066141	0.0	10.0	10.0	NORMALE
21	202039070146	0.0	13.0	13.0	NORMALE
22	202039063353	0.0	11.5	11.5	NORMALE
23	202039070671	0.0	12.0	12.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	0.0	11.0	11.0	NORMALE
26	202039065305	0.0	11.0	11.0	NORMALE
27	191939067661	0.0	13.0	13.0	NORMALE
28	202039065435	0.0	12.0	12.0	NORMALE
29	202039065250	0.0	12.0	12.0	NORMALE
30	202039065602	0.0	15.0	15.0	NORMALE
31	191939071369	0.0	12.5	12.5	NORMALE
32	202039072266	0.0	10.0	10.0	NORMALE
33	202039062083	0.0	10.25	10.25	NORMALE
34	202039062122	0.0	14.5	14.5	NORMALE
35	202039069283	0.0	11.0	11.0	NORMALE
36	202039067795	0.0	11.0	11.0	NORMALE
37	191939068891	0.0	11.0	11.0	NORMALE
38	202039067860	0.0	12.5	12.5	NORMALE
39	202039063547	0.0	14.5	14.5	NORMALE
40	191939063859	0.0	10.0	10.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: HSE Installations industrielles / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	11.0	0.0	11.0	NORMALE
2	182035065803	7.0	0.0	7.0	NORMALE
3	202039066811	8.0	0.0	8.0	NORMALE
4	202039066546	10.0	0.0	10.0	NORMALE
5	202039064320	6.0	0.0	6.0	NORMALE
6	202039072055	14.0	0.0	14.0	NORMALE
7	202039069800	8.0	0.0	8.0	NORMALE
8	202039077193	12.0	0.0	12.0	NORMALE
9	181839071084	6.0	0.0	6.0	NORMALE
10	202039067846	20.0	0.0	20.0	NORMALE
11	202039067845	8.0	0.0	8.0	NORMALE
12	202039066147	8.0	0.0	8.0	NORMALE
13	202039075788	4.0	0.0	4.0	NORMALE
14	202039064300	8.0	0.0	8.0	NORMALE
15	202039065601	9.0	0.0	9.0	NORMALE
16	202039065184	10.0	0.0	10.0	RATTRAPAGE
17	202039071744	5.0	0.0	5.0	NORMALE
18	192039077138	15.0	0.0	15.0	NORMALE
19	202039067800	10.0	0.0	10.0	NORMALE
20	191939068019	1.0	0.0	1.0	NORMALE
21	202039062173	14.0	0.0	14.0	NORMALE
22	202039065127	20.0	0.0	20.0	NORMALE
23	202039065481	11.0	0.0	11.0	RATTRAPAGE
24	181839073639	14.0	0.0	14.0	RATTRAPAGE
25	202039050726	16.0	0.0	16.0	NORMALE
26	161639057189	5.0	0.0	5.0	NORMALE
27	202039069801	11.0	0.0	11.0	NORMALE
28	202039066854	4.0	0.0	4.0	NORMALE
29	202039065576	17.0	0.0	17.0	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	12.0	0.0	12.0	RATTRAPAGE
32	202039065612	15.0	0.0	15.0	NORMALE
33	202039065610	13.0	0.0	13.0	NORMALE
34	202039062224	20.0	0.0	20.0	NORMALE
35	202039066510	11.0	0.0	11.0	NORMALE
36	202039065595	16.0	0.0	16.0	NORMALE
37	202039064241	15.0	0.0	15.0	NORMALE
38	202039069511	12.0	0.0	12.0	NORMALE
39	202039062750	14.0	0.0	14.0	NORMALE
40	202039062577	14.0	0.0	14.0	NORMALE
41	202039063404	9.0	0.0	9.0	NORMALE
42	202039062981	14.0	0.0	14.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: HSE Installations industrielles / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	9.0	0.0	9.0	NORMALE
2	202039066755	14.0	0.0	14.0	NORMALE
3	202039067377	14.0	0.0	14.0	NORMALE
4	202039065452	14.0	0.0	14.0	NORMALE
5	202039067268	9.0	0.0	9.0	NORMALE
6	202039072062	12.0	0.0	12.0	NORMALE
7	202039062137	6.0	0.0	6.0	NORMALE
8	191939067589	10.0	0.0	10.0	NORMALE
9	202039063566	14.0	0.0	14.0	NORMALE
10	181839063087	5.0	0.0	5.0	RATTRAPAGE
11	202039064229	14.0	0.0	14.0	NORMALE
12	202039066124	8.0	0.0	8.0	NORMALE
13	202039066130	13.0	0.0	13.0	NORMALE
14	202039065289	10.0	0.0	10.0	NORMALE
15	191939068888	9.0	0.0	9.0	NORMALE
16	191939071366	14.0	0.0	14.0	NORMALE
17	202039065598	14.0	0.0	14.0	NORMALE
18	191939063839	13.0	0.0	13.0	NORMALE
19	202039067355	13.0	0.0	13.0	NORMALE
20	202039062178	11.0	0.0	11.0	NORMALE
21	202039062196	6.0	0.0	6.0	RATTRAPAGE
22	202039066152	8.0	0.0	8.0	NORMALE
23	202039067673	9.0	0.0	9.0	NORMALE
24	202039071018	10.0	0.0	10.0	NORMALE
25	202039072253	16.0	0.0	16.0	NORMALE
26	202039071020	14.0	0.0	14.0	NORMALE
27	202039066541	12.0	0.0	12.0	RATTRAPAGE
28	202039066542	13.0	0.0	13.0	RATTRAPAGE
29	202039066142	10.0	0.0	10.0	NORMALE
30	202039062977	10.0	0.0	10.0	NORMALE
31	202039068938	14.0	0.0	14.0	NORMALE
32	171739066686	6.0	0.0	6.0	NORMALE
33	202039067342	7.0	0.0	7.0	RATTRAPAGE
34	202039066827	12.0	0.0	12.0	NORMALE
35	202039066548	7.0	0.0	7.0	NORMALE
36	202039063782	8.0	0.0	8.0	NORMALE
37	202039062979	17.0	0.0	17.0	NORMALE
38	202039062164	16.0	0.0	16.0	NORMALE
39	202039067799	17.0	0.0	17.0	NORMALE
40	202039071026	18.0	0.0	18.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: HSE Installations industrielles / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	13.0	0.0	13.0	NORMALE
2	162039077204	18.0	0.0	18.0	NORMALE
3	202039066743	17.0	0.0	17.0	NORMALE
4	202039062985	10.0	0.0	10.0	NORMALE
5	202039071044	13.0	0.0	13.0	NORMALE
6	191939071620	6.0	0.0	6.0	RATTRAPAGE
7	202039062618	8.0	0.0	8.0	NORMALE
8	202039076978	15.0	0.0	15.0	RATTRAPAGE
9	181839069056	14.0	0.0	14.0	NORMALE
10	202039063340	17.0	0.0	17.0	NORMALE
11	202039068236	17.0	0.0	17.0	NORMALE
12	202039070649	10.0	0.0	10.0	NORMALE
13	202039063485	14.0	0.0	14.0	NORMALE
14	202039066140	12.0	0.0	12.0	NORMALE
15	202039071931	7.0	0.0	7.0	NORMALE
16	202039065553	17.0	0.0	17.0	NORMALE
17	202039065573	6.0	0.0	6.0	NORMALE
18	202039065203	5.0	0.0	5.0	NORMALE
19	202039062165	8.0	0.0	8.0	NORMALE
20	202039066141	15.0	0.0	15.0	NORMALE
21	202039070146	15.0	0.0	15.0	NORMALE
22	202039063353	4.0	0.0	4.0	NORMALE
23	202039070671	5.0	0.0	5.0	NORMALE
24	171739081231	11.0	0.0	11.0	NORMALE
25	202039065604	6.0	0.0	6.0	NORMALE
26	202039065305	12.0	0.0	12.0	NORMALE
27	191939067661	2.0	0.0	2.0	NORMALE
28	202039065435	9.0	0.0	9.0	NORMALE
29	202039065250	9.0	0.0	9.0	NORMALE
30	202039065602	17.0	0.0	17.0	NORMALE
31	191939071369	12.0	0.0	12.0	NORMALE
32	202039072266	12.0	0.0	12.0	NORMALE
33	202039062083	11.0	0.0	11.0	NORMALE
34	202039062122	17.0	0.0	17.0	NORMALE
35	202039069283	19.0	0.0	19.0	NORMALE
36	202039067795	14.0	0.0	14.0	NORMALE
37	191939068891	7.0	0.0	7.0	RATTRAPAGE
38	202039067860	6.0	0.0	6.0	NORMALE
39	202039063547	15.0	0.0	15.0	NORMALE
40	191939063859	7.0	0.0	7.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: informatique 3 / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	17.0	17.0	NORMALE
2	182035065803	0.0	20.0	20.0	NORMALE
3	202039066811	0.0	18.0	18.0	NORMALE
4	202039066546	0.0	10.0	10.0	NORMALE
5	202039064320	0.0	18.75	18.75	NORMALE
6	202039072055	0.0	15.5	15.5	NORMALE
7	202039069800	0.0	17.25	17.25	NORMALE
8	202039077193	0.0	17.75	17.75	NORMALE
9	181839071084	0.0	2.0	2.0	NORMALE
10	202039067846	0.0	17.0	17.0	NORMALE
11	202039067845	0.0	15.5	15.5	NORMALE
12	202039066147	0.0	18.25	18.25	NORMALE
13	202039075788	0.0	18.75	18.75	NORMALE
14	202039064300	0.0	10.25	10.25	NORMALE
15	202039065601	0.0	17.0	17.0	NORMALE
16	202039065184	0.0	14.25	14.25	NORMALE
17	202039071744	0.0	19.0	19.0	NORMALE
18	192039077138	0.0	19.0	19.0	NORMALE
19	202039067800	0.0	17.0	17.0	NORMALE
20	191939068019	0.0	0.0	0.0	NORMALE
21	202039062173	0.0	17.5	17.5	NORMALE
22	202039065127	0.0	16.5	16.5	NORMALE
23	202039065481	0.0	17.0	17.0	NORMALE
24	181839073639	0.0	0.0	0.0	NORMALE
25	202039050726	0.0	18.0	18.0	NORMALE
26	161639057189	0.0	0.0	0.0	NORMALE
27	202039069801	0.0	17.0	17.0	NORMALE
28	202039066854	0.0	12.0	12.0	NORMALE
29	202039065576	0.0	18.75	18.75	NORMALE
30	202039065334	0.0	1.0	1.0	NORMALE
31	202039068532	0.0	8.5	8.5	NORMALE
32	202039065612	0.0	19.0	19.0	NORMALE
33	202039065610	0.0	18.5	18.5	NORMALE
34	202039062224	0.0	19.0	19.0	NORMALE
35	202039066510	0.0	15.5	15.5	NORMALE
36	202039065595	0.0	17.5	17.5	NORMALE
37	202039064241	0.0	19.0	19.0	NORMALE
38	202039069511	0.0	17.0	17.0	NORMALE
39	202039062750	0.0	17.75	17.75	NORMALE
40	202039062577	0.0	17.75	17.75	NORMALE
41	202039063404	0.0	13.5	13.5	NORMALE
42	202039062981	0.0	19.0	19.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: informatique 3 / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	11.0	11.0	NORMALE
2	202039066755	0.0	15.5	15.5	NORMALE
3	202039067377	0.0	17.0	17.0	NORMALE
4	202039065452	0.0	19.75	19.75	NORMALE
5	202039067268	0.0	17.0	17.0	NORMALE
6	202039072062	0.0	15.5	15.5	NORMALE
7	202039062137	0.0	14.5	14.5	NORMALE
8	191939067589	0.0	15.25	15.25	NORMALE
9	202039063566	0.0	17.5	17.5	NORMALE
10	181839063087	0.0	10.0	10.0	NORMALE
11	202039064229	0.0	17.5	17.5	NORMALE
12	202039066124	0.0	10.25	10.25	NORMALE
13	202039066130	0.0	10.0	10.0	NORMALE
14	202039065289	0.0	13.5	13.5	NORMALE
15	191939068888	0.0	16.75	16.75	NORMALE
16	191939071366	0.0	19.0	19.0	NORMALE
17	202039065598	0.0	18.0	18.0	NORMALE
18	191939063839	0.0	17.5	17.5	NORMALE
19	202039067355	0.0	17.0	17.0	NORMALE
20	202039062178	0.0	17.75	17.75	NORMALE
21	202039062196	0.0	12.0	12.0	NORMALE
22	202039066152	0.0	17.75	17.75	NORMALE
23	202039067673	0.0	15.5	15.5	NORMALE
24	202039071018	0.0	18.75	18.75	NORMALE
25	202039072253	0.0	10.0	10.0	NORMALE
26	202039071020	0.0	16.0	16.0	NORMALE
27	202039066541	0.0	11.0	11.0	NORMALE
28	202039066542	0.0	6.75	6.75	NORMALE
29	202039066142	0.0	17.75	17.75	NORMALE
30	202039062977	0.0	17.0	17.0	NORMALE
31	202039068938	0.0	18.75	18.75	NORMALE
32	171739066686	0.0	11.25	11.25	NORMALE
33	202039067342	0.0	15.0	15.0	NORMALE
34	202039066827	0.0	18.75	18.75	NORMALE
35	202039066548	0.0	16.5	16.5	NORMALE
36	202039063782	0.0	6.25	6.25	NORMALE
37	202039062979	0.0	17.5	17.5	NORMALE
38	202039062164	0.0	14.5	14.5	NORMALE
39	202039067799	0.0	10.0	10.0	NORMALE
40	202039071026	0.0	18.75	18.75	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: informatique 3 / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	0.0	15.0	15.0	NORMALE
2	162039077204	0.0	14.0	14.0	NORMALE
3	202039066743	0.0	13.0	13.0	NORMALE
4	202039062985	0.0	17.0	17.0	NORMALE
5	202039071044	0.0	15.0	15.0	NORMALE
6	191939071620	0.0	15.0	15.0	NORMALE
7	202039062618	0.0	15.0	15.0	NORMALE
8	202039076978	0.0	15.0	15.0	NORMALE
9	181839069056	0.0	10.9	10.9	NORMALE
10	202039063340	0.0	19.0	19.0	NORMALE
11	202039068236	0.0	10.0	10.0	NORMALE
12	202039070649	0.0	10.0	10.0	NORMALE
13	202039063485	0.0	17.0	17.0	NORMALE
14	202039066140	0.0	13.0	13.0	NORMALE
15	202039071931	0.0	16.0	16.0	NORMALE
16	202039065553	0.0	14.0	14.0	NORMALE
17	202039065573	0.0	12.0	12.0	NORMALE
18	202039065203	0.0	12.0	12.0	NORMALE
19	202039062165	0.0	10.0	10.0	NORMALE
20	202039066141	0.0	14.0	14.0	NORMALE
21	202039070146	0.0	10.0	10.0	NORMALE
22	202039063353	0.0	10.0	10.0	NORMALE
23	202039070671	0.0	15.0	15.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	0.0	12.0	12.0	NORMALE
26	202039065305	0.0	14.0	14.0	NORMALE
27	191939067661	0.0	17.0	17.0	NORMALE
28	202039065435	0.0	15.0	15.0	NORMALE
29	202039065250	0.0	13.0	13.0	NORMALE
30	202039065602	0.0	14.0	14.0	NORMALE
31	191939071369	0.0	19.0	19.0	NORMALE
32	202039072266	0.0	13.0	13.0	NORMALE
33	202039062083	0.0	14.0	14.0	NORMALE
34	202039062122	0.0	13.0	13.0	NORMALE
35	202039069283	0.0	12.0	12.0	NORMALE
36	202039067795	0.0	14.0	14.0	NORMALE
37	191939068891	0.0	13.0	13.0	NORMALE
38	202039067860	0.0	15.0	15.0	NORMALE
39	202039063547	0.0	14.0	14.0	NORMALE
40	191939063859	0.0	14.0	14.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Mathématiques 3 / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	7.0	13.0	9.4	NORMALE
2	182035065803	11.0	8.0	9.8	NORMALE
3	202039066811	7.0	10.0	8.2	NORMALE
4	202039066546	7.0	2.0	5.0	NORMALE
5	202039064320	7.0	17.0	11.0	NORMALE
6	202039072055	7.0	2.0	5.0	NORMALE
7	202039069800	7.0	15.0	10.2	NORMALE
8	202039077193	8.0	10.0	8.8	NORMALE
9	181839071084	7.0	2.0	5.0	NORMALE
10	202039067846	7.0	0.0	4.2	NORMALE
11	202039067845	7.0	10.0	8.2	NORMALE
12	202039066147	7.0	10.0	8.2	NORMALE
13	202039075788	7.0	13.0	9.4	NORMALE
14	202039064300	7.0	12.0	9.0	NORMALE
15	202039065601	7.0	4.0	5.8	NORMALE
16	202039065184	7.0	2.0	5.0	NORMALE
17	202039071744	7.0	3.0	5.4	NORMALE
18	192039077138	7.0	17.0	11.0	NORMALE
19	202039067800	7.0	2.0	5.0	NORMALE
20	191939068019	3.0	0.0	1.8	NORMALE
21	202039062173	7.0	14.0	9.8	NORMALE
22	202039065127	7.0	11.0	8.6	NORMALE
23	202039065481	7.0	10.0	8.2	NORMALE
24	181839073639	7.0	2.0	5.0	NORMALE
25	202039050726	7.0	10.0	8.2	NORMALE
26	161639057189	7.0	10.0	8.2	NORMALE
27	202039069801	7.0	5.0	6.2	NORMALE
28	202039066854	7.0	10.0	8.2	NORMALE
29	202039065576	7.0	13.0	9.4	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	7.0	2.0	5.0	NORMALE
32	202039065612	7.0	16.0	10.6	NORMALE
33	202039065610	7.0	17.0	11.0	NORMALE
34	202039062224	7.0	10.0	8.2	NORMALE
35	202039066510	7.0	10.0	8.2	NORMALE
36	202039065595	7.0	4.0	5.8	NORMALE
37	202039064241	7.0	14.0	9.8	NORMALE
38	202039069511	7.0	10.0	8.2	NORMALE
39	202039062750	7.0	11.0	8.6	NORMALE
40	202039062577	7.0	16.0	10.6	NORMALE
41	202039063404	7.0	11.0	8.6	NORMALE
42	202039062981	7.0	11.0	8.6	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Mathématiques 3 / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	7.0	3.0	5.4	NORMALE
2	202039066755	7.0	17.0	11.0	NORMALE
3	202039067377	7.0	2.0	5.0	NORMALE
4	202039065452	7.0	15.0	10.2	NORMALE
5	202039067268	9.0	10.0	9.4	NORMALE
6	202039072062	7.0	11.0	8.6	NORMALE
7	202039062137	7.0	12.0	9.0	NORMALE
8	191939067589	0.0	13.0	5.2	NORMALE
9	202039063566	7.0	14.0	9.8	NORMALE
10	181839063087	7.0	6.0	6.6	NORMALE
11	202039064229	7.0	10.0	8.2	NORMALE
12	202039066124	7.0	12.0	9.0	NORMALE
13	202039066130	7.0	10.0	8.2	NORMALE
14	202039065289	7.0	10.0	8.2	NORMALE
15	191939068888	7.0	10.0	8.2	NORMALE
16	191939071366	7.0	13.0	9.4	NORMALE
17	202039065598	7.0	12.0	9.0	NORMALE
18	191939063839	7.0	11.0	8.6	NORMALE
19	202039067355	7.0	11.0	8.6	NORMALE
20	202039062178	7.0	14.0	9.8	NORMALE
21	202039062196	8.0	4.0	6.4	NORMALE
22	202039066152	7.0	15.0	10.2	NORMALE
23	202039067673	7.0	8.0	7.4	NORMALE
24	202039071018	7.0	17.0	11.0	NORMALE
25	202039072253	7.0	3.0	5.4	NORMALE
26	202039071020	7.0	10.0	8.2	NORMALE
27	202039066541	7.0	14.0	9.8	NORMALE
28	202039066542	7.0	14.0	9.8	NORMALE
29	202039066142	7.0	14.0	9.8	NORMALE
30	202039062977	7.0	9.0	7.8	NORMALE
31	202039068938	7.0	16.0	10.6	NORMALE
32	171739066686	7.0	6.0	6.6	NORMALE
33	202039067342	10.0	13.0	11.2	NORMALE
34	202039066827	8.0	15.0	10.8	NORMALE
35	202039066548	8.0	16.0	11.2	NORMALE
36	202039063782	7.0	0.0	4.2	NORMALE
37	202039062979	7.0	12.0	9.0	NORMALE
38	202039062164	7.0	10.0	8.2	NORMALE
39	202039067799	7.0	6.5	6.8	NORMALE
40	202039071026	7.0	10.0	8.2	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Mathématiques 3 / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	8.5	12.0	9.9	NORMALE
2	162039077204	10.0	16.0	12.4	NORMALE
3	202039066743	8.0	14.0	10.4	NORMALE
4	202039062985	7.0	17.0	11.0	NORMALE
5	202039071044	7.0	11.0	8.6	NORMALE
6	191939071620	7.0	3.0	5.4	NORMALE
7	202039062618	7.0	11.0	8.6	NORMALE
8	202039076978	7.0	14.0	9.8	NORMALE
9	181839069056	10.2	10.2	10.2	NORMALE
10	202039063340	7.0	15.0	10.2	NORMALE
11	202039068236	7.0	8.0	7.4	NORMALE
12	202039070649	7.0	6.0	6.6	NORMALE
13	202039063485	7.0	14.5	10.0	NORMALE
14	202039066140	7.0	14.0	9.8	NORMALE
15	202039071931	7.0	17.0	11.0	NORMALE
16	202039065553	7.0	6.0	6.6	NORMALE
17	202039065573	7.0	16.0	10.6	NORMALE
18	202039065203	7.0	4.0	5.8	NORMALE
19	202039062165	7.0	17.0	11.0	NORMALE
20	202039066141	7.0	14.0	9.8	NORMALE
21	202039070146	7.0	0.0	4.2	NORMALE
22	202039063353	10.0	13.0	11.2	RATTRAPAGE
23	202039070671	7.5	13.0	9.7	NORMALE
24	171739081231	10.2	10.2	10.2	NORMALE
25	202039065604	7.0	16.0	10.6	NORMALE
26	202039065305	7.0	7.0	7.0	NORMALE
27	191939067661	7.0	15.0	10.2	NORMALE
28	202039065435	10.0	12.0	10.8	NORMALE
29	202039065250	7.0	17.0	11.0	NORMALE
30	202039065602	8.0	11.0	9.2	NORMALE
31	191939071369	7.0	12.0	9.0	NORMALE
32	202039072266	7.0	14.0	9.8	NORMALE
33	202039062083	7.0	3.0	5.4	NORMALE
34	202039062122	7.0	13.0	9.4	NORMALE
35	202039069283	8.0	14.5	10.6	NORMALE
36	202039067795	7.0	14.0	9.8	NORMALE
37	191939068891	7.0	13.0	9.4	NORMALE
38	202039067860	7.0	15.0	10.2	NORMALE
39	202039063547	9.0	17.0	12.2	NORMALE
40	191939063859	7.0	10.0	8.2	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Mécanique des fluides / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	5.2	2.08	NORMALE
2	182035065803	14.0	10.6	12.64	NORMALE
3	202039066811	13.0	17.0	14.6	NORMALE
4	202039066546	5.0	10.0	7.0	NORMALE
5	202039064320	13.0	13.0	13.0	NORMALE
6	202039072055	6.0	10.2	7.68	NORMALE
7	202039069800	10.0	10.6	10.24	NORMALE
8	202039077193	10.0	10.2	10.08	NORMALE
9	181839071084	1.0	0.0	0.6	NORMALE
10	202039067846	6.0	5.2	5.68	NORMALE
11	202039067845	7.0	9.2	7.88	NORMALE
12	202039066147	4.0	11.0	6.8	NORMALE
13	202039075788	16.0	19.0	17.2	NORMALE
14	202039064300	8.0	10.2	8.88	RATTRAPAGE
15	202039065601	5.0	10.0	7.0	NORMALE
16	202039065184	8.0	10.4	8.96	RATTRAPAGE
17	202039071744	11.0	11.2	11.08	NORMALE
18	192039077138	18.0	20.0	18.8	NORMALE
19	202039067800	4.0	10.2	6.48	NORMALE
20	191939068019	2.0	0.0	1.2	NORMALE
21	202039062173	6.0	11.6	8.24	NORMALE
22	202039065127	6.0	10.2	7.68	NORMALE
23	202039065481	6.0	9.4	7.36	NORMALE
24	181839073639	6.0	11.8	8.32	RATTRAPAGE
25	202039050726	6.0	10.2	7.68	NORMALE
26	161639057189	7.0	10.2	8.28	NORMALE
27	202039069801	6.0	9.4	7.36	NORMALE
28	202039066854	1.0	0.0	0.6	NORMALE
29	202039065576	11.0	14.0	12.2	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	4.0	5.6	4.64	NORMALE
32	202039065612	15.0	18.0	16.2	NORMALE
33	202039065610	7.0	11.8	8.92	NORMALE
34	202039062224	10.5	9.8	10.22	NORMALE
35	202039066510	6.0	8.6	7.04	NORMALE
36	202039065595	8.0	12.6	9.84	NORMALE
37	202039064241	10.0	10.2	10.08	NORMALE
38	202039069511	5.0	11.0	7.4	RATTRAPAGE
39	202039062750	6.0	10.0	7.6	NORMALE
40	202039062577	7.0	11.6	8.84	NORMALE
41	202039063404	6.0	9.4	7.36	NORMALE
42	202039062981	11.0	12.4	11.56	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Mécanique des fluides / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	5.0	8.6	6.44	NORMALE
2	202039066755	15.0	16.0	15.4	NORMALE
3	202039067377	5.0	12.7	8.08	NORMALE
4	202039065452	15.0	12.6	14.04	NORMALE
5	202039067268	6.0	12.4	8.56	NORMALE
6	202039072062	6.0	9.2	7.28	NORMALE
7	202039062137	7.0	8.8	7.72	NORMALE
8	191939067589	10.0	10.6	10.24	NORMALE
9	202039063566	5.0	10.4	7.16	NORMALE
10	181839063087	4.0	5.6	4.64	NORMALE
11	202039064229	5.0	8.8	6.52	NORMALE
12	202039066124	11.0	12.0	11.4	NORMALE
13	202039066130	12.0	11.8	11.92	NORMALE
14	202039065289	6.0	10.0	7.6	NORMALE
15	191939068888	8.0	13.2	10.08	NORMALE
16	191939071366	5.0	8.8	6.52	NORMALE
17	202039065598	8.0	14.8	10.72	NORMALE
18	191939063839	8.0	10.4	8.96	NORMALE
19	202039067355	7.0	10.0	8.2	NORMALE
20	202039062178	7.0	10.0	8.2	NORMALE
21	202039062196	4.0	8.6	5.84	NORMALE
22	202039066152	10.0	12.0	10.8	NORMALE
23	202039067673	8.0	8.2	8.08	RATTRAPAGE
24	202039071018	11.0	10.0	10.6	NORMALE
25	202039072253	7.0	9.4	7.96	NORMALE
26	202039071020	6.0	10.0	7.6	NORMALE
27	202039066541	5.0	12.4	7.96	NORMALE
28	202039066542	4.0	11.4	6.96	NORMALE
29	202039066142	8.0	9.8	8.72	RATTRAPAGE
30	202039062977	10.0	10.2	10.08	NORMALE
31	202039068938	6.0	12.2	8.48	NORMALE
32	171739066686	6.0	8.2	6.88	NORMALE
33	202039067342	10.0	8.8	9.52	RATTRAPAGE
34	202039066827	8.0	12.8	9.92	NORMALE
35	202039066548	6.0	12.2	8.48	NORMALE
36	202039063782	0.0	10.0	4.0	NORMALE
37	202039062979	5.0	12.0	7.8	NORMALE
38	202039062164	6.0	10.4	7.76	NORMALE
39	202039067799	4.0	8.2	5.68	RATTRAPAGE
40	202039071026	7.0	10.6	8.44	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Mécanique des fluides / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	12.0	15.4	13.36	NORMALE
2	162039077204	10.0	12.4	10.96	NORMALE
3	202039066743	5.0	11.2	7.48	NORMALE
4	202039062985	8.0	13.2	10.08	NORMALE
5	202039071044	8.0	9.2	8.48	RATTRAPAGE
6	191939071620	5.0	9.4	6.76	NORMALE
7	202039062618	8.0	11.8	9.52	NORMALE
8	202039076978	6.0	5.6	5.84	NORMALE
9	181839069056	5.0	8.2	6.28	NORMALE
10	202039063340	12.0	15.2	13.28	NORMALE
11	202039068236	6.0	10.0	7.6	RATTRAPAGE
12	202039070649	4.0	8.2	5.68	NORMALE
13	202039063485	9.0	12.6	10.44	NORMALE
14	202039066140	9.0	13.2	10.68	NORMALE
15	202039071931	11.0	13.2	11.88	NORMALE
16	202039065553	5.0	8.8	6.52	NORMALE
17	202039065573	15.0	18.0	16.2	NORMALE
18	202039065203	11.0	13.0	11.8	NORMALE
19	202039062165	7.0	16.0	10.6	NORMALE
20	202039066141	9.0	11.2	9.88	NORMALE
21	202039070146	5.0	10.0	7.0	NORMALE
22	202039063353	4.0	12.0	7.2	NORMALE
23	202039070671	8.0	8.2	8.08	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	11.0	17.4	13.56	NORMALE
26	202039065305	6.0	10.4	7.76	NORMALE
27	191939067661	8.0	10.0	8.8	RATTRAPAGE
28	202039065435	9.0	11.8	10.12	NORMALE
29	202039065250	16.0	13.8	15.12	NORMALE
30	202039065602	8.0	13.0	10.0	NORMALE
31	191939071369	5.0	8.8	6.52	NORMALE
32	202039072266	8.0	8.8	8.32	NORMALE
33	202039062083	6.0	11.6	8.24	RATTRAPAGE
34	202039062122	5.0	8.2	6.28	NORMALE
35	202039069283	4.0	8.6	5.84	NORMALE
36	202039067795	6.0	11.8	8.32	NORMALE
37	191939068891	6.0	9.8	7.52	RATTRAPAGE
38	202039067860	7.0	9.0	7.8	NORMALE
39	202039063547	8.0	10.4	8.96	NORMALE
40	191939063859	3.0	8.8	5.32	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Ondes et vibrations / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	6.0	4.4	5.36	NORMALE
2	182035065803	0.0	17.6	7.04	NORMALE
3	202039066811	13.0	18.8	15.32	NORMALE
4	202039066546	3.0	8.4	5.16	RATTRAPAGE
5	202039064320	6.5	17.4	10.86	NORMALE
6	202039072055	4.0	5.6	4.64	RATTRAPAGE
7	202039069800	2.5	9.0	5.1	NORMALE
8	202039077193	3.5	5.8	4.42	NORMALE
9	181839071084	2.0	0.0	1.2	NORMALE
10	202039067846	3.0	5.4	3.96	NORMALE
11	202039067845	3.5	3.8	3.62	NORMALE
12	202039066147	0.0	3.2	1.28	NORMALE
13	202039075788	11.0	18.8	14.12	NORMALE
14	202039064300	3.0	6.6	4.44	RATTRAPAGE
15	202039065601	2.5	9.8	5.42	NORMALE
16	202039065184	13.0	7.0	10.6	RATTRAPAGE
17	202039071744	0.5	6.4	2.86	NORMALE
18	192039077138	12.5	20.0	15.5	NORMALE
19	202039067800	7.0	3.8	5.72	RATTRAPAGE
20	191939068019	0.0	0.0	0.0	NORMALE
21	202039062173	5.0	5.6	5.24	NORMALE
22	202039065127	5.0	8.8	6.52	NORMALE
23	202039065481	14.5	4.4	10.46	RATTRAPAGE
24	181839073639	12.0	9.4	10.96	RATTRAPAGE
25	202039050726	5.0	7.4	5.96	NORMALE
26	161639057189	6.0	5.0	5.6	RATTRAPAGE
27	202039069801	1.5	9.0	4.5	NORMALE
28	202039066854	0.0	6.8	2.72	NORMALE
29	202039065576	6.5	10.8	8.22	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	3.0	12.0	6.6	RATTRAPAGE
32	202039065612	12.0	18.8	14.72	NORMALE
33	202039065610	3.0	10.2	5.88	NORMALE
34	202039062224	1.5	2.8	2.02	NORMALE
35	202039066510	8.0	13.0	10.0	RATTRAPAGE
36	202039065595	4.5	6.8	5.42	NORMALE
37	202039064241	3.0	10.6	6.04	NORMALE
38	202039069511	14.0	8.6	11.84	RATTRAPAGE
39	202039062750	5.0	7.4	5.96	NORMALE
40	202039062577	8.5	17.4	12.06	NORMALE
41	202039063404	4.0	5.8	4.72	RATTRAPAGE
42	202039062981	10.0	19.2	13.68	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Ondes et vibrations / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	4.4	1.76	NORMALE
2	202039066755	13.0	18.8	15.32	NORMALE
3	202039067377	1.5	11.4	5.46	NORMALE
4	202039065452	10.5	13.0	11.5	NORMALE
5	202039067268	5.0	5.8	5.32	NORMALE
6	202039072062	2.5	3.8	3.02	NORMALE
7	202039062137	8.0	2.0	5.6	NORMALE
8	191939067589	9.5	8.4	9.06	NORMALE
9	202039063566	0.5	6.8	3.02	NORMALE
10	181839063087	2.0	3.8	2.72	RATTRAPAGE
11	202039064229	2.5	4.8	3.42	NORMALE
12	202039066124	4.5	18.2	9.98	NORMALE
13	202039066130	5.5	18.8	10.82	NORMALE
14	202039065289	2.5	18.0	8.7	NORMALE
15	191939068888	1.0	7.0	3.4	NORMALE
16	191939071366	2.5	7.6	4.54	NORMALE
17	202039065598	6.0	11.6	8.24	NORMALE
18	191939063839	0.5	3.8	1.82	NORMALE
19	202039067355	2.0	8.2	4.48	NORMALE
20	202039062178	1.0	8.2	3.88	NORMALE
21	202039062196	1.0	3.8	2.12	RATTRAPAGE
22	202039066152	1.5	3.8	2.42	NORMALE
23	202039067673	4.5	11.0	7.1	NORMALE
24	202039071018	4.5	5.6	4.94	NORMALE
25	202039072253	12.0	5.0	9.2	RATTRAPAGE
26	202039071020	3.5	11.0	6.5	NORMALE
27	202039066541	1.0	3.2	1.88	NORMALE
28	202039066542	2.0	9.4	4.96	RATTRAPAGE
29	202039066142	13.0	7.6	10.84	RATTRAPAGE
30	202039062977	0.5	7.4	3.26	NORMALE
31	202039068938	5.0	6.4	5.56	NORMALE
32	171739066686	0.5	6.2	2.78	NORMALE
33	202039067342	1.5	7.6	3.94	NORMALE
34	202039066827	2.0	11.6	5.84	NORMALE
35	202039066548	2.5	10.4	5.66	NORMALE
36	202039063782	0.0	8.2	3.28	NORMALE
37	202039062979	3.5	11.4	6.66	NORMALE
38	202039062164	3.5	5.0	4.1	NORMALE
39	202039067799	13.0	10.2	11.88	RATTRAPAGE
40	202039071026	4.0	5.0	4.4	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Ondes et vibrations / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	5.0	18.8	10.52	NORMALE
2	162039077204	11.0	0.0	6.6	NORMALE
3	202039066743	1.5	7.4	3.86	NORMALE
4	202039062985	1.5	18.8	8.42	NORMALE
5	202039071044	12.0	6.8	9.92	RATTRAPAGE
6	191939071620	10.0	11.0	10.4	RATTRAPAGE
7	202039062618	4.0	7.6	5.44	NORMALE
8	202039076978	11.0	7.6	9.64	RATTRAPAGE
9	181839069056	12.0	7.0	10.0	RATTRAPAGE
10	202039063340	1.0	5.6	2.84	NORMALE
11	202039068236	4.0	5.0	4.4	RATTRAPAGE
12	202039070649	2.0	3.8	2.72	RATTRAPAGE
13	202039063485	8.5	10.2	9.18	NORMALE
14	202039066140	4.0	12.6	7.44	NORMALE
15	202039071931	7.0	12.2	9.08	NORMALE
16	202039065553	8.5	8.2	8.38	RATTRAPAGE
17	202039065573	12.5	18.8	15.02	NORMALE
18	202039065203	5.5	9.8	7.22	NORMALE
19	202039062165	6.0	18.2	10.88	NORMALE
20	202039066141	3.5	3.8	3.62	NORMALE
21	202039070146	15.0	6.2	11.48	RATTRAPAGE
22	202039063353	0.0	8.6	3.44	NORMALE
23	202039070671	1.5	6.8	3.62	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	3.0	9.0	5.4	NORMALE
26	202039065305	4.0	12.8	7.52	NORMALE
27	191939067661	7.0	6.0	6.6	RATTRAPAGE
28	202039065435	10.0	20.0	14.0	NORMALE
29	202039065250	10.0	18.8	13.52	NORMALE
30	202039065602	1.0	6.0	3.0	NORMALE
31	191939071369	1.0	3.2	1.88	RATTRAPAGE
32	202039072266	2.5	12.2	6.38	NORMALE
33	202039062083	11.0	11.6	11.24	RATTRAPAGE
34	202039062122	6.5	9.0	7.5	NORMALE
35	202039069283	2.5	12.4	6.46	NORMALE
36	202039067795	6.0	18.2	10.88	NORMALE
37	191939068891	2.5	3.8	3.02	NORMALE
38	202039067860	12.0	4.4	8.96	RATTRAPAGE
39	202039063547	0.0	7.6	3.04	NORMALE
40	191939063859	0.0	5.6	2.24	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Probabilités et statistiques / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	14.0	14.25	14.1	NORMALE
2	182035065803	12.0	17.0	14.0	NORMALE
3	202039066811	16.5	14.5	15.7	NORMALE
4	202039066546	13.25	15.0	13.95	NORMALE
5	202039064320	19.0	14.75	17.3	NORMALE
6	202039072055	15.0	12.75	14.1	NORMALE
7	202039069800	11.0	12.5	11.6	NORMALE
8	202039077193	14.0	16.0	14.8	NORMALE
9	181839071084	4.5	4.5	4.5	NORMALE
10	202039067846	18.0	13.0	16.0	NORMALE
11	202039067845	8.75	16.0	11.65	NORMALE
12	202039066147	14.25	14.5	14.35	NORMALE
13	202039075788	9.5	16.0	12.1	NORMALE
14	202039064300	10.0	15.0	12.0	NORMALE
15	202039065601	15.5	13.5	14.7	NORMALE
16	202039065184	14.5	7.5	11.7	NORMALE
17	202039071744	16.0	14.25	15.3	NORMALE
18	192039077138	20.0	20.0	20.0	NORMALE
19	202039067800	9.75	14.0	11.45	NORMALE
20	191939068019	4.0	0.0	2.4	NORMALE
21	202039062173	15.5	19.0	16.9	NORMALE
22	202039065127	15.0	10.75	13.3	NORMALE
23	202039065481	15.0	13.75	14.5	NORMALE
24	181839073639	11.5	0.0	6.9	NORMALE
25	202039050726	14.0	12.75	13.5	NORMALE
26	161639057189	12.0	15.5	13.4	NORMALE
27	202039069801	13.5	12.5	13.1	NORMALE
28	202039066854	0.0	8.75	3.5	NORMALE
29	202039065576	16.25	17.5	16.75	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	8.5	12.75	10.2	NORMALE
32	202039065612	14.0	13.0	13.6	NORMALE
33	202039065610	12.75	14.0	13.25	NORMALE
34	202039062224	10.5	14.25	12.0	NORMALE
35	202039066510	8.75	12.5	10.25	NORMALE
36	202039065595	16.0	19.0	17.2	NORMALE
37	202039064241	9.5	12.0	10.5	NORMALE
38	202039069511	10.25	15.0	12.15	NORMALE
39	202039062750	14.5	14.25	14.4	NORMALE
40	202039062577	17.0	16.0	16.6	NORMALE
41	202039063404	11.0	13.25	11.9	NORMALE
42	202039062981	14.75	19.5	16.65	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Probabilités et statistiques / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	6.75	5.0	6.05	NORMALE
2	202039066755	17.75	18.5	18.05	NORMALE
3	202039067377	12.0	14.25	12.9	NORMALE
4	202039065452	19.0	15.0	17.4	NORMALE
5	202039067268	15.75	15.0	15.45	NORMALE
6	202039072062	14.0	15.0	14.4	NORMALE
7	202039062137	12.5	15.0	13.5	NORMALE
8	191939067589	14.75	17.5	15.85	NORMALE
9	202039063566	12.0	15.0	13.2	NORMALE
10	181839063087	7.0	0.0	4.2	RATTRAPAGE
11	202039064229	12.5	14.5	13.3	NORMALE
12	202039066124	11.0	14.75	12.5	NORMALE
13	202039066130	13.75	16.5	14.85	NORMALE
14	202039065289	12.75	12.5	12.65	NORMALE
15	191939068888	7.0	13.75	9.7	NORMALE
16	191939071366	11.25	12.5	11.75	NORMALE
17	202039065598	17.0	13.5	15.6	NORMALE
18	191939063839	11.25	9.0	10.35	NORMALE
19	202039067355	8.0	5.25	6.9	NORMALE
20	202039062178	10.75	15.5	12.65	NORMALE
21	202039062196	11.75	12.5	12.05	NORMALE
22	202039066152	5.0	15.5	9.2	NORMALE
23	202039067673	8.0	13.5	10.2	NORMALE
24	202039071018	17.5	13.0	15.7	NORMALE
25	202039072253	13.5	17.5	15.1	NORMALE
26	202039071020	13.75	13.5	13.65	NORMALE
27	202039066541	16.0	15.0	15.6	NORMALE
28	202039066542	16.75	15.0	16.05	NORMALE
29	202039066142	13.0	11.75	12.5	NORMALE
30	202039062977	15.0	18.0	16.2	NORMALE
31	202039068938	11.5	15.0	12.9	NORMALE
32	171739066686	8.25	15.0	10.95	NORMALE
33	202039067342	6.0	17.0	10.4	NORMALE
34	202039066827	13.75	13.25	13.55	NORMALE
35	202039066548	5.5	15.5	9.5	NORMALE
36	202039063782	12.0	0.0	7.2	NORMALE
37	202039062979	11.0	16.0	13.0	NORMALE
38	202039062164	13.25	14.25	13.65	NORMALE
39	202039067799	11.25	14.25	12.45	NORMALE
40	202039071026	16.5	11.25	14.4	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Probabilités et statistiques / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	15.75	13.25	14.75	NORMALE
2	162039077204	17.0	16.5	16.8	NORMALE
3	202039066743	16.5	17.5	16.9	NORMALE
4	202039062985	12.5	18.0	14.7	NORMALE
5	202039071044	12.5	17.0	14.3	NORMALE
6	191939071620	16.75	14.25	15.75	NORMALE
7	202039062618	15.5	15.5	15.5	NORMALE
8	202039076978	10.25	11.0	10.55	NORMALE
9	181839069056	9.8	9.8	9.8	NORMALE
10	202039063340	6.0	13.5	9.0	NORMALE
11	202039068236	13.0	9.5	11.6	RATTRAPAGE
12	202039070649	8.0	11.25	9.3	NORMALE
13	202039063485	8.0	15.0	10.8	NORMALE
14	202039066140	7.75	20.0	12.65	NORMALE
15	202039071931	17.5	20.0	18.5	NORMALE
16	202039065553	14.5	15.0	14.7	NORMALE
17	202039065573	16.5	19.0	17.5	NORMALE
18	202039065203	9.0	18.0	12.6	NORMALE
19	202039062165	17.25	16.0	16.75	NORMALE
20	202039066141	16.75	13.0	15.25	NORMALE
21	202039070146	8.5	0.0	5.1	NORMALE
22	202039063353	12.5	6.5	10.1	NORMALE
23	202039070671	11.75	16.0	13.45	NORMALE
24	171739081231	11.8	11.8	11.8	NORMALE
25	202039065604	10.25	13.5	11.55	NORMALE
26	202039065305	12.0	12.75	12.3	NORMALE
27	191939067661	10.0	15.0	12.0	NORMALE
28	202039065435	18.5	18.5	18.5	NORMALE
29	202039065250	16.5	20.0	17.9	NORMALE
30	202039065602	15.0	16.5	15.6	NORMALE
31	191939071369	6.0	9.5	7.4	NORMALE
32	202039072266	11.0	16.5	13.2	NORMALE
33	202039062083	15.75	14.25	15.15	NORMALE
34	202039062122	11.0	15.5	12.8	NORMALE
35	202039069283	13.5	18.75	15.6	NORMALE
36	202039067795	11.0	14.5	12.4	NORMALE
37	191939068891	9.0	13.25	10.7	NORMALE
38	202039067860	5.75	14.25	9.15	NORMALE
39	202039063547	17.75	11.25	15.15	NORMALE
40	191939063859	11.75	12.5	12.05	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Réglementation et normes / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	0.0	0.0	NORMALE
2	182035065803	5.0	0.0	5.0	NORMALE
3	202039066811	9.0	0.0	9.0	NORMALE
4	202039066546	8.0	0.0	8.0	NORMALE
5	202039064320	5.0	0.0	5.0	NORMALE
6	202039072055	8.0	0.0	8.0	NORMALE
7	202039069800	9.0	0.0	9.0	NORMALE
8	202039077193	12.0	0.0	12.0	NORMALE
9	181839071084	3.0	0.0	3.0	NORMALE
10	202039067846	19.0	0.0	19.0	NORMALE
11	202039067845	11.0	0.0	11.0	NORMALE
12	202039066147	4.0	0.0	4.0	NORMALE
13	202039075788	14.0	0.0	14.0	NORMALE
14	202039064300	8.0	0.0	8.0	NORMALE
15	202039065601	8.0	0.0	8.0	NORMALE
16	202039065184	7.0	0.0	7.0	RATTRAPAGE
17	202039071744	6.0	0.0	6.0	NORMALE
18	192039077138	12.0	0.0	12.0	NORMALE
19	202039067800	10.0	0.0	10.0	NORMALE
20	191939068019	3.0	0.0	3.0	NORMALE
21	202039062173	10.0	0.0	10.0	NORMALE
22	202039065127	12.0	0.0	12.0	NORMALE
23	202039065481	6.0	0.0	6.0	RATTRAPAGE
24	181839073639	11.0	0.0	11.0	RATTRAPAGE
25	202039050726	10.0	0.0	10.0	NORMALE
26	161639057189	11.0	0.0	11.0	RATTRAPAGE
27	202039069801	15.0	0.0	15.0	NORMALE
28	202039066854	2.0	0.0	2.0	NORMALE
29	202039065576	12.0	0.0	12.0	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	6.0	0.0	6.0	NORMALE
32	202039065612	11.0	0.0	11.0	NORMALE
33	202039065610	10.0	0.0	10.0	NORMALE
34	202039062224	10.0	0.0	10.0	NORMALE
35	202039066510	4.0	0.0	4.0	NORMALE
36	202039065595	12.0	0.0	12.0	NORMALE
37	202039064241	8.0	0.0	8.0	NORMALE
38	202039069511	9.0	0.0	9.0	RATTRAPAGE
39	202039062750	8.0	0.0	8.0	NORMALE
40	202039062577	12.0	0.0	12.0	NORMALE
41	202039063404	6.0	0.0	6.0	NORMALE
42	202039062981	10.0	0.0	10.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Réglementation et normes / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	5.0	0.0	5.0	NORMALE
2	202039066755	15.0	0.0	15.0	NORMALE
3	202039067377	10.0	0.0	10.0	NORMALE
4	202039065452	8.0	0.0	8.0	NORMALE
5	202039067268	8.0	0.0	8.0	NORMALE
6	202039072062	6.0	0.0	6.0	NORMALE
7	202039062137	5.0	0.0	5.0	NORMALE
8	191939067589	9.0	0.0	9.0	NORMALE
9	202039063566	3.0	0.0	3.0	NORMALE
10	181839063087	2.0	0.0	2.0	NORMALE
11	202039064229	6.0	0.0	6.0	NORMALE
12	202039066124	12.0	0.0	12.0	NORMALE
13	202039066130	8.0	0.0	8.0	NORMALE
14	202039065289	4.0	0.0	4.0	NORMALE
15	191939068888	11.0	0.0	11.0	NORMALE
16	191939071366	10.0	0.0	10.0	NORMALE
17	202039065598	11.0	0.0	11.0	NORMALE
18	191939063839	6.0	0.0	6.0	NORMALE
19	202039067355	5.0	0.0	5.0	NORMALE
20	202039062178	10.0	0.0	10.0	NORMALE
21	202039062196	8.0	0.0	8.0	NORMALE
22	202039066152	6.0	0.0	6.0	NORMALE
23	202039067673	6.0	0.0	6.0	NORMALE
24	202039071018	7.0	0.0	7.0	NORMALE
25	202039072253	12.0	0.0	12.0	NORMALE
26	202039071020	11.0	0.0	11.0	NORMALE
27	202039066541	10.0	0.0	10.0	NORMALE
28	202039066542	5.0	0.0	5.0	RATTRAPAGE
29	202039066142	5.0	0.0	5.0	NORMALE
30	202039062977	11.0	0.0	11.0	NORMALE
31	202039068938	11.0	0.0	11.0	NORMALE
32	171739066686	5.0	0.0	5.0	NORMALE
33	202039067342	7.0	0.0	7.0	RATTRAPAGE
34	202039066827	10.0	0.0	10.0	NORMALE
35	202039066548	4.0	0.0	4.0	NORMALE
36	202039063782	0.0	0.0	0.0	NORMALE
37	202039062979	14.0	0.0	14.0	NORMALE
38	202039062164	10.0	0.0	10.0	NORMALE
39	202039067799	9.0	0.0	9.0	NORMALE
40	202039071026	14.0	0.0	14.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: Réglementation et normes / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	11.0	0.0	11.0	NORMALE
2	162039077204	10.0	0.0	10.0	NORMALE
3	202039066743	11.0	0.0	11.0	NORMALE
4	202039062985	9.0	0.0	9.0	NORMALE
5	202039071044	6.0	0.0	6.0	NORMALE
6	191939071620	3.0	0.0	3.0	RATTRAPAGE
7	202039062618	11.0	0.0	11.0	NORMALE
8	202039076978	8.0	0.0	8.0	NORMALE
9	181839069056	14.0	0.0	14.0	NORMALE
10	202039063340	8.0	0.0	8.0	NORMALE
11	202039068236	10.0	0.0	10.0	NORMALE
12	202039070649	11.0	0.0	11.0	NORMALE
13	202039063485	8.0	0.0	8.0	NORMALE
14	202039066140	8.0	0.0	8.0	NORMALE
15	202039071931	7.0	0.0	7.0	NORMALE
16	202039065553	7.0	0.0	7.0	NORMALE
17	202039065573	1.0	0.0	1.0	NORMALE
18	202039065203	8.0	0.0	8.0	NORMALE
19	202039062165	9.0	0.0	9.0	NORMALE
20	202039066141	12.0	0.0	12.0	NORMALE
21	202039070146	9.0	0.0	9.0	NORMALE
22	202039063353	3.0	0.0	3.0	NORMALE
23	202039070671	10.0	0.0	10.0	NORMALE
24	171739081231	15.0	0.0	15.0	NORMALE
25	202039065604	2.0	0.0	2.0	NORMALE
26	202039065305	7.0	0.0	7.0	NORMALE
27	191939067661	6.0	0.0	6.0	NORMALE
28	202039065435	8.0	0.0	8.0	NORMALE
29	202039065250	9.0	0.0	9.0	NORMALE
30	202039065602	16.0	0.0	16.0	NORMALE
31	191939071369	13.0	0.0	13.0	NORMALE
32	202039072266	15.0	0.0	15.0	NORMALE
33	202039062083	8.0	0.0	8.0	NORMALE
34	202039062122	12.0	0.0	12.0	NORMALE
35	202039069283	10.0	0.0	10.0	NORMALE
36	202039067795	9.0	0.0	9.0	NORMALE
37	191939068891	8.0	0.0	8.0	NORMALE
38	202039067860	14.0	0.0	14.0	RATTRAPAGE
39	202039063547	9.0	0.0	9.0	NORMALE
40	191939063859	6.0	0.0	6.0	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: TP Ondes et vibrations / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	10.0	10.0	NORMALE
2	182035065803	0.0	16.5	16.5	NORMALE
3	202039066811	0.0	15.75	15.75	NORMALE
4	202039066546	0.0	10.25	10.25	NORMALE
5	202039064320	0.0	16.63	16.63	NORMALE
6	202039072055	0.0	10.13	10.13	NORMALE
7	202039069800	0.0	15.0	15.0	NORMALE
8	202039077193	0.0	14.0	14.0	NORMALE
9	181839071084	0.0	8.5	8.5	NORMALE
10	202039067846	0.0	15.5	15.5	NORMALE
11	202039067845	0.0	14.25	14.25	NORMALE
12	202039066147	0.0	12.38	12.38	NORMALE
13	202039075788	0.0	13.5	13.5	NORMALE
14	202039064300	0.0	8.5	8.5	NORMALE
15	202039065601	0.0	14.5	14.5	NORMALE
16	202039065184	0.0	9.63	9.63	NORMALE
17	202039071744	0.0	14.5	14.5	NORMALE
18	192039077138	0.0	17.0	17.0	NORMALE
19	202039067800	0.0	11.25	11.25	NORMALE
20	191939068019	0.0	0.0	0.0	NORMALE
21	202039062173	0.0	13.38	13.38	NORMALE
22	202039065127	0.0	12.13	12.13	NORMALE
23	202039065481	0.0	10.5	10.5	NORMALE
24	181839073639	0.0	13.13	13.13	NORMALE
25	202039050726	0.0	16.0	16.0	NORMALE
26	161639057189	0.0	9.25	9.25	NORMALE
27	202039069801	0.0	14.0	14.0	NORMALE
28	202039066854	0.0	8.5	8.5	NORMALE
29	202039065576	0.0	11.0	11.0	NORMALE
30	202039065334	0.0	2.0	2.0	NORMALE
31	202039068532	0.0	4.0	4.0	NORMALE
32	202039065612	0.0	16.0	16.0	NORMALE
33	202039065610	0.0	13.25	13.25	NORMALE
34	202039062224	0.0	13.0	13.0	NORMALE
35	202039066510	0.0	12.13	12.13	NORMALE
36	202039065595	0.0	16.13	16.13	NORMALE
37	202039064241	0.0	8.0	8.0	NORMALE
38	202039069511	0.0	15.25	15.25	NORMALE
39	202039062750	0.0	14.63	14.63	NORMALE
40	202039062577	0.0	15.75	15.75	NORMALE
41	202039063404	0.0	14.36	14.36	NORMALE
42	202039062981	0.0	15.13	15.13	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: TP Ondes et vibrations / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	11.0	11.0	NORMALE
2	202039066755	0.0	15.0	15.0	NORMALE
3	202039067377	0.0	11.5	11.5	NORMALE
4	202039065452	0.0	10.5	10.5	NORMALE
5	202039067268	0.0	13.63	13.63	NORMALE
6	202039072062	0.0	10.0	10.0	NORMALE
7	202039062137	0.0	11.0	11.0	NORMALE
8	191939067589	0.0	9.5	9.5	NORMALE
9	202039063566	0.0	10.0	10.0	NORMALE
10	181839063087	0.0	15.5	15.5	NORMALE
11	202039064229	0.0	10.63	10.63	NORMALE
12	202039066124	0.0	15.75	15.75	NORMALE
13	202039066130	0.0	14.0	14.0	NORMALE
14	202039065289	0.0	14.5	14.5	NORMALE
15	191939068888	0.0	10.13	10.13	NORMALE
16	191939071366	0.0	13.0	13.0	NORMALE
17	202039065598	0.0	16.38	16.38	NORMALE
18	191939063839	0.0	10.13	10.13	NORMALE
19	202039067355	0.0	15.63	15.63	NORMALE
20	202039062178	0.0	10.88	10.88	NORMALE
21	202039062196	0.0	10.0	10.0	NORMALE
22	202039066152	0.0	10.13	10.13	NORMALE
23	202039067673	0.0	10.5	10.5	NORMALE
24	202039071018	0.0	10.13	10.13	NORMALE
25	202039072253	0.0	10.75	10.75	NORMALE
26	202039071020	0.0	10.75	10.75	NORMALE
27	202039066541	0.0	10.0	10.0	NORMALE
28	202039066542	0.0	12.5	12.5	NORMALE
29	202039066142	0.0	10.0	10.0	NORMALE
30	202039062977	0.0	10.5	10.5	NORMALE
31	202039068938	0.0	13.5	13.5	NORMALE
32	171739066686	0.0	0.0	0.0	NORMALE
33	202039067342	0.0	11.38	11.38	NORMALE
34	202039066827	0.0	10.13	10.13	NORMALE
35	202039066548	0.0	11.0	11.0	NORMALE
36	202039063782	0.0	0.0	0.0	NORMALE
37	202039062979	0.0	10.0	10.0	NORMALE
38	202039062164	0.0	10.13	10.13	NORMALE
39	202039067799	0.0	11.0	11.0	NORMALE
40	202039071026	0.0	10.38	10.38	NORMALE

2021/2

Filière: génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de N°null du

Matière: TP Ondes et vibrations / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	202039069806	0.0	16.25	16.25	NORMALE
2	162039077204	0.0	13.5	13.5	NORMALE
3	202039066743	0.0	10.0	10.0	NORMALE
4	202039062985	0.0	14.5	14.5	NORMALE
5	202039071044	0.0	10.5	10.5	NORMALE
6	191939071620	0.0	10.75	10.75	NORMALE
7	202039062618	0.0	10.0	10.0	NORMALE
8	202039076978	0.0	10.25	10.25	NORMALE
9	181839069056	0.0	12.0	12.0	NORMALE
10	202039063340	0.0	10.13	10.13	NORMALE
11	202039068236	0.0	10.13	10.13	NORMALE
12	202039070649	0.0	10.25	10.25	NORMALE
13	202039063485	0.0	11.5	11.5	NORMALE
14	202039066140	0.0	10.25	10.25	NORMALE
15	202039071931	0.0	13.5	13.5	NORMALE
16	202039065553	0.0	10.13	10.13	NORMALE
17	202039065573	0.0	15.5	15.5	NORMALE
18	202039065203	0.0	10.0	10.0	NORMALE
19	202039062165	0.0	10.25	10.25	NORMALE
20	202039066141	0.0	10.13	10.13	NORMALE
21	202039070146	0.0	7.0	7.0	NORMALE
22	202039063353	0.0	10.0	10.0	NORMALE
23	202039070671	0.0	10.0	10.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	0.0	10.0	10.0	NORMALE
26	202039065305	0.0	10.13	10.13	NORMALE
27	191939067661	0.0	12.0	12.0	NORMALE
28	202039065435	0.0	10.38	10.38	NORMALE
29	202039065250	0.0	12.75	12.75	NORMALE
30	202039065602	0.0	10.13	10.13	NORMALE
31	191939071369	0.0	8.0	8.0	NORMALE
32	202039072266	0.0	10.5	10.5	NORMALE
33	202039062083	0.0	10.0	10.0	NORMALE
34	202039062122	0.0	10.88	10.88	NORMALE
35	202039069283	0.0	10.5	10.5	NORMALE
36	202039067795	0.0	12.25	12.25	NORMALE
37	191939068891	0.0	10.25	10.25	NORMALE
38	202039067860	0.0	14.5	14.5	NORMALE
39	202039063547	0.0	10.38	10.38	NORMALE
40	191939063859	0.0	11.25	11.25	NORMALE

