



2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Asservissement et Régulation / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	2.0	0.0	1.2	NORMALE
2	181834018293	15.0	11.6	13.64	NORMALE
3	191939073184	15.0	12.5	14.0	NORMALE
4	191939073149	2.0	9.8	5.12	NORMALE
5	191939064550	6.0	10.4	7.76	NORMALE
6	181839069459	6.0	9.8	7.52	NORMALE
7	191939067682	18.0	18.8	18.32	NORMALE
8	191939065867	5.0	11.9	7.76	NORMALE
9	191939054301	2.0	0.0	1.2	NORMALE
10	191939067038	19.0	15.5	17.6	NORMALE
11	191939065949	4.0	11.0	6.8	NORMALE
12	191939071336	5.0	10.4	7.16	NORMALE
13	191939072023	10.0	8.6	9.44	NORMALE
14	191939072157	2.0	8.6	4.64	NORMALE
15	191939073188	7.0	14.3	9.92	NORMALE
16	191939066275	12.0	12.8	12.32	NORMALE
17	181839063061	2.0	11.9	5.96	NORMALE
18	191939067582	11.0	10.4	10.76	NORMALE
19	191939078493	17.5	16.7	17.18	NORMALE
20	191939072090	7.0	8.6	7.64	NORMALE
21	191939072386	10.0	8.6	9.44	NORMALE
22	191939065976	12.0	10.4	11.36	NORMALE
23	191939067623	17.0	14.9	16.16	NORMALE
24	191939054314	6.0	10.4	7.76	NORMALE
25	191939064989	2.0	9.8	5.12	NORMALE
26	191939067710	7.0	9.2	7.88	NORMALE
27	181839064025	11.4	11.4	11.4	NORMALE
28	161639071394	1.0	0.0	0.6	NORMALE
29	191939063747	2.0	12.8	6.32	NORMALE
30	171739067217	6.0	10.4	7.76	NORMALE
31	191939066916	5.0	8.6	6.44	NORMALE
32	191939071323	0.0	0.0	0.0	NORMALE
33	191939064642	4.0	9.2	6.08	NORMALE
34	191939067618	18.0	15.8	17.12	NORMALE
35	161639070250	1.0	8.6	4.04	NORMALE

2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Capteurs et Instrumentation / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	16.0	16.4	16.16	NORMALE
2	181834018293	14.0	16.8	15.12	NORMALE
3	191939073184	16.0	16.8	16.32	NORMALE
4	191939073149	12.0	12.8	12.32	NORMALE
5	191939064550	12.0	10.8	11.52	NORMALE
6	181839069459	12.0	14.4	12.96	NORMALE
7	191939067682	16.0	14.8	15.52	NORMALE
8	191939065867	8.0	10.8	9.12	NORMALE
9	191939054301	16.0	14.0	15.2	NORMALE
10	191939067038	20.0	16.8	18.72	NORMALE
11	191939065949	9.0	8.4	8.76	NORMALE
12	191939071336	20.0	12.8	17.12	NORMALE
13	191939072023	14.0	16.2	14.88	NORMALE
14	191939072157	16.0	15.4	15.76	NORMALE
15	191939073188	12.0	11.6	11.84	NORMALE
16	191939066275	20.0	12.4	16.96	NORMALE
17	181839063061	8.0	12.8	9.92	NORMALE
18	191939067582	7.0	16.0	10.6	NORMALE
19	191939078493	20.0	16.8	18.72	NORMALE
20	191939072090	20.0	16.4	18.56	NORMALE
21	191939072386	9.0	10.8	9.72	NORMALE
22	191939065976	16.0	14.0	15.2	NORMALE
23	191939067623	16.0	17.2	16.48	NORMALE
24	191939054314	12.0	11.6	11.84	NORMALE
25	191939064989	12.0	14.8	13.12	NORMALE
26	191939067710	16.0	13.2	14.88	NORMALE
27	181839064025	15.6	15.6	15.6	NORMALE
28	161639071394	9.0	0.0	5.4	NORMALE
29	191939063747	7.0	13.6	9.64	NORMALE
30	171739067217	12.0	16.0	13.6	NORMALE
31	191939066916	16.0	18.0	16.8	NORMALE
32	191939071323	0.0	11.0	4.4	NORMALE
33	191939064642	14.0	11.6	13.04	NORMALE
34	191939067618	16.0	17.2	16.48	NORMALE
35	161639070250	10.0	12.8	11.12	NORMALE

2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Dispositifs Optoélectronique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	2.0	0.0	2.0	NORMALE
2	181834018293	7.0	0.0	7.0	NORMALE
3	191939073184	6.0	0.0	6.0	NORMALE
4	191939073149	1.0	0.0	1.0	NORMALE
5	191939064550	5.0	0.0	5.0	NORMALE
6	181839069459	4.0	0.0	4.0	NORMALE
7	191939067682	3.0	0.0	3.0	NORMALE
8	191939065867	1.0	0.0	1.0	NORMALE
9	191939054301	6.0	0.0	6.0	NORMALE
10	191939067038	8.0	0.0	8.0	NORMALE
11	191939065949	1.0	0.0	1.0	NORMALE
12	191939071336	6.0	0.0	6.0	NORMALE
13	191939072023	6.0	0.0	6.0	NORMALE
14	191939072157	2.0	0.0	2.0	NORMALE
15	191939073188	6.0	0.0	6.0	NORMALE
16	191939066275	6.0	0.0	6.0	NORMALE
17	181839063061	6.0	0.0	6.0	NORMALE
18	191939067582	1.0	0.0	1.0	NORMALE
19	191939078493	2.0	0.0	2.0	NORMALE
20	191939072090	6.0	0.0	6.0	NORMALE
21	191939072386	1.0	0.0	1.0	NORMALE
22	191939065976	2.0	0.0	2.0	NORMALE
23	191939067623	6.0	0.0	6.0	NORMALE
24	191939054314	4.0	0.0	4.0	NORMALE
25	191939064989	6.0	0.0	6.0	NORMALE
26	191939067710	6.0	0.0	6.0	NORMALE
27	181839064025	0.0	0.0	0.0	NORMALE
28	161639071394	0.0	0.0	0.0	NORMALE
29	191939063747	6.0	0.0	6.0	NORMALE
30	171739067217	2.0	0.0	2.0	NORMALE
31	191939066916	6.0	0.0	6.0	NORMALE
32	191939071323	0.0	0.0	0.0	NORMALE
33	191939064642	6.0	0.0	6.0	NORMALE
34	191939067618	1.0	0.0	1.0	NORMALE
35	161639070250	6.0	0.0	6.0	NORMALE

Signature de l'enseignant:

Le:

Page 3 sur 10

2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Electronique de Puissance / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	8.0	11.0	9.2	NORMALE
2	181834018293	20.0	17.0	18.8	NORMALE
3	191939073184	13.0	15.0	13.8	NORMALE
4	191939073149	9.0	13.25	10.7	NORMALE
5	191939064550	12.0	13.5	12.6	NORMALE
6	181839069459	8.0	10.0	8.8	NORMALE
7	191939067682	13.0	19.0	15.4	NORMALE
8	191939065867	9.0	10.0	9.4	NORMALE
9	191939054301	9.5	11.75	10.4	NORMALE
10	191939067038	14.0	16.5	15.0	NORMALE
11	191939065949	9.0	11.5	10.0	NORMALE
12	191939071336	12.0	12.0	12.0	NORMALE
13	191939072023	9.5	10.75	10.0	NORMALE
14	191939072157	9.5	10.75	10.0	NORMALE
15	191939073188	12.0	10.0	11.2	NORMALE
16	191939066275	13.0	15.5	14.0	NORMALE
17	181839063061	12.0	12.0	12.0	NORMALE
18	191939067582	9.0	10.75	9.7	NORMALE
19	191939078493	13.0	19.0	15.4	NORMALE
20	191939072090	8.0	10.0	8.8	NORMALE
21	191939072386	15.0	12.5	14.0	NORMALE
22	191939065976	9.0	12.75	10.5	NORMALE
23	191939067623	9.0	13.0	10.6	NORMALE
24	191939054314	12.0	10.75	11.5	NORMALE
25	191939064989	12.0	9.25	10.9	NORMALE
26	191939067710	10.0	11.0	10.4	NORMALE
27	181839064025	7.6	7.6	7.6	NORMALE
28	161639071394	0.0	0.0	0.0	NORMALE
29	191939063747	8.0	10.0	8.8	NORMALE
30	171739067217	9.0	12.0	10.2	NORMALE
31	191939066916	9.0	13.0	10.6	NORMALE
32	191939071323	0.0	0.0	0.0	NORMALE
33	191939064642	9.0	12.5	10.4	NORMALE
34	191939067618	11.0	13.0	11.8	NORMALE
35	161639070250	8.0	10.0	8.8	NORMALE

2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Electronique des impulsions / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	9.0	7.0	8.2	NORMALE
2	181834018293	15.0	10.0	13.0	NORMALE
3	191939073184	7.5	9.0	8.1	NORMALE
4	191939073149	6.5	6.0	6.3	NORMALE
5	191939064550	7.0	11.5	8.8	NORMALE
6	181839069459	7.5	11.5	9.1	NORMALE
7	191939067682	9.5	11.0	10.1	NORMALE
8	191939065867	1.0	6.0	3.0	NORMALE
9	191939054301	0.25	8.5	3.55	NORMALE
10	191939067038	9.5	11.0	10.1	NORMALE
11	191939065949	9.0	8.0	8.6	NORMALE
12	191939071336	8.5	10.5	9.3	NORMALE
13	191939072023	5.0	9.0	6.6	NORMALE
14	191939072157	10.0	9.5	9.8	NORMALE
15	191939073188	7.0	6.0	6.6	NORMALE
16	191939066275	11.0	11.0	11.0	NORMALE
17	181839063061	9.0	10.5	9.6	NORMALE
18	191939067582	6.0	7.5	6.6	NORMALE
19	191939078493	12.5	9.5	11.3	NORMALE
20	191939072090	0.25	9.0	3.75	NORMALE
21	191939072386	8.0	7.0	7.6	NORMALE
22	191939065976	4.5	7.5	5.7	NORMALE
23	191939067623	6.0	12.5	8.6	NORMALE
24	191939054314	4.0	10.5	6.6	NORMALE
25	191939064989	7.5	9.0	8.1	NORMALE
26	191939067710	2.0	8.0	4.4	NORMALE
27	181839064025	14.6	14.6	14.6	NORMALE
28	161639071394	0.0	0.0	0.0	NORMALE
29	191939063747	2.0	6.0	3.6	NORMALE
30	171739067217	4.0	11.5	7.0	NORMALE
31	191939066916	6.5	10.5	8.1	NORMALE
32	191939071323	0.0	0.0	0.0	NORMALE
33	191939064642	5.0	10.0	7.0	NORMALE
34	191939067618	8.0	6.5	7.4	NORMALE
35	161639070250	7.0	7.0	7.0	NORMALE

Signature de l'enseignant:

Le:

Page 5 sur 10

2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Projet de fin de Cycle / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	0.0	17.0	17.0	NORMALE
2	181834018293	0.0	17.0	17.0	NORMALE
3	191939073184	0.0	18.5	18.5	NORMALE
4	191939073149	0.0	18.5	18.5	NORMALE
5	191939064550	0.0	16.5	16.5	NORMALE
6	181839069459	0.0	15.75	15.75	NORMALE
7	191939067682	0.0	17.0	17.0	NORMALE
8	191939065867	0.0	18.5	18.5	NORMALE
9	191939054301	0.0	17.0	17.0	NORMALE
10	191939067038	0.0	17.0	17.0	NORMALE
11	191939065949	0.0	18.5	18.5	NORMALE
12	191939071336	0.0	18.0	18.0	NORMALE
13	191939072023	0.0	16.75	16.75	NORMALE
14	191939072157	0.0	16.75	16.75	NORMALE
15	191939073188	0.0	18.5	18.5	NORMALE
16	191939066275	0.0	18.5	18.5	NORMALE
17	181839063061	0.0	16.5	16.5	NORMALE
18	191939067582	0.0	18.0	18.0	NORMALE
19	191939078493	0.0	17.0	17.0	NORMALE
20	191939072090	0.0	17.0	17.0	NORMALE
21	191939072386	0.0	16.5	16.5	NORMALE
22	191939065976	0.0	18.5	18.5	NORMALE
23	191939067623	0.0	15.5	15.5	NORMALE
24	191939054314	0.0	17.0	17.0	NORMALE
25	191939064989	0.0	15.5	15.5	NORMALE
26	191939067710	0.0	18.0	18.0	NORMALE
27	181839064025	0.0	14.0	14.0	NORMALE
28	161639071394	0.0	14.0	14.0	NORMALE
29	191939063747	0.0	17.0	17.0	NORMALE
30	171739067217	0.0	18.5	18.5	NORMALE
31	191939066916	0.0	14.0	14.0	NORMALE
32	191939071323	0.0	0.0	0.0	NORMALE
33	191939064642	0.0	15.5	15.5	NORMALE
34	191939067618	0.0	18.0	18.0	NORMALE
35	161639070250	0.0	14.0	14.0	NORMALE

2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: Projet Professionnel et gestion d'entreprise / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	16.5	0.0	16.5	NORMALE
2	181834018293	19.5	0.0	19.5	NORMALE
3	191939073184	12.0	0.0	12.0	NORMALE
4	191939073149	10.0	0.0	10.0	NORMALE
5	191939064550	9.0	0.0	9.0	NORMALE
6	181839069459	9.0	0.0	9.0	NORMALE
7	191939067682	11.0	0.0	11.0	NORMALE
8	191939065867	7.0	0.0	7.0	NORMALE
9	191939054301	12.0	0.0	12.0	NORMALE
10	191939067038	18.5	0.0	18.5	NORMALE
11	191939065949	14.0	0.0	14.0	NORMALE
12	191939071336	18.5	0.0	18.5	NORMALE
13	191939072023	16.0	0.0	16.0	NORMALE
14	191939072157	20.0	0.0	20.0	NORMALE
15	191939073188	14.0	0.0	14.0	NORMALE
16	191939066275	16.5	0.0	16.5	NORMALE
17	181839063061	11.0	0.0	11.0	NORMALE
18	191939067582	12.0	0.0	12.0	NORMALE
19	191939078493	15.0	0.0	15.0	NORMALE
20	191939072090	14.0	0.0	14.0	NORMALE
21	191939072386	13.5	0.0	13.5	NORMALE
22	191939065976	12.0	0.0	12.0	NORMALE
23	191939067623	14.5	0.0	14.5	NORMALE
24	191939054314	15.5	0.0	15.5	NORMALE
25	191939064989	12.0	0.0	12.0	NORMALE
26	191939067710	12.0	0.0	12.0	NORMALE
27	181839064025	13.0	0.0	13.0	NORMALE
28	161639071394	4.0	0.0	4.0	NORMALE
29	191939063747	19.0	0.0	19.0	NORMALE
30	171739067217	14.0	0.0	14.0	NORMALE
31	191939066916	18.0	0.0	18.0	NORMALE
32	191939071323	0.0	0.0	0.0	NORMALE
33	191939064642	17.5	0.0	17.5	NORMALE
34	191939067618	13.0	0.0	13.0	NORMALE
35	161639070250	0.0	0.0	0.0	NORMALE

Signature de l'enseignant:

Le:

Page 7 sur 10

2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: TP Asservissement et Régulation / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	0.0	12.5	12.5	NORMALE
2	181834018293	0.0	16.0	16.0	NORMALE
3	191939073184	0.0	14.0	14.0	NORMALE
4	191939073149	0.0	14.0	14.0	NORMALE
5	191939064550	0.0	13.0	13.0	NORMALE
6	181839069459	0.0	14.0	14.0	NORMALE
7	191939067682	0.0	14.0	14.0	NORMALE
8	191939065867	0.0	10.0	10.0	NORMALE
9	191939054301	0.0	12.5	12.5	NORMALE
10	191939067038	0.0	16.0	16.0	NORMALE
11	191939065949	0.0	13.0	13.0	NORMALE
12	191939071336	0.0	14.0	14.0	NORMALE
13	191939072023	0.0	12.5	12.5	NORMALE
14	191939072157	0.0	12.5	12.5	NORMALE
15	191939073188	0.0	14.0	14.0	NORMALE
16	191939066275	0.0	14.0	14.0	NORMALE
17	181839063061	0.0	13.0	13.0	NORMALE
18	191939067582	0.0	14.0	14.0	NORMALE
19	191939078493	0.0	14.0	14.0	NORMALE
20	191939072090	0.0	12.5	12.5	NORMALE
21	191939072386	0.0	13.0	13.0	NORMALE
22	191939065976	0.0	13.0	13.0	NORMALE
23	191939067623	0.0	14.0	14.0	NORMALE
24	191939054314	0.0	12.5	12.5	NORMALE
25	191939064989	0.0	14.0	14.0	NORMALE
26	191939067710	0.0	14.0	14.0	NORMALE
27	181839064025	0.0	12.0	12.0	NORMALE
28	161639071394	0.0	2.0	2.0	NORMALE
29	191939063747	0.0	12.5	12.5	NORMALE
30	171739067217	0.0	16.0	16.0	NORMALE
31	191939066916	0.0	16.0	16.0	NORMALE
32	191939071323	0.0	0.0	0.0	NORMALE
33	191939064642	0.0	16.0	16.0	NORMALE
34	191939067618	0.0	14.0	14.0	NORMALE
35	161639070250	0.0	12.5	12.5	NORMALE



2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: TP Capteurs et Instrumentation / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	0.0	11.0	11.0	NORMALE
2	181834018293	0.0	12.0	12.0	NORMALE
3	191939073184	0.0	12.0	12.0	NORMALE
4	191939073149	0.0	12.0	12.0	NORMALE
5	191939064550	0.0	10.0	10.0	NORMALE
6	181839069459	0.0	13.5	13.5	NORMALE
7	191939067682	0.0	12.0	12.0	NORMALE
8	191939065867	0.0	10.0	10.0	NORMALE
9	191939054301	0.0	12.0	12.0	NORMALE
10	191939067038	0.0	12.0	12.0	NORMALE
11	191939065949	0.0	11.0	11.0	NORMALE
12	191939071336	0.0	10.0	10.0	NORMALE
13	191939072023	0.0	13.5	13.5	NORMALE
14	191939072157	0.0	13.5	13.5	NORMALE
15	191939073188	0.0	12.0	12.0	NORMALE
16	191939066275	0.0	11.0	11.0	NORMALE
17	181839063061	0.0	10.0	10.0	NORMALE
18	191939067582	0.0	10.0	10.0	NORMALE
19	191939078493	0.0	12.0	12.0	NORMALE
20	191939072090	0.0	11.0	11.0	NORMALE
21	191939072386	0.0	10.0	10.0	NORMALE
22	191939065976	0.0	10.0	10.0	NORMALE
23	191939067623	0.0	13.0	13.0	NORMALE
24	191939054314	0.0	12.0	12.0	NORMALE
25	191939064989	0.0	11.0	11.0	NORMALE
26	191939067710	0.0	13.0	13.0	NORMALE
27	181839064025	0.0	14.0	14.0	NORMALE
28	161639071394	0.0	14.0	14.0	NORMALE
29	191939063747	0.0	12.0	12.0	NORMALE
30	171739067217	0.0	10.0	10.0	NORMALE
31	191939066916	0.0	15.0	15.0	NORMALE
32	191939071323	0.0	0.0	0.0	NORMALE
33	191939064642	0.0	12.0	12.0	NORMALE
34	191939067618	0.0	13.0	13.0	NORMALE
35	161639070250	0.0	15.0	15.0	NORMALE

2021/2022

Filière: électronique  
Electronique

Niveau: Arrêté d'habilitation de l'offre de formation: N°Arrêté n°1061 du 09 Aout

Matière: TP Electronique de Puissance et impulsions / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	191939072104	0.0	11.4	11.4	NORMALE
2	181834018293	0.0	13.75	13.75	NORMALE
3	191939073184	0.0	13.5	13.5	NORMALE
4	191939073149	0.0	13.5	13.5	NORMALE
5	191939064550	0.0	13.25	13.25	NORMALE
6	181839069459	0.0	10.0	10.0	NORMALE
7	191939067682	0.0	15.25	15.25	NORMALE
8	191939065867	0.0	10.5	10.5	NORMALE
9	191939054301	0.0	13.25	13.25	NORMALE
10	191939067038	0.0	15.75	15.75	NORMALE
11	191939065949	0.0	13.5	13.5	NORMALE
12	191939071336	0.0	12.4	12.4	NORMALE
13	191939072023	0.0	11.4	11.4	NORMALE
14	191939072157	0.0	11.4	11.4	NORMALE
15	191939073188	0.0	13.5	13.5	NORMALE
16	191939066275	0.0	13.5	13.5	NORMALE
17	181839063061	0.0	13.25	13.25	NORMALE
18	191939067582	0.0	12.5	12.5	NORMALE
19	191939078493	0.0	15.5	15.5	NORMALE
20	191939072090	0.0	11.4	11.4	NORMALE
21	191939072386	0.0	13.25	13.25	NORMALE
22	191939065976	0.0	13.15	13.15	NORMALE
23	191939067623	0.0	13.5	13.5	NORMALE
24	191939054314	0.0	12.75	12.75	NORMALE
25	191939064989	0.0	6.0	6.0	NORMALE
26	191939067710	0.0	13.5	13.5	NORMALE
27	181839064025	0.0	15.5	15.5	NORMALE
28	161639071394	0.0	0.0	0.0	NORMALE
29	191939063747	0.0	12.25	12.25	NORMALE
30	171739067217	0.0	13.25	13.25	NORMALE
31	191939066916	0.0	12.15	12.15	NORMALE
32	191939071323	0.0	0.0	0.0	NORMALE
33	191939064642	0.0	13.75	13.75	NORMALE
34	191939067618	0.0	13.5	13.5	NORMALE
35	161639070250	0.0	0.0	0.0	NORMALE