

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electrotechnique Fondamentale 2 / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	11.0	9.2	10.28	NORMALE
2	191939067657	0.0	4.2	1.68	NORMALE
3	202039069737	10.0	11.4	10.56	NORMALE
4	202039065534	4.5	13.4	8.06	NORMALE
5	202039066167	10.0	11.0	10.4	NORMALE
6	202039062177	0.0	13.8	5.52	NORMALE
7	202039067362	4.0	9.6	6.24	NORMALE
8	202039062908	5.5	14.2	8.98	NORMALE
9	191939065952	7.5	3.4	5.86	NORMALE
10	202039066160	1.0	8.8	4.12	NORMALE
11	202039063851	4.0	13.8	7.92	NORMALE
12	202039065512	6.5	9.2	7.58	NORMALE
13	202039068925	1.5	10.0	4.9	NORMALE
14	202039065516	6.0	10.4	7.76	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	10.0	12.2	10.88	NORMALE
17	202039070262	0.0	13.8	5.52	NORMALE
18	202039067732	0.0	11.8	4.72	NORMALE
19	202039066061	20.0	18.2	19.28	NORMALE
20	202039061728	1.5	10.6	5.14	NORMALE
21	202039068940	10.0	4.6	7.84	NORMALE
22	202039067137	5.0	9.4	6.76	NORMALE
23	202039068439	0.0	10.2	4.08	NORMALE
24	202039069773	1.5	10.8	5.22	NORMALE
25	202039068503	1.0	9.0	4.2	NORMALE
26	191939072418	1.0	11.6	5.24	NORMALE
27	202039072271	1.0	7.0	3.4	NORMALE
28	202039065537	2.5	13.2	6.78	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	2.0	0.0	1.2	NORMALE
31	202039069672	13.0	11.2	12.28	NORMALE
32	202039069721	1.5	10.0	4.9	NORMALE
33	202039065511	5.0	10.4	7.16	NORMALE
34	202039066410	3.5	9.6	5.94	NORMALE
35	181539073679	1.5	13.4	6.26	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electrotechnique Fondamentale 2 / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	3.5	13.0	7.3	NORMALE
2	202039064568	2.0	7.0	4.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	5.4	2.16	NORMALE
5	191939072105	7.0	8.4	7.56	NORMALE
6	202039071613	3.0	12.2	6.68	NORMALE
7	202039070189	5.5	14.2	8.98	NORMALE
8	202039061996	11.0	11.8	11.32	NORMALE
9	202039064296	3.0	14.4	7.56	NORMALE
10	202039069765	7.0	10.6	8.44	NORMALE
11	191939065946	12.5	12.4	12.46	NORMALE
12	202039067185	3.5	7.4	5.06	NORMALE
13	202039069739	0.0	7.8	3.12	NORMALE
14	202039061712	3.0	11.4	6.36	NORMALE
15	202039064669	11.0	11.6	11.24	NORMALE
16	202039072256	5.5	9.8	7.22	NORMALE
17	202039062995	8.0	12.2	9.68	NORMALE
18	191939069694	1.0	0.0	0.6	NORMALE
19	181839068247	0.0	0.0	0.0	NORMALE
20	202039061993	3.5	12.0	6.9	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	1.0	10.4	4.76	NORMALE
23	20079067639	1.0	0.0	0.6	NORMALE
24	202039065554	4.5	13.4	8.06	NORMALE
25	202039069788	1.0	6.0	3.0	NORMALE
26	202039071047	4.5	11.4	7.26	NORMALE
27	202039071553	3.5	10.2	6.18	NORMALE
28	202039071643	11.0	9.8	10.52	NORMALE
29	202039070281	0.0	6.0	2.4	NORMALE
30	202039069733	8.0	10.6	9.04	NORMALE
31	202039062792	0.0	10.8	4.32	NORMALE
32	202039062860	5.5	12.0	8.1	NORMALE
33	202039069688	4.0	6.6	5.04	NORMALE
34	202039067224	1.5	6.2	3.38	NORMALE
35	202039071006	0.0	11.2	4.48	NORMALE
36	202039065467	2.0	12.8	6.32	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electrotechnique Fondamentale 2 / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	13.5	15.8	14.42	NORMALE
2	202039069791	0.0	7.2	2.88	NORMALE
3	202039065493	6.0	9.0	7.2	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	3.0	9.3	5.52	NORMALE
6	202039066373	1.5	9.8	4.82	NORMALE
7	202039063807	12.0	11.8	11.92	NORMALE
8	202034016206	4.0	7.8	5.52	NORMALE
9	181839050202	0.0	13.1	5.24	NORMALE
10	202039071719	13.1	10.0	11.86	NORMALE
11	202039067844	1.5	6.8	3.62	NORMALE
12	202039070143	1.5	10.0	4.9	NORMALE
13	191939068659	3.0	8.2	5.08	NORMALE
14	202039067207	3.0	8.2	5.08	NORMALE
15	191939065518	6.0	7.2	6.48	NORMALE
16	202039062174	0.0	6.7	2.68	NORMALE
17	181839066240	0.0	1.0	0.4	NORMALE
18	202039061924	1.0	7.0	3.4	NORMALE
19	202039066429	2.0	6.1	3.64	NORMALE
20	202039064336	4.0	9.2	6.08	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	8.0	13.7	10.28	NORMALE
23	202039067198	0.0	4.0	1.6	NORMALE
24	202039066103	5.0	11.3	7.52	NORMALE
25	202039062963	10.0	8.9	9.56	NORMALE
26	202039070918	7.5	8.8	8.02	NORMALE
27	202039062201	1.5	9.0	4.5	NORMALE
28	202039069665	10.0	6.8	8.72	NORMALE
29	202039064313	3.0	6.8	4.52	NORMALE
30	191939073174	0.0	4.0	1.6	NORMALE
31	202039062216	6.5	8.1	7.14	NORMALE
32	202039063387	18.0	14.1	16.44	NORMALE
33	191939054565	0.0	0.0	0.0	NORMALE
34	202039063561	0.0	8.6	3.44	NORMALE
35	202039066144	6.5	8.7	7.38	NORMALE
36	202039065507	2.5	13.0	6.7	NORMALE
37	202039071723	3.0	8.7	5.28	NORMALE
38	202039065109	17.0	16.2	16.68	NORMALE
39	202039065450	5.0	12.2	7.88	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Electrotechnique Fondamentale 2 / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	5.0	8.6	6.44	NORMALE
2	202039070150	1.0	6.2	3.08	NORMALE
3	202039064538	2.0	3.5	2.6	NORMALE
4	202039067225	3.0	8.2	5.08	NORMALE
5	191939066762	0.0	4.8	1.92	NORMALE
6	202039062689	3.0	9.2	5.48	NORMALE
7	202039067220	10.0	9.5	9.8	NORMALE
8	202039066105	4.5	9.5	6.5	NORMALE
9	202039069772	8.0	11.0	9.2	NORMALE
10	202039062175	5.0	6.2	5.48	NORMALE
11	202039076231	16.0	16.3	16.12	NORMALE
12	171739051075	0.0	2.0	0.8	NORMALE
13	202039062636	5.0	5.2	5.08	NORMALE
14	202039063584	3.0	10.7	6.08	NORMALE
15	202039067271	1.0	5.8	2.92	NORMALE
16	202039064260	1.0	1.5	1.2	NORMALE
17	202039071750	1.0	8.0	3.8	NORMALE
18	202039069494	10.0	15.3	12.12	NORMALE
19	202039067252	0.0	7.8	3.12	NORMALE
20	202039062005	0.0	0.5	0.2	NORMALE
21	202039065531	2.5	7.4	4.46	NORMALE
22	202039065517	2.0	11.5	5.8	NORMALE
23	202039063582	10.0	10.1	10.04	NORMALE
24	202039065530	10.0	13.5	11.4	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	0.0	8.2	3.28	NORMALE
27	181839071025	0.0	0.5	0.2	NORMALE
28	202039067116	5.0	10.5	7.2	NORMALE
29	202039067742	1.5	5.6	3.14	NORMALE
30	202039062962	0.0	4.0	1.6	NORMALE
31	202039063765	6.0	6.2	6.08	NORMALE
32	202039066378	4.0	6.2	4.88	NORMALE
33	202039065535	3.0	12.0	6.6	NORMALE
34	202039065495	2.5	11.9	6.26	NORMALE
35	202039071166	4.0	6.0	4.8	NORMALE
36	202039065539	0.0	4.8	1.92	NORMALE
37	202039065521	10.0	10.1	10.04	NORMALE
38	202039062830	0.0	8.0	3.2	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Logique combinatoire et séquentielle / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	8.0	14.0	10.4	NORMALE
2	191939067657	10.5	14.0	11.9	NORMALE
3	202039069737	5.5	13.1	8.54	NORMALE
4	202039065534	15.25	15.8	15.47	NORMALE
5	202039066167	10.0	14.2	11.68	NORMALE
6	202039062177	1.0	12.5	5.6	NORMALE
7	202039067362	3.0	13.4	7.16	NORMALE
8	202039062908	6.0	15.2	9.68	NORMALE
9	191939065952	12.25	10.0	11.35	NORMALE
10	202039066160	4.0	9.4	6.16	NORMALE
11	202039063851	16.75	14.0	15.65	NORMALE
12	202039065512	11.5	13.2	12.18	NORMALE
13	202039068925	9.75	12.7	10.93	NORMALE
14	202039065516	7.5	17.0	11.3	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	10.5	15.0	12.3	NORMALE
17	202039070262	6.5	11.4	8.46	NORMALE
18	202039067732	8.5	12.0	9.9	NORMALE
19	202039066061	13.0	17.0	14.6	NORMALE
20	202039061728	5.0	12.4	7.96	NORMALE
21	202039068940	7.0	7.4	7.16	NORMALE
22	202039067137	6.75	15.0	10.05	NORMALE
23	202039068439	6.5	10.5	8.1	NORMALE
24	202039069773	9.5	9.0	9.3	NORMALE
25	202039068503	2.0	9.5	5.0	NORMALE
26	191939072418	7.0	8.9	7.76	NORMALE
27	202039072271	5.0	8.4	6.36	NORMALE
28	202039065537	11.75	7.0	9.85	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	6.0	2.2	4.48	NORMALE
31	202039069672	11.0	14.9	12.56	NORMALE
32	202039069721	5.0	8.4	6.36	NORMALE
33	202039065511	7.0	12.4	9.16	NORMALE
34	202039066410	4.5	9.5	6.5	NORMALE
35	181539073679	3.25	13.0	7.15	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Logique combinatoire et séquentielle / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	9.75	13.4	11.21	NORMALE
2	202039064568	10.75	15.2	12.53	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	6.25	8.4	7.11	NORMALE
5	191939072105	10.1	10.1	10.1	NORMALE
6	202039071613	9.0	14.0	11.0	NORMALE
7	202039070189	10.75	14.5	12.25	NORMALE
8	202039061996	6.5	13.1	9.14	NORMALE
9	202039064296	13.25	14.0	13.55	NORMALE
10	202039069765	11.0	16.6	13.24	NORMALE
11	191939065946	14.75	18.8	16.37	NORMALE
12	202039067185	6.5	9.9	7.86	NORMALE
13	202039069739	6.0	5.0	5.6	NORMALE
14	202039061712	9.75	12.0	10.65	NORMALE
15	202039064669	7.0	11.7	8.88	NORMALE
16	202039072256	14.0	12.6	13.44	NORMALE
17	202039062995	13.0	13.0	13.0	NORMALE
18	191939069694	0.0	1.8	0.72	NORMALE
19	181839068247	0.0	0.0	0.0	NORMALE
20	202039061993	7.0	11.5	8.8	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	9.25	14.2	11.23	NORMALE
23	20079067639	6.25	7.1	6.59	NORMALE
24	202039065554	16.75	18.2	17.33	NORMALE
25	202039069788	7.0	4.4	5.96	NORMALE
26	202039071047	7.0	10.5	8.4	NORMALE
27	202039071553	8.25	8.1	8.19	NORMALE
28	202039071643	11.0	16.0	13.0	NORMALE
29	202039070281	7.0	8.4	7.56	NORMALE
30	202039069733	11.0	13.0	11.8	NORMALE
31	202039062792	7.0	7.9	7.36	NORMALE
32	202039062860	7.5	14.0	10.1	NORMALE
33	202039069688	9.25	7.5	8.55	NORMALE
34	202039067224	1.0	7.4	3.56	NORMALE
35	202039071006	12.25	13.2	12.63	NORMALE
36	202039065467	4.5	13.0	7.9	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Logique combinatoire et séquentielle / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	13.25	13.3	13.27	NORMALE
2	202039069791	7.75	5.4	6.81	NORMALE
3	202039065493	9.0	12.1	10.24	NORMALE
4	202039071928	0.0	1.2	0.48	NORMALE
5	202039067113	3.0	13.6	7.24	NORMALE
6	202039066373	9.0	11.1	9.84	NORMALE
7	202039063807	11.0	16.4	13.16	NORMALE
8	202034016206	8.0	10.6	9.04	NORMALE
9	181839050202	3.0	5.6	4.04	NORMALE
10	202039071719	9.0	13.6	10.84	NORMALE
11	202039067844	12.5	11.0	11.9	NORMALE
12	202039070143	7.75	8.6	8.09	NORMALE
13	191939068659	11.0	10.8	10.92	NORMALE
14	202039067207	6.0	9.6	7.44	NORMALE
15	191939065518	13.0	13.6	13.24	NORMALE
16	202039062174	6.5	4.6	5.74	NORMALE
17	181839066240	1.0	0.0	0.6	NORMALE
18	202039061924	6.0	9.1	7.24	NORMALE
19	202039066429	9.25	8.6	8.99	NORMALE
20	202039064336	11.25	8.1	9.99	NORMALE
21	181839063054	0.0	1.2	0.48	NORMALE
22	202039066157	12.25	10.7	11.63	NORMALE
23	202039067198	7.0	10.1	8.24	NORMALE
24	202039066103	7.25	13.8	9.87	NORMALE
25	202039062963	9.25	8.2	8.83	NORMALE
26	202039070918	4.0	8.0	5.6	NORMALE
27	202039062201	8.5	12.1	9.94	NORMALE
28	202039069665	12.25	13.6	12.79	NORMALE
29	202039064313	10.75	11.3	10.97	NORMALE
30	191939073174	5.0	5.0	5.0	NORMALE
31	202039062216	4.0	7.6	5.44	NORMALE
32	202039063387	16.0	12.8	14.72	NORMALE
33	191939054565	1.0	0.0	0.6	NORMALE
34	202039063561	7.0	12.6	9.24	NORMALE
35	202039066144	7.5	8.6	7.94	NORMALE
36	202039065507	12.25	16.0	13.75	NORMALE
37	202039071723	5.0	13.7	8.48	NORMALE
38	202039065109	12.25	12.4	12.31	NORMALE
39	202039065450	8.75	11.1	9.69	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Logique combinatoire et séquentielle / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	8.5	11.7	9.78	NORMALE
2	202039070150	6.0	14.2	9.28	NORMALE
3	202039064538	5.0	11.2	7.48	NORMALE
4	202039067225	6.0	6.2	6.08	NORMALE
5	191939066762	4.5	11.2	7.18	NORMALE
6	202039062689	6.0	15.2	9.68	NORMALE
7	202039067220	7.0	10.2	8.28	NORMALE
8	202039066105	9.0	5.4	7.56	NORMALE
9	202039069772	7.75	12.0	9.45	NORMALE
10	202039062175	9.0	7.2	8.28	NORMALE
11	202039076231	12.75	14.2	13.33	NORMALE
12	171739051075	1.0	0.0	0.6	NORMALE
13	202039062636	7.5	9.5	8.3	NORMALE
14	202039063584	9.5	11.2	10.18	NORMALE
15	202039067271	8.0	6.7	7.48	NORMALE
16	202039064260	1.0	10.0	4.6	NORMALE
17	202039071750	8.25	7.1	7.79	NORMALE
18	202039069494	9.75	9.6	9.69	NORMALE
19	202039067252	7.75	10.2	8.73	NORMALE
20	202039062005	3.25	3.4	3.31	NORMALE
21	202039065531	14.0	13.7	13.88	NORMALE
22	202039065517	10.25	15.4	12.31	NORMALE
23	202039063582	7.25	13.8	9.87	NORMALE
24	202039065530	6.5	14.5	9.7	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	9.0	9.0	9.0	NORMALE
27	181839071025	1.0	6.8	3.32	NORMALE
28	202039067116	7.0	10.0	8.2	NORMALE
29	202039067742	0.0	10.2	4.08	NORMALE
30	202039062962	7.0	10.0	8.2	NORMALE
31	202039063765	4.75	13.7	8.33	NORMALE
32	202039066378	6.5	8.2	7.18	NORMALE
33	202039065535	14.25	15.4	14.71	NORMALE
34	202039065495	15.0	18.4	16.36	NORMALE
35	202039071166	0.0	9.2	3.68	NORMALE
36	202039065539	6.25	5.6	5.99	NORMALE
37	202039065521	11.25	9.6	10.59	NORMALE
38	202039062830	6.5	6.7	6.58	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Mesures électriques et électroniques / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	12.0	15.5	13.4	NORMALE
2	191939067657	11.0	8.0	9.8	NORMALE
3	202039069737	16.0	0.0	9.6	NORMALE
4	202039065534	8.5	12.5	10.1	NORMALE
5	202039066167	17.0	12.5	15.2	NORMALE
6	202039062177	9.0	12.0	10.2	NORMALE
7	202039067362	16.0	12.0	14.4	NORMALE
8	202039062908	16.0	12.0	14.4	NORMALE
9	191939065952	11.6	11.6	11.6	NORMALE
10	202039066160	7.0	12.5	9.2	NORMALE
11	202039063851	16.0	15.5	15.8	NORMALE
12	202039065512	12.0	15.0	13.2	NORMALE
13	202039068925	13.0	12.5	12.8	NORMALE
14	202039065516	14.0	12.5	13.4	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	16.0	12.0	14.4	NORMALE
17	202039070262	6.0	12.0	8.4	NORMALE
18	202039067732	7.0	15.5	10.4	NORMALE
19	202039066061	16.0	16.0	16.0	NORMALE
20	202039061728	7.0	12.0	9.0	NORMALE
21	202039068940	12.0	15.5	13.4	NORMALE
22	202039067137	16.0	12.0	14.4	NORMALE
23	202039068439	14.0	12.0	13.2	NORMALE
24	202039069773	16.0	12.0	14.4	NORMALE
25	202039068503	6.0	12.0	8.4	NORMALE
26	191939072418	7.0	8.0	7.4	NORMALE
27	202039072271	16.0	0.0	9.6	NORMALE
28	202039065537	13.0	0.0	7.8	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	14.0	8.0	11.6	NORMALE
31	202039069672	16.0	16.0	16.0	NORMALE
32	202039069721	6.0	0.0	3.6	NORMALE
33	202039065511	10.0	15.0	12.0	NORMALE
34	202039066410	16.0	15.5	15.8	NORMALE
35	181539073679	8.1	8.1	8.1	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Mesures électriques et électroniques / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	10.0	10.0	10.0	NORMALE
2	202039064568	7.0	10.0	8.2	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	12.0	13.5	12.6	NORMALE
5	191939072105	11.0	11.0	11.0	NORMALE
6	202039071613	11.0	10.0	10.6	NORMALE
7	202039070189	12.0	14.0	12.8	NORMALE
8	202039061996	11.0	14.0	12.2	NORMALE
9	202039064296	12.0	0.0	7.2	NORMALE
10	202039069765	7.0	15.5	10.4	NORMALE
11	191939065946	11.0	10.0	10.6	NORMALE
12	202039067185	13.0	13.5	13.2	NORMALE
13	202039069739	15.0	0.0	9.0	NORMALE
14	202039061712	6.0	13.5	9.0	NORMALE
15	202039064669	9.0	8.0	8.6	NORMALE
16	202039072256	14.0	13.5	13.8	NORMALE
17	202039062995	7.0	15.5	10.4	NORMALE
18	191939069694	8.0	0.0	4.8	NORMALE
19	181839068247	0.0	12.0	4.8	NORMALE
20	202039061993	16.0	10.0	13.6	NORMALE
21	171739064740	10.1	10.1	10.1	NORMALE
22	202039068192	14.0	8.0	11.6	NORMALE
23	20079067639	16.0	0.0	9.6	NORMALE
24	202039065554	13.0	15.5	14.0	NORMALE
25	202039069788	16.0	0.0	9.6	NORMALE
26	202039071047	9.0	10.0	9.4	NORMALE
27	202039071553	10.0	10.0	10.0	NORMALE
28	202039071643	8.0	10.0	8.8	NORMALE
29	202039070281	12.0	0.0	7.2	NORMALE
30	202039069733	13.0	8.0	11.0	NORMALE
31	202039062792	16.0	15.5	15.8	NORMALE
32	202039062860	16.0	8.0	12.8	NORMALE
33	202039069688	10.0	0.0	6.0	NORMALE
34	202039067224	12.0	13.5	12.6	NORMALE
35	202039071006	10.0	10.0	10.0	NORMALE
36	202039065467	14.0	15.5	14.6	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Mesures électriques et électroniques / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	11.0	9.5	10.4	NORMALE
2	202039069791	12.0	8.0	10.4	NORMALE
3	202039065493	11.0	12.0	11.4	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	16.0	12.0	14.4	NORMALE
6	202039066373	16.0	8.0	12.8	NORMALE
7	202039063807	16.5	13.5	15.3	NORMALE
8	202034016206	8.0	8.0	8.0	NORMALE
9	181839050202	10.0	11.5	10.6	NORMALE
10	202039071719	10.0	12.0	10.8	NORMALE
11	202039067844	16.0	10.0	13.6	NORMALE
12	202039070143	16.0	10.5	13.8	NORMALE
13	191939068659	14.0	9.5	12.2	NORMALE
14	202039067207	13.0	10.0	11.8	NORMALE
15	191939065518	6.0	8.0	6.8	NORMALE
16	202039062174	14.0	11.5	13.0	NORMALE
17	181839066240	6.0	8.0	6.8	NORMALE
18	202039061924	6.0	10.0	7.6	NORMALE
19	202039066429	8.0	8.0	8.0	NORMALE
20	202039064336	9.0	8.0	8.6	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	18.0	15.5	17.0	NORMALE
23	202039067198	14.0	10.0	12.4	NORMALE
24	202039066103	12.0	10.0	11.2	NORMALE
25	202039062963	5.0	13.5	8.4	NORMALE
26	202039070918	9.0	8.0	8.6	NORMALE
27	202039062201	12.0	15.5	13.4	NORMALE
28	202039069665	7.0	8.0	7.4	NORMALE
29	202039064313	8.0	8.0	8.0	NORMALE
30	191939073174	11.6	11.6	11.6	NORMALE
31	202039062216	12.0	8.0	10.4	NORMALE
32	202039063387	16.0	15.5	15.8	NORMALE
33	191939054565	8.0	0.0	4.8	NORMALE
34	202039063561	15.0	12.0	13.8	NORMALE
35	202039066144	15.0	9.5	12.8	NORMALE
36	202039065507	9.0	8.0	8.6	NORMALE
37	202039071723	12.0	9.5	11.0	NORMALE
38	202039065109	16.0	10.0	13.6	NORMALE
39	202039065450	14.0	10.5	12.6	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Mesures électriques et électroniques / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	8.0	10.0	8.8	NORMALE
2	202039070150	14.0	12.5	13.4	NORMALE
3	202039064538	6.0	9.0	7.2	NORMALE
4	202039067225	12.0	13.0	12.4	NORMALE
5	191939066762	8.0	8.5	8.2	NORMALE
6	202039062689	16.0	13.5	15.0	NORMALE
7	202039067220	16.0	12.5	14.6	NORMALE
8	202039066105	13.0	9.0	11.4	NORMALE
9	202039069772	13.0	16.0	14.2	NORMALE
10	202039062175	10.0	16.0	12.4	NORMALE
11	202039076231	12.0	13.5	12.6	NORMALE
12	171739051075	12.0	0.0	7.2	NORMALE
13	202039062636	12.0	11.0	11.6	NORMALE
14	202039063584	6.0	9.0	7.2	NORMALE
15	202039067271	11.0	11.0	11.0	NORMALE
16	202039064260	11.0	0.0	6.6	NORMALE
17	202039071750	12.0	9.0	10.8	NORMALE
18	202039069494	8.0	11.0	9.2	NORMALE
19	202039067252	8.0	12.5	9.8	NORMALE
20	202039062005	12.0	16.0	13.6	NORMALE
21	202039065531	6.0	0.0	3.6	NORMALE
22	202039065517	13.0	8.5	11.2	NORMALE
23	202039063582	16.0	9.0	13.2	NORMALE
24	202039065530	14.0	13.5	13.8	NORMALE
25	181439072334	10.4	10.4	10.4	NORMALE
26	202039070114	6.0	12.5	8.6	NORMALE
27	181839071025	11.6	11.6	11.6	NORMALE
28	202039067116	13.0	10.0	11.8	NORMALE
29	202039067742	9.0	9.0	9.0	NORMALE
30	202039062962	7.0	11.0	8.6	NORMALE
31	202039063765	8.0	12.5	9.8	NORMALE
32	202039066378	12.0	13.0	12.4	NORMALE
33	202039065535	8.0	13.5	10.2	NORMALE
34	202039065495	6.0	13.5	9.0	NORMALE
35	202039071166	5.0	10.0	7.0	NORMALE
36	202039065539	10.0	8.5	9.4	NORMALE
37	202039065521	9.0	10.5	9.6	NORMALE
38	202039062830	15.0	16.0	15.4	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Méthodes numériques / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	17.5	13.75	16.0	NORMALE
2	191939067657	7.5	14.0	10.1	NORMALE
3	202039069737	13.0	11.75	12.5	NORMALE
4	202039065534	20.0	15.75	18.3	NORMALE
5	202039066167	18.0	16.5	17.4	NORMALE
6	202039062177	15.0	16.5	15.6	NORMALE
7	202039067362	8.0	9.13	8.45	NORMALE
8	202039062908	13.0	16.75	14.5	NORMALE
9	191939065952	13.0	9.63	11.65	NORMALE
10	202039066160	18.0	15.5	17.0	NORMALE
11	202039063851	13.0	10.5	12.0	NORMALE
12	202039065512	13.0	11.75	12.5	NORMALE
13	202039068925	18.0	10.5	15.0	NORMALE
14	202039065516	12.5	15.75	13.8	NORMALE
15	1902438177	1.0	0.0	0.6	NORMALE
16	202039062965	18.0	15.0	16.8	NORMALE
17	202039070262	7.5	16.0	10.9	NORMALE
18	202039067732	17.0	14.75	16.1	NORMALE
19	202039066061	20.0	16.5	18.6	NORMALE
20	202039061728	12.0	15.5	13.4	NORMALE
21	202039068940	17.0	11.63	14.85	NORMALE
22	202039067137	12.0	15.25	13.3	NORMALE
23	202039068439	20.0	12.25	16.9	NORMALE
24	202039069773	13.0	11.5	12.4	NORMALE
25	202039068503	17.0	11.75	14.9	NORMALE
26	191939072418	13.0	14.0	13.4	NORMALE
27	202039072271	4.0	9.63	6.25	NORMALE
28	202039065537	13.5	12.13	12.95	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	8.0	10.5	9.0	NORMALE
31	202039069672	20.0	18.0	19.2	NORMALE
32	202039069721	20.0	11.0	16.4	NORMALE
33	202039065511	12.5	11.0	11.9	NORMALE
34	202039066410	17.0	12.75	15.3	NORMALE
35	181539073679	13.52	13.52	13.52	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Méthodes numériques / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	8.0	15.75	11.1	NORMALE
2	202039064568	12.0	14.0	12.8	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	7.5	11.5	9.1	NORMALE
5	191939072105	13.2	13.2	13.2	NORMALE
6	202039071613	18.0	13.0	16.0	NORMALE
7	202039070189	19.5	14.5	17.5	NORMALE
8	202039061996	17.5	15.5	16.7	NORMALE
9	202039064296	4.0	11.0	6.8	NORMALE
10	202039069765	17.5	19.0	18.1	NORMALE
11	191939065946	13.0	15.25	13.9	NORMALE
12	202039067185	17.0	11.0	14.6	NORMALE
13	202039069739	18.0	11.25	15.3	NORMALE
14	202039061712	17.0	13.5	15.6	NORMALE
15	202039064669	14.5	15.5	14.9	NORMALE
16	202039072256	17.0	13.25	15.5	NORMALE
17	202039062995	18.0	16.0	17.2	NORMALE
18	191939069694	15.8	15.8	15.8	NORMALE
19	181839068247	0.0	0.0	0.0	NORMALE
20	202039061993	9.0	15.0	11.4	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	12.5	16.5	14.1	NORMALE
23	20079067639	9.5	0.0	5.7	NORMALE
24	202039065554	20.0	17.75	19.1	NORMALE
25	202039069788	17.0	12.5	15.2	NORMALE
26	202039071047	12.5	14.5	13.3	NORMALE
27	202039071553	19.0	15.0	17.4	NORMALE
28	202039071643	20.0	15.5	18.2	NORMALE
29	202039070281	15.5	10.0	13.3	NORMALE
30	202039069733	18.0	17.0	17.6	NORMALE
31	202039062792	18.0	16.75	17.5	NORMALE
32	202039062860	17.0	15.25	16.3	NORMALE
33	202039069688	20.0	13.75	17.5	NORMALE
34	202039067224	17.0	11.5	14.8	NORMALE
35	202039071006	8.5	12.5	10.1	NORMALE
36	202039065467	14.5	16.0	15.1	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Méthodes numériques / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	15.0	18.5	16.4	NORMALE
2	202039069791	15.5	10.38	13.45	NORMALE
3	202039065493	19.0	18.0	18.6	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	17.5	16.25	17.0	NORMALE
6	202039066373	12.0	15.75	13.5	NORMALE
7	202039063807	8.0	15.0	10.8	NORMALE
8	202034016206	12.0	12.13	12.05	NORMALE
9	181839050202	12.5	11.0	11.9	NORMALE
10	202039071719	20.0	19.0	19.6	NORMALE
11	202039067844	12.0	11.63	11.85	NORMALE
12	202039070143	17.5	10.13	14.55	NORMALE
13	191939068659	12.5	10.38	11.65	NORMALE
14	202039067207	12.5	10.13	11.55	NORMALE
15	191939065518	4.0	13.5	7.8	NORMALE
16	202039062174	10.0	12.5	11.0	NORMALE
17	181839066240	4.0	0.0	2.4	NORMALE
18	202039061924	7.5	12.25	9.4	NORMALE
19	202039066429	13.5	13.75	13.6	NORMALE
20	202039064336	12.5	10.63	11.75	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	18.0	17.5	17.8	NORMALE
23	202039067198	12.0	10.38	11.35	NORMALE
24	202039066103	5.5	14.5	9.1	NORMALE
25	202039062963	12.0	13.5	12.6	NORMALE
26	202039070918	19.5	15.75	18.0	NORMALE
27	202039062201	12.0	17.5	14.2	NORMALE
28	202039069665	12.5	13.5	12.9	NORMALE
29	202039064313	12.5	11.13	11.95	NORMALE
30	191939073174	11.0	11.0	11.0	NORMALE
31	202039062216	12.0	13.88	12.75	NORMALE
32	202039063387	20.0	20.0	20.0	NORMALE
33	191939054565	0.0	0.0	0.0	NORMALE
34	202039063561	7.5	13.63	9.95	NORMALE
35	202039066144	12.5	14.25	13.2	NORMALE
36	202039065507	17.0	14.75	16.1	NORMALE
37	202039071723	19.5	17.25	18.6	NORMALE
38	202039065109	20.0	20.0	20.0	NORMALE
39	202039065450	17.0	16.5	16.8	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Méthodes numériques / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	18.5	12.0	15.9	NORMALE
2	202039070150	10.0	12.25	10.9	NORMALE
3	202039064538	7.0	13.0	9.4	NORMALE
4	202039067225	13.0	14.25	13.5	NORMALE
5	191939066762	5.0	11.0	7.4	NORMALE
6	202039062689	12.0	13.5	12.6	NORMALE
7	202039067220	13.0	12.5	12.8	NORMALE
8	202039066105	4.0	9.5	6.2	NORMALE
9	202039069772	7.5	17.75	11.6	NORMALE
10	202039062175	0.0	14.25	5.7	NORMALE
11	202039076231	19.5	17.75	18.8	NORMALE
12	171739051075	5.5	10.0	7.3	NORMALE
13	202039062636	15.0	10.25	13.1	NORMALE
14	202039063584	13.0	15.0	13.8	NORMALE
15	202039067271	8.0	13.13	10.05	NORMALE
16	202039064260	3.5	10.0	6.1	NORMALE
17	202039071750	17.0	11.0	14.6	NORMALE
18	202039069494	10.0	15.0	12.0	NORMALE
19	202039067252	7.5	10.25	8.6	NORMALE
20	202039062005	3.0	0.0	1.8	NORMALE
21	202039065531	6.0	11.0	8.0	NORMALE
22	202039065517	5.5	10.88	7.65	NORMALE
23	202039063582	13.0	15.75	14.1	NORMALE
24	202039065530	7.0	14.25	9.9	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	3.5	10.5	6.3	NORMALE
27	181839071025	12.6	12.6	12.6	NORMALE
28	202039067116	12.0	15.0	13.2	NORMALE
29	202039067742	3.5	13.88	7.65	NORMALE
30	202039062962	6.0	10.5	7.8	NORMALE
31	202039063765	4.0	10.25	6.5	NORMALE
32	202039066378	12.0	9.13	10.85	NORMALE
33	202039065535	13.5	16.25	14.6	NORMALE
34	202039065495	3.5	15.0	8.1	NORMALE
35	202039071166	3.5	14.0	7.7	NORMALE
36	202039065539	7.5	10.0	8.5	NORMALE
37	202039065521	14.0	15.75	14.7	NORMALE
38	202039062830	3.0	13.25	7.1	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: production de l'énergie elect / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	5.0	0.0	5.0	NORMALE
2	191939067657	3.0	0.0	3.0	NORMALE
3	202039069737	4.0	0.0	4.0	NORMALE
4	202039065534	9.0	0.0	9.0	NORMALE
5	202039066167	12.0	0.0	12.0	NORMALE
6	202039062177	3.0	0.0	3.0	NORMALE
7	202039067362	8.0	0.0	8.0	NORMALE
8	202039062908	3.0	0.0	3.0	NORMALE
9	191939065952	2.0	0.0	2.0	NORMALE
10	202039066160	5.0	0.0	5.0	NORMALE
11	202039063851	13.0	0.0	13.0	NORMALE
12	202039065512	4.0	0.0	4.0	NORMALE
13	202039068925	5.0	0.0	5.0	NORMALE
14	202039065516	6.5	0.0	6.5	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	7.0	0.0	7.0	NORMALE
17	202039070262	3.0	0.0	3.0	NORMALE
18	202039067732	3.0	0.0	3.0	NORMALE
19	202039066061	14.0	0.0	14.0	NORMALE
20	202039061728	4.0	0.0	4.0	NORMALE
21	202039068940	8.0	0.0	8.0	NORMALE
22	202039067137	6.0	0.0	6.0	NORMALE
23	202039068439	3.0	0.0	3.0	NORMALE
24	202039069773	4.0	0.0	4.0	NORMALE
25	202039068503	5.0	0.0	5.0	NORMALE
26	191939072418	8.0	0.0	8.0	NORMALE
27	202039072271	3.0	0.0	3.0	NORMALE
28	202039065537	10.0	0.0	10.0	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	4.0	0.0	4.0	NORMALE
31	202039069672	15.0	0.0	15.0	NORMALE
32	202039069721	6.0	0.0	6.0	NORMALE
33	202039065511	5.0	0.0	5.0	NORMALE
34	202039066410	3.0	0.0	3.0	NORMALE
35	181539073679	9.0	0.0	9.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: production de l'énergie elect / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	8.0	0.0	8.0	NORMALE
2	202039064568	3.0	0.0	3.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	8.0	0.0	8.0	NORMALE
5	191939072105	2.0	0.0	2.0	NORMALE
6	202039071613	5.0	0.0	5.0	NORMALE
7	202039070189	4.0	0.0	4.0	NORMALE
8	202039061996	9.0	0.0	9.0	NORMALE
9	202039064296	5.0	0.0	5.0	NORMALE
10	202039069765	5.0	0.0	5.0	NORMALE
11	191939065946	11.0	0.0	11.0	NORMALE
12	202039067185	2.0	0.0	2.0	NORMALE
13	202039069739	3.0	0.0	3.0	NORMALE
14	202039061712	8.0	0.0	8.0	NORMALE
15	202039064669	4.0	0.0	4.0	NORMALE
16	202039072256	8.0	0.0	8.0	NORMALE
17	202039062995	6.0	0.0	6.0	NORMALE
18	191939069694	8.0	0.0	8.0	NORMALE
19	181839068247	0.0	0.0	0.0	NORMALE
20	202039061993	10.0	0.0	10.0	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	4.0	0.0	4.0	NORMALE
23	20079067639	4.0	0.0	4.0	NORMALE
24	202039065554	6.0	0.0	6.0	NORMALE
25	202039069788	3.0	0.0	3.0	NORMALE
26	202039071047	3.0	0.0	3.0	NORMALE
27	202039071553	2.0	0.0	2.0	NORMALE
28	202039071643	5.0	0.0	5.0	NORMALE
29	202039070281	3.0	0.0	3.0	NORMALE
30	202039069733	8.0	0.0	8.0	NORMALE
31	202039062792	4.0	0.0	4.0	NORMALE
32	202039062860	3.0	0.0	3.0	NORMALE
33	202039069688	4.0	0.0	4.0	NORMALE
34	202039067224	5.0	0.0	5.0	NORMALE
35	202039071006	7.0	0.0	7.0	NORMALE
36	202039065467	9.0	0.0	9.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: production de l'énergie elect / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	15.0	0.0	15.0	NORMALE
2	202039069791	10.0	0.0	10.0	NORMALE
3	202039065493	5.0	0.0	5.0	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	5.0	0.0	5.0	NORMALE
6	202039066373	3.0	0.0	3.0	NORMALE
7	202039063807	16.5	0.0	16.5	NORMALE
8	202034016206	7.5	0.0	7.5	NORMALE
9	181839050202	13.0	0.0	13.0	NORMALE
10	202039071719	10.0	0.0	10.0	NORMALE
11	202039067844	6.0	0.0	6.0	NORMALE
12	202039070143	3.0	0.0	3.0	NORMALE
13	191939068659	13.0	0.0	13.0	NORMALE
14	202039067207	11.0	0.0	11.0	NORMALE
15	191939065518	8.0	0.0	8.0	NORMALE
16	202039062174	4.5	0.0	4.5	NORMALE
17	181839066240	3.0	0.0	3.0	NORMALE
18	202039061924	2.0	0.0	2.0	NORMALE
19	202039066429	4.0	0.0	4.0	NORMALE
20	202039064336	6.0	0.0	6.0	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	10.0	0.0	10.0	NORMALE
23	202039067198	3.5	0.0	3.5	NORMALE
24	202039066103	4.0	0.0	4.0	NORMALE
25	202039062963	4.0	0.0	4.0	NORMALE
26	202039070918	3.0	0.0	3.0	NORMALE
27	202039062201	3.5	0.0	3.5	NORMALE
28	202039069665	15.0	0.0	15.0	NORMALE
29	202039064313	7.0	0.0	7.0	NORMALE
30	191939073174	4.0	0.0	4.0	NORMALE
31	202039062216	4.5	0.0	4.5	NORMALE
32	202039063387	16.0	0.0	16.0	NORMALE
33	191939054565	0.0	0.0	0.0	NORMALE
34	202039063561	6.0	0.0	6.0	NORMALE
35	202039066144	9.0	0.0	9.0	NORMALE
36	202039065507	3.0	0.0	3.0	NORMALE
37	202039071723	6.0	0.0	6.0	NORMALE
38	202039065109	4.0	0.0	4.0	NORMALE
39	202039065450	3.0	0.0	3.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: production de l'energie elect / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	3.0	0.0	3.0	NORMALE
2	202039070150	4.5	0.0	4.5	NORMALE
3	202039064538	3.0	0.0	3.0	NORMALE
4	202039067225	8.0	0.0	8.0	NORMALE
5	191939066762	6.0	0.0	6.0	NORMALE
6	202039062689	3.0	0.0	3.0	NORMALE
7	202039067220	9.0	0.0	9.0	NORMALE
8	202039066105	3.0	0.0	3.0	NORMALE
9	202039069772	3.0	0.0	3.0	NORMALE
10	202039062175	5.0	0.0	5.0	NORMALE
11	202039076231	14.0	0.0	14.0	NORMALE
12	171739051075	13.0	0.0	13.0	NORMALE
13	202039062636	4.0	0.0	4.0	NORMALE
14	202039063584	3.0	0.0	3.0	NORMALE
15	202039067271	4.0	0.0	4.0	NORMALE
16	202039064260	3.5	0.0	3.5	NORMALE
17	202039071750	8.0	0.0	8.0	NORMALE
18	202039069494	10.0	0.0	10.0	NORMALE
19	202039067252	3.5	0.0	3.5	NORMALE
20	202039062005	0.0	0.0	0.0	NORMALE
21	202039065531	3.0	0.0	3.0	NORMALE
22	202039065517	8.0	0.0	8.0	NORMALE
23	202039063582	3.0	0.0	3.0	NORMALE
24	202039065530	7.0	0.0	7.0	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	3.0	0.0	3.0	NORMALE
27	181839071025	2.5	0.0	2.5	NORMALE
28	202039067116	6.0	0.0	6.0	NORMALE
29	202039067742	3.0	0.0	3.0	NORMALE
30	202039062962	4.0	0.0	4.0	NORMALE
31	202039063765	3.0	0.0	3.0	NORMALE
32	202039066378	3.0	0.0	3.0	NORMALE
33	202039065535	1.0	0.0	1.0	NORMALE
34	202039065495	3.0	0.0	3.0	NORMALE
35	202039071166	4.5	0.0	4.5	NORMALE
36	202039065539	3.0	0.0	3.0	NORMALE
37	202039065521	2.0	0.0	2.0	NORMALE
38	202039062830	6.0	0.0	6.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: sécurité électrique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	6.0	0.0	6.0	NORMALE
2	191939067657	5.0	0.0	5.0	NORMALE
3	202039069737	6.0	0.0	6.0	NORMALE
4	202039065534	6.0	0.0	6.0	NORMALE
5	202039066167	8.0	0.0	8.0	NORMALE
6	202039062177	6.0	0.0	6.0	NORMALE
7	202039067362	10.0	0.0	10.0	NORMALE
8	202039062908	6.0	0.0	6.0	NORMALE
9	191939065952	6.0	0.0	6.0	NORMALE
10	202039066160	8.0	0.0	8.0	NORMALE
11	202039063851	6.0	0.0	6.0	NORMALE
12	202039065512	6.0	0.0	6.0	NORMALE
13	202039068925	6.0	0.0	6.0	NORMALE
14	202039065516	6.0	0.0	6.0	NORMALE
15	1902438177	6.0	0.0	6.0	NORMALE
16	202039062965	6.0	0.0	6.0	NORMALE
17	202039070262	6.0	0.0	6.0	NORMALE
18	202039067732	9.0	0.0	9.0	NORMALE
19	202039066061	15.0	0.0	15.0	NORMALE
20	202039061728	6.0	0.0	6.0	NORMALE
21	202039068940	8.0	0.0	8.0	NORMALE
22	202039067137	6.0	0.0	6.0	NORMALE
23	202039068439	6.0	0.0	6.0	NORMALE
24	202039069773	8.0	0.0	8.0	NORMALE
25	202039068503	6.0	0.0	6.0	NORMALE
26	191939072418	6.0	0.0	6.0	NORMALE
27	202039072271	6.0	0.0	6.0	NORMALE
28	202039065537	7.0	0.0	7.0	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	9.0	0.0	9.0	NORMALE
31	202039069672	15.0	0.0	15.0	NORMALE
32	202039069721	6.0	0.0	6.0	NORMALE
33	202039065511	6.0	0.0	6.0	NORMALE
34	202039066410	6.0	0.0	6.0	NORMALE
35	181539073679	11.0	0.0	11.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: sécurité électrique / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	6.0	0.0	6.0	NORMALE
2	202039064568	6.0	0.0	6.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	0.0	0.0	NORMALE
5	191939072105	5.0	0.0	5.0	NORMALE
6	202039071613	6.0	0.0	6.0	NORMALE
7	202039070189	6.0	0.0	6.0	NORMALE
8	202039061996	5.0	0.0	5.0	NORMALE
9	202039064296	8.0	0.0	8.0	NORMALE
10	202039069765	10.0	0.0	10.0	NORMALE
11	191939065946	6.0	0.0	6.0	NORMALE
12	202039067185	5.0	0.0	5.0	NORMALE
13	202039069739	6.0	0.0	6.0	NORMALE
14	202039061712	6.0	0.0	6.0	NORMALE
15	202039064669	6.0	0.0	6.0	NORMALE
16	202039072256	6.0	0.0	6.0	NORMALE
17	202039062995	6.0	0.0	6.0	NORMALE
18	191939069694	5.0	0.0	5.0	NORMALE
19	181839068247	0.0	0.0	0.0	NORMALE
20	202039061993	6.0	0.0	6.0	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	6.0	0.0	6.0	NORMALE
23	20079067639	6.0	0.0	6.0	NORMALE
24	202039065554	6.0	0.0	6.0	NORMALE
25	202039069788	5.0	0.0	5.0	NORMALE
26	202039071047	8.0	0.0	8.0	NORMALE
27	202039071553	6.0	0.0	6.0	NORMALE
28	202039071643	6.0	0.0	6.0	NORMALE
29	202039070281	5.0	0.0	5.0	NORMALE
30	202039069733	10.0	0.0	10.0	NORMALE
31	202039062792	6.0	0.0	6.0	NORMALE
32	202039062860	6.0	0.0	6.0	NORMALE
33	202039069688	6.0	0.0	6.0	NORMALE
34	202039067224	5.0	0.0	5.0	NORMALE
35	202039071006	5.0	0.0	5.0	NORMALE
36	202039065467	6.0	0.0	6.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: sécurité électrique / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	10.0	0.0	10.0	NORMALE
2	202039069791	5.0	0.0	5.0	NORMALE
3	202039065493	14.0	0.0	14.0	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	10.0	0.0	10.0	NORMALE
6	202039066373	8.0	0.0	8.0	NORMALE
7	202039063807	7.0	0.0	7.0	NORMALE
8	202034016206	6.0	0.0	6.0	NORMALE
9	181839050202	11.0	0.0	11.0	NORMALE
10	202039071719	11.0	0.0	11.0	NORMALE
11	202039067844	6.0	0.0	6.0	NORMALE
12	202039070143	11.0	0.0	11.0	NORMALE
13	191939068659	6.0	0.0	6.0	NORMALE
14	202039067207	8.0	0.0	8.0	NORMALE
15	191939065518	5.0	0.0	5.0	NORMALE
16	202039062174	6.0	0.0	6.0	NORMALE
17	181839066240	5.0	0.0	5.0	NORMALE
18	202039061924	6.0	0.0	6.0	NORMALE
19	202039066429	10.0	0.0	10.0	NORMALE
20	202039064336	5.0	0.0	5.0	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	9.0	0.0	9.0	NORMALE
23	202039067198	0.0	0.0	0.0	NORMALE
24	202039066103	10.0	0.0	10.0	NORMALE
25	202039062963	6.0	0.0	6.0	NORMALE
26	202039070918	12.0	0.0	12.0	NORMALE
27	202039062201	6.0	0.0	6.0	NORMALE
28	202039069665	8.0	0.0	8.0	NORMALE
29	202039064313	6.0	0.0	6.0	NORMALE
30	191939073174	6.0	0.0	6.0	NORMALE
31	202039062216	6.0	0.0	6.0	NORMALE
32	202039063387	12.0	0.0	12.0	NORMALE
33	191939054565	0.0	0.0	0.0	NORMALE
34	202039063561	5.0	0.0	5.0	NORMALE
35	202039066144	10.0	0.0	10.0	NORMALE
36	202039065507	10.0	0.0	10.0	NORMALE
37	202039071723	10.0	0.0	10.0	NORMALE
38	202039065109	12.0	0.0	12.0	NORMALE
39	202039065450	6.0	0.0	6.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: sécurité électrique / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	14.0	0.0	14.0	NORMALE
2	202039070150	10.0	0.0	10.0	NORMALE
3	202039064538	6.0	0.0	6.0	NORMALE
4	202039067225	12.0	0.0	12.0	NORMALE
5	191939066762	8.0	0.0	8.0	NORMALE
6	202039062689	8.0	0.0	8.0	NORMALE
7	202039067220	8.0	0.0	8.0	NORMALE
8	202039066105	8.0	0.0	8.0	NORMALE
9	202039069772	6.0	0.0	6.0	NORMALE
10	202039062175	6.0	0.0	6.0	NORMALE
11	202039076231	19.0	0.0	19.0	NORMALE
12	171739051075	13.0	0.0	13.0	NORMALE
13	202039062636	6.0	0.0	6.0	NORMALE
14	202039063584	10.0	0.0	10.0	NORMALE
15	202039067271	5.0	0.0	5.0	NORMALE
16	202039064260	5.0	0.0	5.0	NORMALE
17	202039071750	6.0	0.0	6.0	NORMALE
18	202039069494	13.0	0.0	13.0	NORMALE
19	202039067252	8.0	0.0	8.0	NORMALE
20	202039062005	5.0	0.0	5.0	NORMALE
21	202039065531	6.0	0.0	6.0	NORMALE
22	202039065517	9.0	0.0	9.0	NORMALE
23	202039063582	10.0	0.0	10.0	NORMALE
24	202039065530	16.5	0.0	16.5	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	6.0	0.0	6.0	NORMALE
27	181839071025	5.0	0.0	5.0	NORMALE
28	202039067116	11.0	0.0	11.0	NORMALE
29	202039067742	6.0	0.0	6.0	NORMALE
30	202039062962	5.0	0.0	5.0	NORMALE
31	202039063765	8.0	0.0	8.0	NORMALE
32	202039066378	5.0	0.0	5.0	NORMALE
33	202039065535	11.0	0.0	11.0	NORMALE
34	202039065495	15.0	0.0	15.0	NORMALE
35	202039071166	6.0	0.0	6.0	NORMALE
36	202039065539	5.0	0.0	5.0	NORMALE
37	202039065521	6.0	0.0	6.0	NORMALE
38	202039062830	5.0	0.0	5.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Techniques d'expression et de communication / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	18.0	0.0	18.0	NORMALE
2	191939067657	11.0	0.0	11.0	NORMALE
3	202039069737	16.0	0.0	16.0	NORMALE
4	202039065534	16.0	0.0	16.0	NORMALE
5	202039066167	18.0	0.0	18.0	NORMALE
6	202039062177	15.0	0.0	15.0	NORMALE
7	202039067362	13.5	0.0	13.5	NORMALE
8	202039062908	15.0	0.0	15.0	NORMALE
9	191939065952	11.0	0.0	11.0	NORMALE
10	202039066160	14.0	0.0	14.0	NORMALE
11	202039063851	9.0	0.0	9.0	NORMALE
12	202039065512	18.0	0.0	18.0	NORMALE
13	202039068925	17.5	0.0	17.5	NORMALE
14	202039065516	12.0	0.0	12.0	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	5.0	0.0	5.0	NORMALE
17	202039070262	14.0	0.0	14.0	NORMALE
18	202039067732	14.0	0.0	14.0	NORMALE
19	202039066061	19.0	0.0	19.0	NORMALE
20	202039061728	19.0	0.0	19.0	NORMALE
21	202039068940	9.0	0.0	9.0	NORMALE
22	202039067137	13.0	0.0	13.0	NORMALE
23	202039068439	18.0	0.0	18.0	NORMALE
24	202039069773	16.0	0.0	16.0	NORMALE
25	202039068503	1.0	0.0	1.0	NORMALE
26	191939072418	16.0	0.0	16.0	NORMALE
27	202039072271	13.0	0.0	13.0	NORMALE
28	202039065537	16.0	0.0	16.0	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	6.0	0.0	6.0	NORMALE
31	202039069672	20.0	0.0	20.0	NORMALE
32	202039069721	19.0	0.0	19.0	NORMALE
33	202039065511	10.0	0.0	10.0	NORMALE
34	202039066410	15.0	0.0	15.0	NORMALE
35	181539073679	12.5	0.0	12.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Techniques d'expression et de communication / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	15.0	0.0	15.0	NORMALE
2	202039064568	13.0	0.0	13.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	14.0	0.0	14.0	NORMALE
5	191939072105	18.0	0.0	18.0	NORMALE
6	202039071613	16.0	0.0	16.0	NORMALE
7	202039070189	15.0	0.0	15.0	NORMALE
8	202039061996	16.0	0.0	16.0	NORMALE
9	202039064296	13.0	0.0	13.0	NORMALE
10	202039069765	18.0	0.0	18.0	NORMALE
11	191939065946	13.0	0.0	13.0	NORMALE
12	202039067185	15.0	0.0	15.0	NORMALE
13	202039069739	12.0	0.0	12.0	NORMALE
14	202039061712	13.0	0.0	13.0	NORMALE
15	202039064669	19.0	0.0	19.0	NORMALE
16	202039072256	15.0	0.0	15.0	NORMALE
17	202039062995	18.0	0.0	18.0	NORMALE
18	191939069694	8.0	0.0	8.0	NORMALE
19	181839068247	0.0	0.0	0.0	NORMALE
20	202039061993	9.0	0.0	9.0	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	13.0	0.0	13.0	NORMALE
23	20079067639	0.0	0.0	0.0	NORMALE
24	202039065554	10.0	0.0	10.0	NORMALE
25	202039069788	6.0	0.0	6.0	NORMALE
26	202039071047	15.5	0.0	15.5	NORMALE
27	202039071553	15.0	0.0	15.0	NORMALE
28	202039071643	17.0	0.0	17.0	NORMALE
29	202039070281	0.0	0.0	0.0	NORMALE
30	202039069733	18.0	0.0	18.0	NORMALE
31	202039062792	16.0	0.0	16.0	NORMALE
32	202039062860	13.0	0.0	13.0	NORMALE
33	202039069688	13.0	0.0	13.0	NORMALE
34	202039067224	0.0	0.0	0.0	NORMALE
35	202039071006	12.0	0.0	12.0	NORMALE
36	202039065467	19.0	0.0	19.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Techniques d'expression et de communication / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	19.0	0.0	19.0	NORMALE
2	202039069791	5.0	0.0	5.0	NORMALE
3	202039065493	18.0	0.0	18.0	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	15.0	0.0	15.0	NORMALE
6	202039066373	14.0	0.0	14.0	NORMALE
7	202039063807	15.0	0.0	15.0	NORMALE
8	202034016206	16.0	0.0	16.0	NORMALE
9	181839050202	15.5	0.0	15.5	NORMALE
10	202039071719	17.0	0.0	17.0	NORMALE
11	202039067844	19.0	0.0	19.0	NORMALE
12	202039070143	20.0	0.0	20.0	NORMALE
13	191939068659	13.0	0.0	13.0	NORMALE
14	202039067207	16.0	0.0	16.0	NORMALE
15	191939065518	16.0	0.0	16.0	NORMALE
16	202039062174	6.0	0.0	6.0	NORMALE
17	181839066240	14.0	0.0	14.0	NORMALE
18	202039061924	17.0	0.0	17.0	NORMALE
19	202039066429	14.0	0.0	14.0	NORMALE
20	202039064336	14.0	0.0	14.0	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	18.0	0.0	18.0	NORMALE
23	202039067198	11.0	0.0	11.0	NORMALE
24	202039066103	10.0	0.0	10.0	NORMALE
25	202039062963	11.0	0.0	11.0	NORMALE
26	202039070918	16.0	0.0	16.0	NORMALE
27	202039062201	18.5	0.0	18.5	NORMALE
28	202039069665	17.0	0.0	17.0	NORMALE
29	202039064313	16.0	0.0	16.0	NORMALE
30	191939073174	12.0	0.0	12.0	NORMALE
31	202039062216	17.0	0.0	17.0	NORMALE
32	202039063387	20.0	0.0	20.0	NORMALE
33	191939054565	2.5	0.0	2.5	NORMALE
34	202039063561	16.0	0.0	16.0	NORMALE
35	202039066144	15.0	0.0	15.0	NORMALE
36	202039065507	16.0	0.0	16.0	NORMALE
37	202039071723	19.0	0.0	19.0	NORMALE
38	202039065109	17.0	0.0	17.0	NORMALE
39	202039065450	15.0	0.0	15.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Techniques d'expression et de communication / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	14.0	0.0	14.0	NORMALE
2	202039070150	13.0	0.0	13.0	NORMALE
3	202039064538	12.0	0.0	12.0	NORMALE
4	202039067225	6.0	0.0	6.0	NORMALE
5	191939066762	12.0	0.0	12.0	NORMALE
6	202039062689	17.0	0.0	17.0	NORMALE
7	202039067220	16.0	0.0	16.0	NORMALE
8	202039066105	9.0	0.0	9.0	NORMALE
9	202039069772	17.0	0.0	17.0	NORMALE
10	202039062175	16.0	0.0	16.0	NORMALE
11	202039076231	14.0	0.0	14.0	NORMALE
12	171739051075	19.0	0.0	19.0	NORMALE
13	202039062636	13.0	0.0	13.0	NORMALE
14	202039063584	10.0	0.0	10.0	NORMALE
15	202039067271	16.0	0.0	16.0	NORMALE
16	202039064260	13.0	0.0	13.0	NORMALE
17	202039071750	18.0	0.0	18.0	NORMALE
18	202039069494	15.0	0.0	15.0	NORMALE
19	202039067252	18.0	0.0	18.0	NORMALE
20	202039062005	16.0	0.0	16.0	NORMALE
21	202039065531	15.0	0.0	15.0	NORMALE
22	202039065517	18.0	0.0	18.0	NORMALE
23	202039063582	14.0	0.0	14.0	NORMALE
24	202039065530	16.0	0.0	16.0	NORMALE
25	181439072334	11.5	0.0	11.5	NORMALE
26	202039070114	16.0	0.0	16.0	NORMALE
27	181839071025	11.0	0.0	11.0	NORMALE
28	202039067116	15.0	0.0	15.0	NORMALE
29	202039067742	14.0	0.0	14.0	NORMALE
30	202039062962	13.0	0.0	13.0	NORMALE
31	202039063765	10.0	0.0	10.0	NORMALE
32	202039066378	0.0	0.0	0.0	NORMALE
33	202039065535	15.0	0.0	15.0	NORMALE
34	202039065495	17.0	0.0	17.0	NORMALE
35	202039071166	15.0	0.0	15.0	NORMALE
36	202039065539	8.0	0.0	8.0	NORMALE
37	202039065521	15.0	0.0	15.0	NORMALE
38	202039062830	13.0	0.0	13.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: théorie du signal / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	14.0	19.0	16.0	NORMALE
2	191939067657	2.5	8.0	4.7	NORMALE
3	202039069737	13.5	17.0	14.9	NORMALE
4	202039065534	13.0	14.0	13.4	NORMALE
5	202039066167	19.0	19.0	19.0	NORMALE
6	202039062177	13.0	15.5	14.0	NORMALE
7	202039067362	11.0	15.5	12.8	NORMALE
8	202039062908	18.0	17.5	17.8	NORMALE
9	191939065952	11.0	12.5	11.6	NORMALE
10	202039066160	13.0	14.5	13.6	NORMALE
11	202039063851	14.0	20.0	16.4	NORMALE
12	202039065512	12.0	12.0	12.0	NORMALE
13	202039068925	14.0	12.0	13.2	NORMALE
14	202039065516	11.0	11.0	11.0	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	17.0	14.5	16.0	NORMALE
17	202039070262	14.0	16.0	14.8	NORMALE
18	202039067732	12.0	11.0	11.6	NORMALE
19	202039066061	20.0	20.0	20.0	NORMALE
20	202039061728	16.0	16.5	16.2	NORMALE
21	202039068940	4.5	11.0	7.1	NORMALE
22	202039067137	14.0	14.5	14.2	NORMALE
23	202039068439	13.0	14.0	13.4	NORMALE
24	202039069773	13.0	20.0	15.8	NORMALE
25	202039068503	5.0	19.0	10.6	NORMALE
26	191939072418	14.0	12.0	13.2	NORMALE
27	202039072271	0.0	0.0	0.0	NORMALE
28	202039065537	2.5	0.0	1.5	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	4.0	0.0	2.4	NORMALE
31	202039069672	16.0	17.0	16.4	NORMALE
32	202039069721	10.0	19.0	13.6	NORMALE
33	202039065511	6.0	8.0	6.8	NORMALE
34	202039066410	4.0	12.0	7.2	NORMALE
35	181539073679	12.7	12.7	12.7	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: théorie du signal / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	11.0	14.0	12.2	NORMALE
2	202039064568	6.0	8.0	6.8	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	0.0	0.0	NORMALE
5	191939072105	10.1	10.1	10.1	NORMALE
6	202039071613	15.5	10.0	13.3	NORMALE
7	202039070189	16.5	19.0	17.5	NORMALE
8	202039061996	18.0	19.0	18.4	NORMALE
9	202039064296	4.0	10.0	6.4	NORMALE
10	202039069765	11.0	16.0	13.0	NORMALE
11	191939065946	13.0	18.0	15.0	NORMALE
12	202039067185	14.0	11.0	12.8	NORMALE
13	202039069739	0.0	10.0	4.0	NORMALE
14	202039061712	13.5	13.0	13.3	NORMALE
15	202039064669	13.0	17.5	14.8	NORMALE
16	202039072256	12.5	18.0	14.7	NORMALE
17	202039062995	13.0	17.0	14.6	NORMALE
18	191939069694	10.1	10.1	10.1	NORMALE
19	181839068247	0.0	0.0	0.0	NORMALE
20	202039061993	15.0	16.0	15.4	NORMALE
21	171739064740	0.0	0.0	0.0	NORMALE
22	202039068192	10.0	13.5	11.4	NORMALE
23	20079067639	3.5	15.0	8.1	NORMALE
24	202039065554	15.0	20.0	17.0	NORMALE
25	202039069788	5.0	0.0	3.0	NORMALE
26	202039071047	6.0	15.0	9.6	NORMALE
27	202039071553	3.5	11.0	6.5	NORMALE
28	202039071643	14.0	12.0	13.2	NORMALE
29	202039070281	4.5	13.0	7.9	NORMALE
30	202039069733	18.0	19.0	18.4	NORMALE
31	202039062792	16.5	12.0	14.7	NORMALE
32	202039062860	16.0	18.0	16.8	NORMALE
33	202039069688	11.0	14.0	12.2	NORMALE
34	202039067224	3.5	11.0	6.5	NORMALE
35	202039071006	5.0	11.0	7.4	NORMALE
36	202039065467	10.0	15.5	12.2	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: théorie du signal / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	14.5	15.5	14.9	NORMALE
2	202039069791	10.0	12.0	10.8	NORMALE
3	202039065493	13.0	15.0	13.8	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	16.5	13.0	15.1	NORMALE
6	202039066373	12.5	16.75	14.2	NORMALE
7	202039063807	14.0	14.0	14.0	NORMALE
8	202034016206	2.5	13.5	6.9	NORMALE
9	181839050202	10.8	10.8	10.8	NORMALE
10	202039071719	17.5	16.75	17.2	NORMALE
11	202039067844	16.0	13.5	15.0	NORMALE
12	202039070143	14.5	15.0	14.7	NORMALE
13	191939068659	11.0	13.0	11.8	NORMALE
14	202039067207	13.0	14.5	13.6	NORMALE
15	191939065518	13.0	13.75	13.3	NORMALE
16	202039062174	15.0	14.25	14.7	NORMALE
17	181839066240	0.0	0.0	0.0	NORMALE
18	202039061924	13.0	13.0	13.0	NORMALE
19	202039066429	16.0	12.0	14.4	NORMALE
20	202039064336	10.0	14.0	11.6	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	16.0	15.75	15.9	NORMALE
23	202039067198	16.0	15.0	15.6	NORMALE
24	202039066103	15.0	15.0	15.0	NORMALE
25	202039062963	12.0	16.0	13.6	NORMALE
26	202039070918	13.0	16.75	14.5	NORMALE
27	202039062201	15.0	16.0	15.4	NORMALE
28	202039069665	16.0	17.0	16.4	NORMALE
29	202039064313	15.0	17.0	15.8	NORMALE
30	191939073174	9.8	9.8	9.8	NORMALE
31	202039062216	12.0	14.0	12.8	NORMALE
32	202039063387	18.0	18.75	18.3	NORMALE
33	191939054565	0.0	0.0	0.0	NORMALE
34	202039063561	12.0	13.0	12.4	NORMALE
35	202039066144	15.0	13.25	14.3	NORMALE
36	202039065507	14.0	18.25	15.7	NORMALE
37	202039071723	16.0	15.75	15.9	NORMALE
38	202039065109	15.5	18.0	16.5	NORMALE
39	202039065450	13.0	15.5	14.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: théorie du signal / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	13.0	18.0	15.0	NORMALE
2	202039070150	12.0	13.0	12.4	NORMALE
3	202039064538	0.0	14.0	5.6	NORMALE
4	202039067225	4.5	14.5	8.5	NORMALE
5	191939066762	3.5	10.0	6.1	NORMALE
6	202039062689	14.0	19.5	16.2	NORMALE
7	202039067220	12.0	19.0	14.8	NORMALE
8	202039066105	12.0	14.0	12.8	NORMALE
9	202039069772	14.0	20.0	16.4	NORMALE
10	202039062175	16.0	16.5	16.2	NORMALE
11	202039076231	17.0	17.5	17.2	NORMALE
12	171739051075	10.05	10.05	10.05	NORMALE
13	202039062636	8.0	14.0	10.4	NORMALE
14	202039063584	10.0	16.0	12.4	NORMALE
15	202039067271	12.0	13.5	12.6	NORMALE
16	202039064260	3.5	10.0	6.1	NORMALE
17	202039071750	12.0	14.0	12.8	NORMALE
18	202039069494	16.0	18.5	17.0	NORMALE
19	202039067252	10.0	14.5	11.8	NORMALE
20	202039062005	0.0	14.0	5.6	NORMALE
21	202039065531	3.5	8.0	5.3	NORMALE
22	202039065517	10.0	18.5	13.4	NORMALE
23	202039063582	14.0	15.0	14.4	NORMALE
24	202039065530	12.0	13.0	12.4	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	3.5	15.0	8.1	NORMALE
27	181839071025	8.6	8.6	8.6	NORMALE
28	202039067116	18.0	18.5	18.2	NORMALE
29	202039067742	3.5	11.0	6.5	NORMALE
30	202039062962	4.0	15.0	8.4	NORMALE
31	202039063765	4.5	14.5	8.5	NORMALE
32	202039066378	6.0	13.5	9.0	NORMALE
33	202039065535	12.0	16.5	13.8	NORMALE
34	202039065495	17.5	16.5	17.1	NORMALE
35	202039071166	16.0	18.5	17.0	NORMALE
36	202039065539	4.0	13.0	7.6	NORMALE
37	202039065521	13.0	18.0	15.0	NORMALE
38	202039062830	16.0	18.0	16.8	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP élecrotechnique fondamentale 2 / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	0.0	12.0	12.0	NORMALE
2	191939067657	0.0	10.0	10.0	NORMALE
3	202039069737	0.0	18.0	18.0	NORMALE
4	202039065534	0.0	16.0	16.0	NORMALE
5	202039066167	0.0	17.0	17.0	NORMALE
6	202039062177	0.0	12.0	12.0	NORMALE
7	202039067362	0.0	18.0	18.0	NORMALE
8	202039062908	0.0	12.0	12.0	NORMALE
9	191939065952	0.0	18.0	18.0	NORMALE
10	202039066160	0.0	14.0	14.0	NORMALE
11	202039063851	0.0	18.0	18.0	NORMALE
12	202039065512	0.0	18.0	18.0	NORMALE
13	202039068925	0.0	10.0	10.0	NORMALE
14	202039065516	0.0	18.0	18.0	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	0.0	18.0	18.0	NORMALE
17	202039070262	0.0	18.0	18.0	NORMALE
18	202039067732	0.0	14.0	14.0	NORMALE
19	202039066061	0.0	16.0	16.0	NORMALE
20	202039061728	0.0	15.0	15.0	NORMALE
21	202039068940	0.0	0.0	0.0	NORMALE
22	202039067137	0.0	16.0	16.0	NORMALE
23	202039068439	0.0	16.0	16.0	NORMALE
24	202039069773	0.0	18.0	18.0	NORMALE
25	202039068503	0.0	18.0	18.0	NORMALE
26	191939072418	0.0	14.0	14.0	NORMALE
27	202039072271	0.0	11.0	11.0	NORMALE
28	202039065537	0.0	12.0	12.0	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	0.0	14.0	14.0	NORMALE
31	202039069672	0.0	18.0	18.0	NORMALE
32	202039069721	0.0	18.0	18.0	NORMALE
33	202039065511	0.0	14.0	14.0	NORMALE
34	202039066410	0.0	16.0	16.0	NORMALE
35	181539073679	0.0	9.0	9.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP électrotechnique fondamentale 2 / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	0.0	14.0	14.0	NORMALE
2	202039064568	0.0	18.0	18.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	18.0	18.0	NORMALE
5	191939072105	0.0	13.0	13.0	NORMALE
6	202039071613	0.0	12.0	12.0	NORMALE
7	202039070189	0.0	17.0	17.0	NORMALE
8	202039061996	0.0	18.0	18.0	NORMALE
9	202039064296	0.0	0.0	0.0	NORMALE
10	202039069765	0.0	18.0	18.0	NORMALE
11	191939065946	0.0	18.0	18.0	NORMALE
12	202039067185	0.0	16.0	16.0	NORMALE
13	202039069739	0.0	17.0	17.0	NORMALE
14	202039061712	0.0	18.0	18.0	NORMALE
15	202039064669	0.0	12.0	12.0	NORMALE
16	202039072256	0.0	18.0	18.0	NORMALE
17	202039062995	0.0	15.0	15.0	NORMALE
18	191939069694	0.0	0.0	0.0	NORMALE
19	181839068247	0.0	12.0	12.0	NORMALE
20	202039061993	0.0	12.0	12.0	NORMALE
21	171739064740	0.0	11.5	11.5	NORMALE
22	202039068192	0.0	18.0	18.0	NORMALE
23	20079067639	0.0	17.0	17.0	NORMALE
24	202039065554	0.0	18.0	18.0	NORMALE
25	202039069788	0.0	0.0	0.0	NORMALE
26	202039071047	0.0	17.0	17.0	NORMALE
27	202039071553	0.0	18.0	18.0	NORMALE
28	202039071643	0.0	0.0	0.0	NORMALE
29	202039070281	0.0	0.0	0.0	NORMALE
30	202039069733	0.0	18.0	18.0	NORMALE
31	202039062792	0.0	16.5	16.5	NORMALE
32	202039062860	0.0	18.0	18.0	NORMALE
33	202039069688	0.0	18.0	18.0	NORMALE
34	202039067224	0.0	15.0	15.0	NORMALE
35	202039071006	0.0	18.0	18.0	NORMALE
36	202039065467	0.0	18.0	18.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP élecotrotechnique fondamentale 2 / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	0.0	14.0	14.0	NORMALE
2	202039069791	0.0	0.0	0.0	NORMALE
3	202039065493	0.0	18.0	18.0	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	0.0	18.0	18.0	NORMALE
6	202039066373	0.0	14.0	14.0	NORMALE
7	202039063807	0.0	17.0	17.0	NORMALE
8	202034016206	0.0	10.0	10.0	NORMALE
9	181839050202	0.0	13.0	13.0	NORMALE
10	202039071719	0.0	18.0	18.0	NORMALE
11	202039067844	0.0	10.0	10.0	NORMALE
12	202039070143	0.0	17.0	17.0	NORMALE
13	191939068659	0.0	12.0	12.0	NORMALE
14	202039067207	0.0	18.0	18.0	NORMALE
15	191939065518	0.0	12.0	12.0	NORMALE
16	202039062174	0.0	14.0	14.0	NORMALE
17	181839066240	0.0	13.0	13.0	NORMALE
18	202039061924	0.0	10.0	10.0	NORMALE
19	202039066429	0.0	10.0	10.0	NORMALE
20	202039064336	0.0	16.0	16.0	NORMALE
21	181839063054	0.0	11.0	11.0	NORMALE
22	202039066157	0.0	18.0	18.0	NORMALE
23	202039067198	0.0	13.0	13.0	NORMALE
24	202039066103	0.0	16.0	16.0	NORMALE
25	202039062963	0.0	18.0	18.0	NORMALE
26	202039070918	0.0	18.0	18.0	NORMALE
27	202039062201	0.0	18.0	18.0	NORMALE
28	202039069665	0.0	18.0	18.0	NORMALE
29	202039064313	0.0	18.0	18.0	NORMALE
30	191939073174	0.0	14.0	14.0	NORMALE
31	202039062216	0.0	14.0	14.0	NORMALE
32	202039063387	0.0	18.0	18.0	NORMALE
33	191939054565	0.0	12.0	12.0	NORMALE
34	202039063561	0.0	0.0	0.0	NORMALE
35	202039066144	0.0	12.0	12.0	NORMALE
36	202039065507	0.0	18.0	18.0	NORMALE
37	202039071723	0.0	18.0	18.0	NORMALE
38	202039065109	0.0	13.0	13.0	NORMALE
39	202039065450	0.0	14.0	14.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP électrotechnique fondamentale 2 / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	0.0	14.0	14.0	NORMALE
2	202039070150	0.0	10.0	10.0	NORMALE
3	202039064538	0.0	11.0	11.0	NORMALE
4	202039067225	0.0	11.0	11.0	NORMALE
5	191939066762	0.0	10.0	10.0	NORMALE
6	202039062689	0.0	18.0	18.0	NORMALE
7	202039067220	0.0	18.0	18.0	NORMALE
8	202039066105	0.0	14.0	14.0	NORMALE
9	202039069772	0.0	12.0	12.0	NORMALE
10	202039062175	0.0	12.0	12.0	NORMALE
11	202039076231	0.0	18.0	18.0	NORMALE
12	171739051075	0.0	12.0	12.0	NORMALE
13	202039062636	0.0	12.0	12.0	NORMALE
14	202039063584	0.0	18.0	18.0	NORMALE
15	202039067271	0.0	13.0	13.0	NORMALE
16	202039064260	0.0	0.0	0.0	NORMALE
17	202039071750	0.0	10.0	10.0	NORMALE
18	202039069494	0.0	12.0	12.0	NORMALE
19	202039067252	0.0	17.0	17.0	NORMALE
20	202039062005	0.0	10.0	10.0	NORMALE
21	202039065531	0.0	10.0	10.0	NORMALE
22	202039065517	0.0	10.0	10.0	NORMALE
23	202039063582	0.0	18.0	18.0	NORMALE
24	202039065530	0.0	14.0	14.0	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	0.0	0.0	0.0	NORMALE
27	181839071025	0.0	13.25	13.25	NORMALE
28	202039067116	0.0	10.0	10.0	NORMALE
29	202039067742	0.0	10.0	10.0	NORMALE
30	202039062962	0.0	13.0	13.0	NORMALE
31	202039063765	0.0	16.0	16.0	NORMALE
32	202039066378	0.0	0.0	0.0	NORMALE
33	202039065535	0.0	10.0	10.0	NORMALE
34	202039065495	0.0	10.0	10.0	NORMALE
35	202039071166	0.0	12.0	12.0	NORMALE
36	202039065539	0.0	10.0	10.0	NORMALE
37	202039065521	0.0	12.0	12.0	NORMALE
38	202039062830	0.0	10.0	10.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP logique combinatoire et séquentielle / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	0.0	13.5	13.5	NORMALE
2	191939067657	0.0	6.0	6.0	NORMALE
3	202039069737	0.0	11.63	11.63	NORMALE
4	202039065534	0.0	11.25	11.25	NORMALE
5	202039066167	0.0	10.75	10.75	NORMALE
6	202039062177	0.0	12.5	12.5	NORMALE
7	202039067362	0.0	13.75	13.75	NORMALE
8	202039062908	0.0	11.0	11.0	NORMALE
9	191939065952	0.0	13.75	13.75	NORMALE
10	202039066160	0.0	11.5	11.5	NORMALE
11	202039063851	0.0	12.63	12.63	NORMALE
12	202039065512	0.0	12.5	12.5	NORMALE
13	202039068925	0.0	11.5	11.5	NORMALE
14	202039065516	0.0	11.25	11.25	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	0.0	13.25	13.25	NORMALE
17	202039070262	0.0	10.75	10.75	NORMALE
18	202039067732	0.0	12.5	12.5	NORMALE
19	202039066061	0.0	13.38	13.38	NORMALE
20	202039061728	0.0	13.75	13.75	NORMALE
21	202039068940	0.0	5.0	5.0	NORMALE
22	202039067137	0.0	13.75	13.75	NORMALE
23	202039068439	0.0	13.0	13.0	NORMALE
24	202039069773	0.0	10.63	10.63	NORMALE
25	202039068503	0.0	12.5	12.5	NORMALE
26	191939072418	0.0	13.75	13.75	NORMALE
27	202039072271	0.0	5.88	5.88	NORMALE
28	202039065537	0.0	5.88	5.88	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	0.0	12.25	12.25	NORMALE
31	202039069672	0.0	13.5	13.5	NORMALE
32	202039069721	0.0	11.63	11.63	NORMALE
33	202039065511	0.0	11.25	11.25	NORMALE
34	202039066410	0.0	13.5	13.5	NORMALE
35	181539073679	0.0	15.33	15.33	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP logique combinatoire et séquentielle / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	0.0	10.13	10.13	NORMALE
2	202039064568	0.0	9.75	9.75	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	12.25	12.25	NORMALE
5	191939072105	0.0	6.0	6.0	NORMALE
6	202039071613	0.0	8.75	8.75	NORMALE
7	202039070189	0.0	9.63	9.63	NORMALE
8	202039061996	0.0	11.75	11.75	NORMALE
9	202039064296	0.0	7.0	7.0	NORMALE
10	202039069765	0.0	9.5	9.5	NORMALE
11	191939065946	0.0	10.13	10.13	NORMALE
12	202039067185	0.0	12.25	12.25	NORMALE
13	202039069739	0.0	5.38	5.38	NORMALE
14	202039061712	0.0	10.38	10.38	NORMALE
15	202039064669	0.0	10.38	10.38	NORMALE
16	202039072256	0.0	10.5	10.5	NORMALE
17	202039062995	0.0	11.0	11.0	NORMALE
18	191939069694	0.0	3.88	3.88	NORMALE
19	181839068247	0.0	0.0	0.0	NORMALE
20	202039061993	0.0	11.0	11.0	NORMALE
21	171739064740	0.0	10.0	10.0	NORMALE
22	202039068192	0.0	10.13	10.13	NORMALE
23	20079067639	0.0	12.25	12.25	NORMALE
24	202039065554	0.0	11.88	11.88	NORMALE
25	202039069788	0.0	7.13	7.13	NORMALE
26	202039071047	0.0	10.13	10.13	NORMALE
27	202039071553	0.0	10.5	10.5	NORMALE
28	202039071643	0.0	10.5	10.5	NORMALE
29	202039070281	0.0	7.0	7.0	NORMALE
30	202039069733	0.0	8.75	8.75	NORMALE
31	202039062792	0.0	6.5	6.5	NORMALE
32	202039062860	0.0	8.75	8.75	NORMALE
33	202039069688	0.0	9.38	9.38	NORMALE
34	202039067224	0.0	12.25	12.25	NORMALE
35	202039071006	0.0	12.0	12.0	NORMALE
36	202039065467	0.0	9.5	9.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP logique combinatoire et séquentielle / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	0.0	12.25	12.25	NORMALE
2	202039069791	0.0	3.33	3.33	NORMALE
3	202039065493	0.0	14.5	14.5	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	0.0	11.63	11.63	NORMALE
6	202039066373	0.0	11.63	11.63	NORMALE
7	202039063807	0.0	12.0	12.0	NORMALE
8	202034016206	0.0	11.63	11.63	NORMALE
9	181839050202	0.0	10.0	10.0	NORMALE
10	202039071719	0.0	14.5	14.5	NORMALE
11	202039067844	0.0	13.63	13.63	NORMALE
12	202039070143	0.0	12.13	12.13	NORMALE
13	191939068659	0.0	11.75	11.75	NORMALE
14	202039067207	0.0	13.25	13.25	NORMALE
15	191939065518	0.0	13.5	13.5	NORMALE
16	202039062174	0.0	10.75	10.75	NORMALE
17	181839066240	0.0	5.75	5.75	NORMALE
18	202039061924	0.0	14.25	14.25	NORMALE
19	202039066429	0.0	11.75	11.75	NORMALE
20	202039064336	0.0	11.63	11.63	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	0.0	13.63	13.63	NORMALE
23	202039067198	0.0	11.63	11.63	NORMALE
24	202039066103	0.0	11.63	11.63	NORMALE
25	202039062963	0.0	11.5	11.5	NORMALE
26	202039070918	0.0	11.5	11.5	NORMALE
27	202039062201	0.0	12.13	12.13	NORMALE
28	202039069665	0.0	13.25	13.25	NORMALE
29	202039064313	0.0	11.63	11.63	NORMALE
30	191939073174	0.0	11.63	11.63	NORMALE
31	202039062216	0.0	11.5	11.5	NORMALE
32	202039063387	0.0	13.63	13.63	NORMALE
33	191939054565	0.0	0.0	0.0	NORMALE
34	202039063561	0.0	14.5	14.5	NORMALE
35	202039066144	0.0	12.75	12.75	NORMALE
36	202039065507	0.0	11.5	11.5	NORMALE
37	202039071723	0.0	11.75	11.75	NORMALE
38	202039065109	0.0	13.25	13.25	NORMALE
39	202039065450	0.0	13.5	13.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP logique combinatoire et séquentielle / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	0.0	11.38	11.38	NORMALE
2	202039070150	0.0	12.15	12.15	NORMALE
3	202039064538	0.0	10.75	10.75	NORMALE
4	202039067225	0.0	10.25	10.25	NORMALE
5	191939066762	0.0	9.88	9.88	NORMALE
6	202039062689	0.0	11.75	11.75	NORMALE
7	202039067220	0.0	10.63	10.63	NORMALE
8	202039066105	0.0	9.63	9.63	NORMALE
9	202039069772	0.0	9.5	9.5	NORMALE
10	202039062175	0.0	11.88	11.88	NORMALE
11	202039076231	0.0	10.63	10.63	NORMALE
12	171739051075	0.0	10.0	10.0	NORMALE
13	202039062636	0.0	11.5	11.5	NORMALE
14	202039063584	0.0	11.38	11.38	NORMALE
15	202039067271	0.0	10.0	10.0	NORMALE
16	202039064260	0.0	0.0	0.0	NORMALE
17	202039071750	0.0	11.38	11.38	NORMALE
18	202039069494	0.0	10.0	10.0	NORMALE
19	202039067252	0.0	10.63	10.63	NORMALE
20	202039062005	0.0	8.63	8.63	NORMALE
21	202039065531	0.0	11.75	11.75	NORMALE
22	202039065517	0.0	12.15	12.15	NORMALE
23	202039063582	0.0	11.38	11.38	NORMALE
24	202039065530	0.0	9.88	9.88	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	0.0	11.5	11.5	NORMALE
27	181839071025	0.0	5.5	5.5	NORMALE
28	202039067116	0.0	11.5	11.5	NORMALE
29	202039067742	0.0	10.75	10.75	NORMALE
30	202039062962	0.0	11.5	11.5	NORMALE
31	202039063765	0.0	10.63	10.63	NORMALE
32	202039066378	0.0	8.88	8.88	NORMALE
33	202039065535	0.0	11.25	11.25	NORMALE
34	202039065495	0.0	12.75	12.75	NORMALE
35	202039071166	0.0	12.15	12.15	NORMALE
36	202039065539	0.0	12.42	12.42	NORMALE
37	202039065521	0.0	10.0	10.0	NORMALE
38	202039062830	0.0	11.63	11.63	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Tp Méthodes numériques / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039061893	0.0	16.0	16.0	NORMALE
2	191939067657	0.0	17.0	17.0	NORMALE
3	202039069737	0.0	13.0	13.0	NORMALE
4	202039065534	0.0	14.0	14.0	NORMALE
5	202039066167	0.0	18.0	18.0	NORMALE
6	202039062177	0.0	17.0	17.0	NORMALE
7	202039067362	0.0	10.0	10.0	NORMALE
8	202039062908	0.0	19.0	19.0	NORMALE
9	191939065952	0.0	10.0	10.0	NORMALE
10	202039066160	0.0	14.0	14.0	NORMALE
11	202039063851	0.0	10.5	10.5	NORMALE
12	202039065512	0.0	10.0	10.0	NORMALE
13	202039068925	0.0	10.5	10.5	NORMALE
14	202039065516	0.0	15.75	15.75	NORMALE
15	1902438177	0.0	0.0	0.0	NORMALE
16	202039062965	0.0	19.0	19.0	NORMALE
17	202039070262	0.0	19.0	19.0	NORMALE
18	202039067732	0.0	16.0	16.0	NORMALE
19	202039066061	0.0	19.0	19.0	NORMALE
20	202039061728	0.0	17.0	17.0	NORMALE
21	202039068940	0.0	15.0	15.0	NORMALE
22	202039067137	0.0	19.0	19.0	NORMALE
23	202039068439	0.0	14.0	14.0	NORMALE
24	202039069773	0.0	13.0	13.0	NORMALE
25	202039068503	0.0	14.0	14.0	NORMALE
26	191939072418	0.0	17.0	17.0	NORMALE
27	202039072271	0.0	10.0	10.0	NORMALE
28	202039065537	0.0	15.0	15.0	NORMALE
29	202039063798	0.0	0.0	0.0	NORMALE
30	202039077041	0.0	17.0	17.0	NORMALE
31	202039069672	0.0	16.0	16.0	NORMALE
32	202039069721	0.0	13.0	13.0	NORMALE
33	202039065511	0.0	11.0	11.0	NORMALE
34	202039066410	0.0	10.0	10.0	NORMALE
35	181539073679	0.0	12.5	12.5	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Tp Méthodes numériques / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039062966	0.0	16.0	16.0	NORMALE
2	202039064568	0.0	16.0	16.0	NORMALE
3	191939067105	0.0	0.0	0.0	NORMALE
4	202039067348	0.0	11.5	11.5	NORMALE
5	191939072105	0.0	11.0	11.0	NORMALE
6	202039071613	0.0	14.0	14.0	NORMALE
7	202039070189	0.0	17.0	17.0	NORMALE
8	202039061996	0.0	17.0	17.0	NORMALE
9	202039064296	0.0	10.0	10.0	NORMALE
10	202039069765	0.0	19.0	19.0	NORMALE
11	191939065946	0.0	16.0	16.0	NORMALE
12	202039067185	0.0	11.0	11.0	NORMALE
13	202039069739	0.0	11.25	11.25	NORMALE
14	202039061712	0.0	13.5	13.5	NORMALE
15	202039064669	0.0	16.0	16.0	NORMALE
16	202039072256	0.0	14.0	14.0	NORMALE
17	202039062995	0.0	18.0	18.0	NORMALE
18	191939069694	0.0	10.0	10.0	NORMALE
19	181839068247	0.0	0.0	0.0	NORMALE
20	202039061993	0.0	16.0	16.0	NORMALE
21	171739064740	0.0	13.0	13.0	NORMALE
22	202039068192	0.0	17.0	17.0	NORMALE
23	20079067639	0.0	17.0	17.0	NORMALE
24	202039065554	0.0	18.0	18.0	NORMALE
25	202039069788	0.0	10.25	10.25	NORMALE
26	202039071047	0.0	16.0	16.0	NORMALE
27	202039071553	0.0	17.0	17.0	NORMALE
28	202039071643	0.0	17.0	17.0	NORMALE
29	202039070281	0.0	10.0	10.0	NORMALE
30	202039069733	0.0	17.0	17.0	NORMALE
31	202039062792	0.0	18.0	18.0	NORMALE
32	202039062860	0.0	17.0	17.0	NORMALE
33	202039069688	0.0	13.75	13.75	NORMALE
34	202039067224	0.0	11.5	11.5	NORMALE
35	202039071006	0.0	16.0	16.0	NORMALE
36	202039065467	0.0	18.0	18.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Tp Méthodes numériques / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039063850	0.0	18.5	18.5	NORMALE
2	202039069791	0.0	10.38	10.38	NORMALE
3	202039065493	0.0	18.0	18.0	NORMALE
4	202039071928	0.0	0.0	0.0	NORMALE
5	202039067113	0.0	19.0	19.0	NORMALE
6	202039066373	0.0	17.0	17.0	NORMALE
7	202039063807	0.0	15.0	15.0	NORMALE
8	202034016206	0.0	13.0	13.0	NORMALE
9	181839050202	0.0	13.5	13.5	NORMALE
10	202039071719	0.0	19.0	19.0	NORMALE
11	202039067844	0.0	12.0	12.0	NORMALE
12	202039070143	0.0	10.13	10.13	NORMALE
13	191939068659	0.0	10.38	10.38	NORMALE
14	202039067207	0.0	10.13	10.13	NORMALE
15	191939065518	0.0	13.5	13.5	NORMALE
16	202039062174	0.0	12.5	12.5	NORMALE
17	181839066240	0.0	0.0	0.0	NORMALE
18	202039061924	0.0	12.25	12.25	NORMALE
19	202039066429	0.0	13.75	13.75	NORMALE
20	202039064336	0.0	10.63	10.63	NORMALE
21	181839063054	0.0	0.0	0.0	NORMALE
22	202039066157	0.0	18.0	18.0	NORMALE
23	202039067198	0.0	10.38	10.38	NORMALE
24	202039066103	0.0	17.0	17.0	NORMALE
25	202039062963	0.0	10.0	10.0	NORMALE
26	202039070918	0.0	17.0	17.0	NORMALE
27	202039062201	0.0	18.0	18.0	NORMALE
28	202039069665	0.0	13.5	13.5	NORMALE
29	202039064313	0.0	12.0	12.0	NORMALE
30	191939073174	0.0	0.0	0.0	NORMALE
31	202039062216	0.0	17.0	17.0	NORMALE
32	202039063387	0.0	20.0	20.0	NORMALE
33	191939054565	0.0	11.0	11.0	NORMALE
34	202039063561	0.0	17.0	17.0	NORMALE
35	202039066144	0.0	15.0	15.0	NORMALE
36	202039065507	0.0	17.0	17.0	NORMALE
37	202039071723	0.0	17.25	17.25	NORMALE
38	202039065109	0.0	20.0	20.0	NORMALE
39	202039065450	0.0	17.0	17.0	NORMALE

2021/2022

Filière: electrotechnique
electrotechnique

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Tp Méthodes numériques / Section A / 4

#	Matricule	Examen	CC	MG	Session
1	202039065509	0.0	13.0	13.0	NORMALE
2	202039070150	0.0	12.25	12.25	NORMALE
3	202039064538	0.0	11.75	11.75	NORMALE
4	202039067225	0.0	17.0	17.0	NORMALE
5	191939066762	0.0	10.25	10.25	NORMALE
6	202039062689	0.0	17.0	17.0	NORMALE
7	202039067220	0.0	15.0	15.0	NORMALE
8	202039066105	0.0	10.0	10.0	NORMALE
9	202039069772	0.0	15.0	15.0	NORMALE
10	202039062175	0.0	11.0	11.0	NORMALE
11	202039076231	0.0	18.0	18.0	NORMALE
12	171739051075	0.0	13.25	13.25	NORMALE
13	202039062636	0.0	10.25	10.25	NORMALE
14	202039063584	0.0	17.5	17.5	NORMALE
15	202039067271	0.0	17.0	17.0	NORMALE
16	202039064260	0.0	10.0	10.0	NORMALE
17	202039071750	0.0	10.0	10.0	NORMALE
18	202039069494	0.0	17.0	17.0	NORMALE
19	202039067252	0.0	10.25	10.25	NORMALE
20	202039062005	0.0	0.0	0.0	NORMALE
21	202039065531	0.0	10.0	10.0	NORMALE
22	202039065517	0.0	10.88	10.88	NORMALE
23	202039063582	0.0	17.5	17.5	NORMALE
24	202039065530	0.0	15.0	15.0	NORMALE
25	181439072334	0.0	0.0	0.0	NORMALE
26	202039070114	0.0	10.5	10.5	NORMALE
27	181839071025	0.0	10.0	10.0	NORMALE
28	202039067116	0.0	15.0	15.0	NORMALE
29	202039067742	0.0	17.0	17.0	NORMALE
30	202039062962	0.0	10.5	10.5	NORMALE
31	202039063765	0.0	10.25	10.25	NORMALE
32	202039066378	0.0	10.0	10.0	NORMALE
33	202039065535	0.0	17.0	17.0	NORMALE
34	202039065495	0.0	17.0	17.0	NORMALE
35	202039071166	0.0	17.0	17.0	NORMALE
36	202039065539	0.0	10.0	10.0	NORMALE
37	202039065521	0.0	17.0	17.0	NORMALE
38	202039062830	0.0	17.0	17.0	NORMALE