



2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Chimie des solution / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	8.0	8.0	8.0	NORMALE
2	182035065803	5.0	6.0	5.4	NORMALE
3	202039066811	8.0	6.0	7.2	NORMALE
4	202039066546	7.0	6.0	6.6	NORMALE
5	202039064320	5.0	6.5	5.6	NORMALE
6	202039072055	6.0	8.0	6.8	NORMALE
7	202039069800	8.0	7.0	7.6	NORMALE
8	202039077193	8.0	6.0	7.2	NORMALE
9	181839071084	4.0	0.0	2.4	NORMALE
10	202039067846	6.0	6.0	6.0	NORMALE
11	202039067845	6.0	0.0	3.6	NORMALE
12	202039066147	6.0	6.0	6.0	NORMALE
13	202039075788	5.0	6.0	5.4	NORMALE
14	202039064300	5.0	6.0	5.4	NORMALE
15	202039065601	5.0	6.0	5.4	NORMALE
16	202039065184	5.0	6.0	5.4	NORMALE
17	202039071744	10.0	6.0	8.4	NORMALE
18	192039077138	15.0	20.0	17.0	NORMALE
19	202039067800	5.0	6.0	5.4	NORMALE
20	191939068019	5.0	0.0	3.0	NORMALE
21	202039062173	5.0	8.0	6.2	NORMALE
22	202039065127	6.0	7.0	6.4	NORMALE
23	202039065481	5.0	6.0	5.4	NORMALE
24	181839073639	6.0	7.0	6.4	NORMALE
25	202039050726	4.0	6.0	4.8	NORMALE
26	161639057189	6.0	0.0	3.6	NORMALE
27	202039069801	8.0	6.0	7.2	NORMALE
28	202039066854	6.0	6.0	6.0	NORMALE
29	202039065576	10.0	6.0	8.4	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	6.0	6.0	6.0	NORMALE
32	202039065612	7.0	6.0	6.6	NORMALE
33	202039065610	9.0	6.0	7.8	NORMALE
34	202039062224	5.0	9.0	6.6	NORMALE
35	202039066510	5.0	7.0	5.8	NORMALE
36	202039065595	6.0	6.0	6.0	NORMALE
37	202039064241	6.0	6.0	6.0	NORMALE
38	202039069511	5.0	6.0	5.4	NORMALE
39	202039062750	7.0	6.0	6.6	NORMALE
40	202039062577	8.0	19.0	12.4	NORMALE
41	202039063404	5.0	6.0	5.4	NORMALE
42	202039062981	14.0	20.0	16.4	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Chimie des solution / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	6.0	2.4	NORMALE
2	202039066755	7.0	18.0	11.4	NORMALE
3	202039067377	0.0	0.0	0.0	NORMALE
4	202039065452	13.0	8.0	11.0	NORMALE
5	202039067268	5.0	6.0	5.4	NORMALE
6	202039072062	5.0	9.0	6.6	NORMALE
7	202039062137	6.0	6.0	6.0	NORMALE
8	191939067589	4.0	6.0	4.8	NORMALE
9	202039063566	5.0	7.0	5.8	NORMALE
10	181839063087	4.0	0.0	2.4	NORMALE
11	202039064229	9.0	9.0	9.0	NORMALE
12	202039066124	6.0	7.0	6.4	NORMALE
13	202039066130	12.0	8.0	10.4	NORMALE
14	202039065289	5.0	8.0	6.2	NORMALE
15	191939068888	6.0	8.0	6.8	NORMALE
16	191939071366	4.0	6.0	4.8	NORMALE
17	202039065598	7.0	7.0	7.0	NORMALE
18	191939063839	6.0	9.0	7.2	NORMALE
19	202039067355	6.0	6.0	6.0	NORMALE
20	202039062178	6.0	8.0	6.8	NORMALE
21	202039062196	6.0	6.0	6.0	NORMALE
22	202039066152	5.0	7.0	5.8	NORMALE
23	202039067673	7.0	0.0	4.2	NORMALE
24	202039071018	12.0	10.0	11.2	NORMALE
25	202039072253	7.0	6.0	6.6	NORMALE
26	202039071020	5.0	8.0	6.2	NORMALE
27	202039066541	4.0	8.0	5.6	NORMALE
28	202039066542	5.0	6.0	5.4	NORMALE
29	202039066142	9.0	6.0	7.8	NORMALE
30	202039062977	4.0	8.0	5.6	NORMALE
31	202039068938	6.0	6.0	6.0	NORMALE
32	171739066686	5.0	8.0	6.2	NORMALE
33	202039067342	5.0	8.0	6.2	NORMALE
34	202039066827	7.0	12.0	9.0	NORMALE
35	202039066548	7.0	6.0	6.6	NORMALE
36	202039063782	6.0	6.0	6.0	NORMALE
37	202039062979	7.0	0.0	4.2	NORMALE
38	202039062164	6.0	8.0	6.8	NORMALE
39	202039067799	9.0	6.0	7.8	NORMALE
40	202039071026	5.0	6.0	5.4	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Chimie des solution / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	5.0	8.0	6.2	NORMALE
2	162039077204	7.0	6.0	6.6	NORMALE
3	202039066743	7.0	6.0	6.6	NORMALE
4	202039062985	5.0	6.0	5.4	NORMALE
5	202039071044	6.0	6.0	6.0	NORMALE
6	191939071620	5.0	6.0	5.4	NORMALE
7	202039062618	2.0	6.0	3.6	NORMALE
8	202039076978	5.5	6.0	5.7	NORMALE
9	181839069056	6.0	0.0	3.6	NORMALE
10	202039063340	6.0	6.0	6.0	NORMALE
11	202039068236	5.0	6.0	5.4	NORMALE
12	202039070649	5.0	6.0	5.4	NORMALE
13	202039063485	5.0	6.0	5.4	NORMALE
14	202039066140	10.0	7.0	8.8	NORMALE
15	202039071931	9.0	6.0	7.8	NORMALE
16	202039065553	6.0	6.0	6.0	NORMALE
17	202039065573	7.0	8.0	7.4	NORMALE
18	202039065203	11.0	6.0	9.0	NORMALE
19	202039062165	13.0	8.0	11.0	NORMALE
20	202039066141	4.5	6.0	5.1	NORMALE
21	202039070146	6.0	8.0	6.8	NORMALE
22	202039063353	7.0	9.0	7.8	NORMALE
23	202039070671	5.0	7.0	5.8	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	5.0	9.0	6.6	NORMALE
26	202039065305	8.0	6.0	7.2	NORMALE
27	191939067661	5.0	8.0	6.2	NORMALE
28	202039065435	6.0	8.0	6.8	NORMALE
29	202039065250	7.0	10.0	8.2	NORMALE
30	202039065602	4.0	8.0	5.6	NORMALE
31	191939071369	4.0	6.0	4.8	NORMALE
32	202039072266	6.0	6.0	6.0	NORMALE
33	202039062083	5.0	7.0	5.8	NORMALE
34	202039062122	6.0	6.0	6.0	NORMALE
35	202039069283	4.0	6.0	4.8	NORMALE
36	202039067795	5.0	6.0	5.4	NORMALE
37	191939068891	5.0	8.0	6.2	NORMALE
38	202039067860	5.0	6.0	5.4	NORMALE
39	202039063547	4.0	6.0	4.8	NORMALE
40	191939063859	4.0	6.0	4.8	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Chimie organique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	11.0	14.2	12.28	NORMALE
2	182035065803	8.0	11.9	9.56	NORMALE
3	202039066811	12.0	14.5	13.0	NORMALE
4	202039066546	11.5	7.2	9.78	NORMALE
5	202039064320	10.0	14.1	11.64	NORMALE
6	202039072055	5.0	13.5	8.4	NORMALE
7	202039069800	8.0	13.3	10.12	NORMALE
8	202039077193	8.5	14.3	10.82	NORMALE
9	181839071084	0.0	0.0	0.0	NORMALE
10	202039067846	8.0	12.7	9.88	NORMALE
11	202039067845	8.5	13.0	10.3	NORMALE
12	202039066147	9.5	14.8	11.62	NORMALE
13	202039075788	7.0	13.4	9.56	NORMALE
14	202039064300	8.5	12.6	10.14	NORMALE
15	202039065601	11.0	12.3	11.52	NORMALE
16	202039065184	9.5	13.2	10.98	NORMALE
17	202039071744	4.0	13.8	7.92	NORMALE
18	192039077138	17.0	16.7	16.88	NORMALE
19	202039067800	10.0	14.0	11.6	NORMALE
20	191939068019	6.5	11.8	8.62	NORMALE
21	202039062173	9.5	12.8	10.82	NORMALE
22	202039065127	8.0	13.8	10.32	NORMALE
23	202039065481	7.0	13.3	9.52	NORMALE
24	181839073639	6.5	12.8	9.02	NORMALE
25	202039050726	4.0	12.5	7.4	NORMALE
26	161639057189	7.0	11.9	8.96	NORMALE
27	202039069801	10.0	13.8	11.52	NORMALE
28	202039066854	9.0	0.0	5.4	NORMALE
29	202039065576	5.0	13.0	8.2	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	3.5	13.1	7.34	NORMALE
32	202039065612	11.5	15.6	13.14	NORMALE
33	202039065610	10.0	14.2	11.68	NORMALE
34	202039062224	9.5	13.5	11.1	NORMALE
35	202039066510	5.5	12.8	8.42	NORMALE
36	202039065595	7.5	14.0	10.1	NORMALE
37	202039064241	6.0	12.6	8.64	NORMALE
38	202039069511	8.0	13.8	10.32	NORMALE
39	202039062750	9.0	14.0	11.0	NORMALE
40	202039062577	9.5	14.9	11.66	NORMALE
41	202039063404	7.5	13.3	9.82	NORMALE
42	202039062981	11.0	15.5	12.8	NORMALE

Signature de l'enseignant:

Le:

Page 4 sur 39

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Chimie organique / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	6.0	10.4	7.76	NORMALE
2	202039066755	10.0	13.9	11.56	NORMALE
3	202039067377	8.5	0.0	5.1	NORMALE
4	202039065452	8.5	14.1	10.74	NORMALE
5	202039067268	10.5	14.6	12.14	NORMALE
6	202039072062	9.5	13.6	11.14	NORMALE
7	202039062137	10.0	13.3	11.32	NORMALE
8	191939067589	14.0	12.5	13.4	NORMALE
9	202039063566	6.0	13.1	8.84	NORMALE
10	181839063087	7.0	0.0	4.2	NORMALE
11	202039064229	6.5	14.1	9.54	NORMALE
12	202039066124	7.5	13.2	9.78	NORMALE
13	202039066130	11.0	13.2	11.88	NORMALE
14	202039065289	10.0	13.4	11.36	NORMALE
15	191939068888	12.0	13.0	12.4	NORMALE
16	191939071366	12.5	11.1	11.94	NORMALE
17	202039065598	10.0	13.5	11.4	NORMALE
18	191939063839	8.0	14.31	10.52	NORMALE
19	202039067355	10.0	13.5	11.4	NORMALE
20	202039062178	8.0	13.3	10.12	NORMALE
21	202039062196	7.5	13.8	10.02	NORMALE
22	202039066152	10.0	13.2	11.28	NORMALE
23	202039067673	7.5	14.1	10.14	NORMALE
24	202039071018	11.0	13.8	12.12	NORMALE
25	202039072253	6.5	13.1	9.14	NORMALE
26	202039071020	9.0	12.7	10.48	NORMALE
27	202039066541	8.0	13.7	10.28	NORMALE
28	202039066542	8.0	9.8	8.72	NORMALE
29	202039066142	14.0	14.0	14.0	NORMALE
30	202039062977	8.0	13.1	10.04	NORMALE
31	202039068938	7.5	13.5	9.9	NORMALE
32	171739066686	6.0	13.2	8.88	NORMALE
33	202039067342	7.5	13.1	9.74	NORMALE
34	202039066827	8.0	13.3	10.12	NORMALE
35	202039066548	14.5	14.1	14.34	NORMALE
36	202039063782	6.5	0.0	3.9	NORMALE
37	202039062979	0.0	12.1	4.84	NORMALE
38	202039062164	12.5	13.6	12.94	NORMALE
39	202039067799	7.5	14.4	10.26	NORMALE
40	202039071026	11.5	13.3	12.22	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Chimie organique / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	10.5	14.3	12.02	NORMALE
2	162039077204	8.5	10.0	9.1	NORMALE
3	202039066743	5.5	12.6	8.34	NORMALE
4	202039062985	9.5	14.3	11.42	NORMALE
5	202039071044	7.5	12.3	9.42	NORMALE
6	191939071620	5.5	13.8	8.82	NORMALE
7	202039062618	7.5	12.1	9.34	NORMALE
8	202039076978	6.0	14.5	9.4	NORMALE
9	181839069056	10.3	10.3	10.3	NORMALE
10	202039063340	5.5	13.1	8.54	NORMALE
11	202039068236	8.0	12.9	9.96	NORMALE
12	202039070649	6.0	13.3	8.92	NORMALE
13	202039063485	7.5	14.5	10.3	NORMALE
14	202039066140	10.5	13.6	11.74	NORMALE
15	202039071931	7.5	13.3	9.82	NORMALE
16	202039065553	6.5	13.3	9.22	NORMALE
17	202039065573	11.0	12.5	11.6	NORMALE
18	202039065203	7.5	13.8	10.02	NORMALE
19	202039062165	14.0	13.3	13.72	NORMALE
20	202039066141	7.5	13.1	9.74	NORMALE
21	202039070146	6.0	14.8	9.52	NORMALE
22	202039063353	5.0	11.5	7.6	NORMALE
23	202039070671	12.0	13.0	12.4	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	12.5	7.2	10.38	NORMALE
26	202039065305	11.0	13.5	12.0	NORMALE
27	191939067661	8.0	12.3	9.72	NORMALE
28	202039065435	7.5	13.6	9.94	NORMALE
29	202039065250	14.0	14.8	14.32	NORMALE
30	202039065602	8.0	15.0	10.8	NORMALE
31	191939071369	7.5	11.8	9.22	NORMALE
32	202039072266	5.5	12.6	8.34	NORMALE
33	202039062083	7.5	13.1	9.74	NORMALE
34	202039062122	10.0	14.3	11.72	NORMALE
35	202039069283	8.5	13.3	10.42	NORMALE
36	202039067795	5.5	12.3	8.22	NORMALE
37	191939068891	10.0	13.1	11.24	NORMALE
38	202039067860	9.0	13.0	10.6	NORMALE
39	202039063547	8.0	12.8	9.92	NORMALE
40	191939063859	15.0	12.9	14.16	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Cinétique chimique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	10.0	0.0	10.0	NORMALE
2	182035065803	7.0	0.0	7.0	NORMALE
3	202039066811	12.0	0.0	12.0	NORMALE
4	202039066546	12.0	0.0	12.0	NORMALE
5	202039064320	14.0	0.0	14.0	NORMALE
6	202039072055	7.5	0.0	7.5	NORMALE
7	202039069800	4.5	0.0	4.5	NORMALE
8	202039077193	10.0	0.0	10.0	NORMALE
9	181839071084	0.5	0.0	0.5	NORMALE
10	202039067846	9.0	0.0	9.0	NORMALE
11	202039067845	12.0	0.0	12.0	NORMALE
12	202039066147	8.0	0.0	8.0	NORMALE
13	202039075788	11.5	0.0	11.5	NORMALE
14	202039064300	5.0	0.0	5.0	NORMALE
15	202039065601	14.5	0.0	14.5	NORMALE
16	202039065184	5.5	0.0	5.5	NORMALE
17	202039071744	10.5	0.0	10.5	NORMALE
18	192039077138	16.5	0.0	16.5	NORMALE
19	202039067800	9.5	0.0	9.5	NORMALE
20	191939068019	4.5	0.0	4.5	NORMALE
21	202039062173	8.0	0.0	8.0	NORMALE
22	202039065127	5.5	0.0	5.5	NORMALE
23	202039065481	8.0	0.0	8.0	NORMALE
24	181839073639	10.0	0.0	10.0	NORMALE
25	202039050726	3.0	0.0	3.0	NORMALE
26	161639057189	7.0	0.0	7.0	NORMALE
27	202039069801	7.5	0.0	7.5	NORMALE
28	202039066854	6.5	0.0	6.5	NORMALE
29	202039065576	15.5	0.0	15.5	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	5.0	0.0	5.0	NORMALE
32	202039065612	14.0	0.0	14.0	NORMALE
33	202039065610	10.25	0.0	10.25	NORMALE
34	202039062224	7.5	0.0	7.5	NORMALE
35	202039066510	14.0	0.0	14.0	NORMALE
36	202039065595	12.5	0.0	12.5	NORMALE
37	202039064241	7.5	0.0	7.5	NORMALE
38	202039069511	11.0	0.0	11.0	NORMALE
39	202039062750	5.0	0.0	5.0	NORMALE
40	202039062577	13.25	0.0	13.25	NORMALE
41	202039063404	6.0	0.0	6.0	NORMALE
42	202039062981	18.0	0.0	18.0	NORMALE

Signature de l'enseignant:

Le:

Page 7 sur 39

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Cinétique chimique / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	9.0	0.0	9.0	NORMALE
2	202039066755	15.0	0.0	15.0	NORMALE
3	202039067377	3.0	0.0	3.0	NORMALE
4	202039065452	16.0	0.0	16.0	NORMALE
5	202039067268	11.5	0.0	11.5	NORMALE
6	202039072062	11.0	0.0	11.0	NORMALE
7	202039062137	4.0	0.0	4.0	NORMALE
8	191939067589	7.75	0.0	7.75	NORMALE
9	202039063566	8.5	0.0	8.5	NORMALE
10	181839063087	14.5	0.0	14.5	NORMALE
11	202039064229	9.5	0.0	9.5	NORMALE
12	202039066124	11.0	0.0	11.0	NORMALE
13	202039066130	7.5	0.0	7.5	NORMALE
14	202039065289	13.0	0.0	13.0	NORMALE
15	191939068888	10.5	0.0	10.5	NORMALE
16	191939071366	11.0	0.0	11.0	NORMALE
17	202039065598	9.0	0.0	9.0	NORMALE
18	191939063839	15.0	0.0	15.0	NORMALE
19	202039067355	6.5	0.0	6.5	NORMALE
20	202039062178	10.0	0.0	10.0	NORMALE
21	202039062196	3.5	0.0	3.5	NORMALE
22	202039066152	9.5	0.0	9.5	NORMALE
23	202039067673	17.0	0.0	17.0	NORMALE
24	202039071018	7.0	0.0	7.0	NORMALE
25	202039072253	7.5	0.0	7.5	NORMALE
26	202039071020	5.0	0.0	5.0	NORMALE
27	202039066541	6.5	0.0	6.5	NORMALE
28	202039066542	4.5	0.0	4.5	NORMALE
29	202039066142	6.0	0.0	6.0	NORMALE
30	202039062977	4.0	0.0	4.0	NORMALE
31	202039068938	8.5	0.0	8.5	NORMALE
32	171739066686	10.5	0.0	10.5	NORMALE
33	202039067342	10.5	0.0	10.5	NORMALE
34	202039066827	16.5	0.0	16.5	NORMALE
35	202039066548	12.0	0.0	12.0	NORMALE
36	202039063782	5.0	0.0	5.0	NORMALE
37	202039062979	1.5	0.0	1.5	NORMALE
38	202039062164	9.5	0.0	9.5	NORMALE
39	202039067799	8.0	0.0	8.0	NORMALE
40	202039071026	8.0	0.0	8.0	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Cinétique chimique / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	3.0	0.0	3.0	NORMALE
2	162039077204	11.5	0.0	11.5	NORMALE
3	202039066743	18.0	0.0	18.0	NORMALE
4	202039062985	2.5	0.0	2.5	NORMALE
5	202039071044	7.0	0.0	7.0	NORMALE
6	191939071620	9.0	0.0	9.0	NORMALE
7	202039062618	9.5	0.0	9.5	NORMALE
8	202039076978	8.0	0.0	8.0	NORMALE
9	181839069056	14.0	0.0	14.0	NORMALE
10	202039063340	6.0	0.0	6.0	NORMALE
11	202039068236	7.5	0.0	7.5	NORMALE
12	202039070649	7.5	0.0	7.5	NORMALE
13	202039063485	7.5	0.0	7.5	NORMALE
14	202039066140	6.0	0.0	6.0	NORMALE
15	202039071931	12.0	0.0	12.0	NORMALE
16	202039065553	8.0	0.0	8.0	NORMALE
17	202039065573	3.0	0.0	3.0	NORMALE
18	202039065203	6.5	0.0	6.5	NORMALE
19	202039062165	14.5	0.0	14.5	NORMALE
20	202039066141	5.0	0.0	5.0	NORMALE
21	202039070146	12.5	0.0	12.5	NORMALE
22	202039063353	8.0	0.0	8.0	NORMALE
23	202039070671	7.0	0.0	7.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	8.0	0.0	8.0	NORMALE
26	202039065305	11.0	0.0	11.0	NORMALE
27	191939067661	8.0	0.0	8.0	NORMALE
28	202039065435	17.5	0.0	17.5	NORMALE
29	202039065250	17.0	0.0	17.0	NORMALE
30	202039065602	13.0	0.0	13.0	NORMALE
31	191939071369	4.5	0.0	4.5	NORMALE
32	202039072266	13.0	0.0	13.0	NORMALE
33	202039062083	9.5	0.0	9.5	NORMALE
34	202039062122	12.5	0.0	12.5	NORMALE
35	202039069283	13.0	0.0	13.0	NORMALE
36	202039067795	11.0	0.0	11.0	NORMALE
37	191939068891	8.0	0.0	8.0	NORMALE
38	202039067860	7.0	0.0	7.0	NORMALE
39	202039063547	4.5	0.0	4.5	NORMALE
40	191939063859	11.5	0.0	11.5	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Introduction au raffinage et à la pétrochimie / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	12.0	0.0	12.0	NORMALE
2	182035065803	10.0	0.0	10.0	NORMALE
3	202039066811	12.0	0.0	12.0	NORMALE
4	202039066546	12.5	0.0	12.5	NORMALE
5	202039064320	16.0	0.0	16.0	NORMALE
6	202039072055	12.5	0.0	12.5	NORMALE
7	202039069800	14.0	0.0	14.0	NORMALE
8	202039077193	9.0	0.0	9.0	NORMALE
9	181839071084	7.5	0.0	7.5	NORMALE
10	202039067846	9.5	0.0	9.5	NORMALE
11	202039067845	15.0	0.0	15.0	NORMALE
12	202039066147	8.0	0.0	8.0	NORMALE
13	202039075788	9.5	0.0	9.5	NORMALE
14	202039064300	9.0	0.0	9.0	NORMALE
15	202039065601	13.5	0.0	13.5	NORMALE
16	202039065184	10.0	0.0	10.0	NORMALE
17	202039071744	16.5	0.0	16.5	NORMALE
18	192039077138	15.5	0.0	15.5	NORMALE
19	202039067800	6.5	0.0	6.5	NORMALE
20	191939068019	10.5	0.0	10.5	NORMALE
21	202039062173	12.0	0.0	12.0	NORMALE
22	202039065127	11.5	0.0	11.5	NORMALE
23	202039065481	8.0	0.0	8.0	NORMALE
24	181839073639	14.0	0.0	14.0	NORMALE
25	202039050726	13.5	0.0	13.5	NORMALE
26	161639057189	7.5	0.0	7.5	NORMALE
27	202039069801	11.0	0.0	11.0	NORMALE
28	202039066854	9.0	0.0	9.0	NORMALE
29	202039065576	10.0	0.0	10.0	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	11.0	0.0	11.0	NORMALE
32	202039065612	18.0	0.0	18.0	NORMALE
33	202039065610	9.5	0.0	9.5	NORMALE
34	202039062224	10.5	0.0	10.5	NORMALE
35	202039066510	11.0	0.0	11.0	NORMALE
36	202039065595	11.5	0.0	11.5	NORMALE
37	202039064241	6.0	0.0	6.0	NORMALE
38	202039069511	8.5	0.0	8.5	NORMALE
39	202039062750	10.5	0.0	10.5	NORMALE
40	202039062577	15.0	0.0	15.0	NORMALE
41	202039063404	9.0	0.0	9.0	NORMALE
42	202039062981	16.5	0.0	16.5	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Introduction au raffinage et à la pétrochimie / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	14.0	0.0	14.0	NORMALE
2	202039066755	15.5	0.0	15.5	NORMALE
3	202039067377	5.5	0.0	5.5	NORMALE
4	202039065452	15.0	0.0	15.0	NORMALE
5	202039067268	9.5	0.0	9.5	NORMALE
6	202039072062	13.0	0.0	13.0	NORMALE
7	202039062137	9.5	0.0	9.5	NORMALE
8	191939067589	11.0	0.0	11.0	NORMALE
9	202039063566	12.5	0.0	12.5	NORMALE
10	181839063087	11.0	0.0	11.0	NORMALE
11	202039064229	11.5	0.0	11.5	NORMALE
12	202039066124	10.5	0.0	10.5	NORMALE
13	202039066130	12.0	0.0	12.0	NORMALE
14	202039065289	8.5	0.0	8.5	NORMALE
15	191939068888	13.5	0.0	13.5	NORMALE
16	191939071366	15.0	0.0	15.0	NORMALE
17	202039065598	11.0	0.0	11.0	NORMALE
18	191939063839	13.5	0.0	13.5	NORMALE
19	202039067355	8.5	0.0	8.5	NORMALE
20	202039062178	10.0	0.0	10.0	NORMALE
21	202039062196	9.0	0.0	9.0	NORMALE
22	202039066152	10.5	0.0	10.5	NORMALE
23	202039067673	10.0	0.0	10.0	NORMALE
24	202039071018	15.5	0.0	15.5	NORMALE
25	202039072253	6.0	0.0	6.0	NORMALE
26	202039071020	13.5	0.0	13.5	NORMALE
27	202039066541	9.5	0.0	9.5	NORMALE
28	202039066542	12.5	0.0	12.5	NORMALE
29	202039066142	16.0	0.0	16.0	NORMALE
30	202039062977	8.5	0.0	8.5	NORMALE
31	202039068938	12.5	0.0	12.5	NORMALE
32	171739066686	13.5	0.0	13.5	NORMALE
33	202039067342	10.0	0.0	10.0	NORMALE
34	202039066827	12.5	0.0	12.5	NORMALE
35	202039066548	14.0	0.0	14.0	NORMALE
36	202039063782	9.5	0.0	9.5	NORMALE
37	202039062979	11.5	0.0	11.5	NORMALE
38	202039062164	10.0	0.0	10.0	NORMALE
39	202039067799	6.0	0.0	6.0	NORMALE
40	202039071026	16.0	0.0	16.0	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Introduction au raffinage et à la pétrochimie / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	9.5	0.0	9.5	NORMALE
2	162039077204	13.0	0.0	13.0	NORMALE
3	202039066743	12.5	0.0	12.5	NORMALE
4	202039062985	10.0	0.0	10.0	NORMALE
5	202039071044	10.0	0.0	10.0	NORMALE
6	191939071620	7.5	0.0	7.5	NORMALE
7	202039062618	10.0	0.0	10.0	NORMALE
8	202039076978	10.5	0.0	10.5	NORMALE
9	181839069056	12.0	0.0	12.0	NORMALE
10	202039063340	6.5	0.0	6.5	NORMALE
11	202039068236	9.0	0.0	9.0	NORMALE
12	202039070649	9.0	0.0	9.0	NORMALE
13	202039063485	13.0	0.0	13.0	NORMALE
14	202039066140	13.5	0.0	13.5	NORMALE
15	202039071931	9.5	0.0	9.5	NORMALE
16	202039065553	10.5	0.0	10.5	NORMALE
17	202039065573	8.0	0.0	8.0	NORMALE
18	202039065203	11.5	0.0	11.5	NORMALE
19	202039062165	15.5	0.0	15.5	NORMALE
20	202039066141	12.5	0.0	12.5	NORMALE
21	202039070146	9.0	0.0	9.0	NORMALE
22	202039063353	8.0	0.0	8.0	NORMALE
23	202039070671	8.5	0.0	8.5	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	12.5	0.0	12.5	NORMALE
26	202039065305	12.0	0.0	12.0	NORMALE
27	191939067661	11.5	0.0	11.5	NORMALE
28	202039065435	10.5	0.0	10.5	NORMALE
29	202039065250	9.5	0.0	9.5	NORMALE
30	202039065602	12.0	0.0	12.0	NORMALE
31	191939071369	11.5	0.0	11.5	NORMALE
32	202039072266	7.5	0.0	7.5	NORMALE
33	202039062083	9.0	0.0	9.0	NORMALE
34	202039062122	8.0	0.0	8.0	NORMALE
35	202039069283	14.0	0.0	14.0	NORMALE
36	202039067795	13.5	0.0	13.5	NORMALE
37	191939068891	10.5	0.0	10.5	NORMALE
38	202039067860	12.5	0.0	12.5	NORMALE
39	202039063547	9.0	0.0	9.0	NORMALE
40	191939063859	12.5	0.0	12.5	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Méthodes numérique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	7.0	11.0	8.6	NORMALE
2	182035065803	6.0	10.5	7.8	NORMALE
3	202039066811	16.0	17.0	16.4	NORMALE
4	202039066546	4.0	7.0	5.2	NORMALE
5	202039064320	11.5	11.0	11.3	NORMALE
6	202039072055	5.0	10.5	7.2	NORMALE
7	202039069800	10.5	9.0	9.9	NORMALE
8	202039077193	3.0	9.0	5.4	NORMALE
9	181839071084	2.0	0.0	1.2	NORMALE
10	202039067846	2.0	10.0	5.2	NORMALE
11	202039067845	12.0	13.5	12.6	NORMALE
12	202039066147	3.0	10.0	5.8	NORMALE
13	202039075788	17.0	18.0	17.4	NORMALE
14	202039064300	3.0	8.0	5.0	NORMALE
15	202039065601	7.0	9.0	7.8	NORMALE
16	202039065184	14.0	13.5	13.8	NORMALE
17	202039071744	7.0	15.0	10.2	NORMALE
18	192039077138	19.5	20.0	19.7	NORMALE
19	202039067800	10.0	9.0	9.6	NORMALE
20	191939068019	5.0	12.5	8.0	NORMALE
21	202039062173	4.0	13.5	7.8	NORMALE
22	202039065127	7.0	7.5	7.2	NORMALE
23	202039065481	8.0	13.5	10.2	NORMALE
24	181839073639	8.0	9.0	8.4	NORMALE
25	202039050726	3.0	10.0	5.8	NORMALE
26	161639057189	2.0	8.0	4.4	NORMALE
27	202039069801	11.5	9.0	10.5	NORMALE
28	202039066854	3.0	7.0	4.6	NORMALE
29	202039065576	10.0	13.5	11.4	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	4.0	13.0	7.6	NORMALE
32	202039065612	12.0	17.0	14.0	NORMALE
33	202039065610	9.0	13.0	10.6	NORMALE
34	202039062224	8.0	10.0	8.8	NORMALE
35	202039066510	4.0	9.0	6.0	NORMALE
36	202039065595	14.0	7.0	11.2	NORMALE
37	202039064241	8.0	8.0	8.0	NORMALE
38	202039069511	6.0	9.0	7.2	NORMALE
39	202039062750	2.0	9.0	4.8	NORMALE
40	202039062577	16.0	10.0	13.6	NORMALE
41	202039063404	4.0	9.0	6.0	NORMALE
42	202039062981	14.0	11.5	13.0	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Méthodes numérique / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	2.0	8.0	4.4	NORMALE
2	202039066755	18.0	17.0	17.6	NORMALE
3	202039067377	2.0	0.0	1.2	NORMALE
4	202039065452	13.5	18.0	15.3	NORMALE
5	202039067268	12.0	11.0	11.6	NORMALE
6	202039072062	7.0	14.5	10.0	NORMALE
7	202039062137	11.5	9.0	10.5	NORMALE
8	191939067589	2.0	8.0	4.4	NORMALE
9	202039063566	2.0	12.0	6.0	NORMALE
10	181839063087	12.0	16.0	13.6	NORMALE
11	202039064229	6.0	12.5	8.6	NORMALE
12	202039066124	13.5	16.0	14.5	NORMALE
13	202039066130	11.0	10.0	10.6	NORMALE
14	202039065289	10.0	10.0	10.0	NORMALE
15	191939068888	0.0	7.0	2.8	NORMALE
16	191939071366	8.0	10.0	8.8	NORMALE
17	202039065598	8.5	14.0	10.7	NORMALE
18	191939063839	12.0	12.5	12.2	NORMALE
19	202039067355	10.5	11.0	10.7	NORMALE
20	202039062178	4.0	11.0	6.8	NORMALE
21	202039062196	2.0	7.0	4.0	NORMALE
22	202039066152	6.0	10.0	7.6	NORMALE
23	202039067673	5.0	14.0	8.6	NORMALE
24	202039071018	15.5	17.5	16.3	NORMALE
25	202039072253	5.0	11.0	7.4	NORMALE
26	202039071020	10.0	10.0	10.0	NORMALE
27	202039066541	4.0	12.0	7.2	NORMALE
28	202039066542	2.0	7.0	4.0	NORMALE
29	202039066142	10.5	10.5	10.5	NORMALE
30	202039062977	8.0	7.0	7.6	NORMALE
31	202039068938	6.0	12.0	8.4	NORMALE
32	171739066686	4.0	9.5	6.2	NORMALE
33	202039067342	4.0	10.0	6.4	NORMALE
34	202039066827	14.0	12.0	13.2	NORMALE
35	202039066548	6.0	13.5	9.0	NORMALE
36	202039063782	0.0	9.0	3.6	NORMALE
37	202039062979	5.0	10.5	7.2	NORMALE
38	202039062164	8.5	15.0	11.1	NORMALE
39	202039067799	3.0	11.5	6.4	NORMALE
40	202039071026	8.5	12.0	9.9	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Méthodes numérique / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	8.0	9.0	8.4	NORMALE
2	162039077204	4.0	12.75	7.5	NORMALE
3	202039066743	8.5	10.5	9.3	NORMALE
4	202039062985	10.5	8.0	9.5	NORMALE
5	202039071044	6.0	10.0	7.6	NORMALE
6	191939071620	3.0	7.0	4.6	NORMALE
7	202039062618	3.0	9.0	5.4	NORMALE
8	202039076978	3.0	10.0	5.8	NORMALE
9	181839069056	3.0	8.0	5.0	NORMALE
10	202039063340	12.0	18.0	14.4	NORMALE
11	202039068236	2.0	7.0	4.0	NORMALE
12	202039070649	3.0	11.0	6.2	NORMALE
13	202039063485	12.0	13.5	12.6	NORMALE
14	202039066140	10.0	14.5	11.8	NORMALE
15	202039071931	10.0	13.5	11.4	NORMALE
16	202039065553	3.0	10.0	5.8	NORMALE
17	202039065573	19.0	18.0	18.6	NORMALE
18	202039065203	12.0	19.0	14.8	NORMALE
19	202039062165	12.0	13.0	12.4	NORMALE
20	202039066141	6.0	13.0	8.8	NORMALE
21	202039070146	6.0	10.0	7.6	NORMALE
22	202039063353	4.0	11.0	6.8	NORMALE
23	202039070671	8.0	10.5	9.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	14.0	10.0	12.4	NORMALE
26	202039065305	12.0	14.5	13.0	NORMALE
27	191939067661	7.0	12.5	9.2	NORMALE
28	202039065435	15.5	9.0	12.9	NORMALE
29	202039065250	17.0	20.0	18.2	NORMALE
30	202039065602	7.0	10.0	8.2	NORMALE
31	191939071369	2.0	9.0	4.8	NORMALE
32	202039072266	7.5	12.5	9.5	NORMALE
33	202039062083	8.5	11.0	9.5	NORMALE
34	202039062122	11.0	13.0	11.8	NORMALE
35	202039069283	7.0	10.0	8.2	NORMALE
36	202039067795	6.5	16.0	10.3	NORMALE
37	191939068891	5.0	10.0	7.0	NORMALE
38	202039067860	9.0	12.0	10.2	NORMALE
39	202039063547	4.0	13.0	7.6	NORMALE
40	191939063859	4.0	9.0	6.0	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: notions des phénomènes de transfert / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	10.0	0.0	10.0	NORMALE
2	182035065803	9.0	0.0	9.0	NORMALE
3	202039066811	2.0	0.0	2.0	NORMALE
4	202039066546	2.0	0.0	2.0	NORMALE
5	202039064320	13.0	0.0	13.0	NORMALE
6	202039072055	5.0	0.0	5.0	NORMALE
7	202039069800	9.0	0.0	9.0	NORMALE
8	202039077193	10.5	0.0	10.5	NORMALE
9	181839071084	4.0	0.0	4.0	NORMALE
10	202039067846	9.0	0.0	9.0	NORMALE
11	202039067845	0.0	0.0	0.0	NORMALE
12	202039066147	2.0	0.0	2.0	NORMALE
13	202039075788	3.0	0.0	3.0	NORMALE
14	202039064300	2.0	0.0	2.0	NORMALE
15	202039065601	7.5	0.0	7.5	NORMALE
16	202039065184	4.0	0.0	4.0	NORMALE
17	202039071744	4.0	0.0	4.0	NORMALE
18	192039077138	18.0	0.0	18.0	NORMALE
19	202039067800	6.0	0.0	6.0	NORMALE
20	191939068019	3.0	0.0	3.0	NORMALE
21	202039062173	5.0	0.0	5.0	NORMALE
22	202039065127	7.0	0.0	7.0	NORMALE
23	202039065481	5.0	0.0	5.0	NORMALE
24	181839073639	7.0	0.0	7.0	NORMALE
25	202039050726	5.0	0.0	5.0	NORMALE
26	161639057189	9.0	0.0	9.0	NORMALE
27	202039069801	8.5	0.0	8.5	NORMALE
28	202039066854	3.0	0.0	3.0	NORMALE
29	202039065576	12.5	0.0	12.5	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	5.0	0.0	5.0	NORMALE
32	202039065612	11.5	0.0	11.5	NORMALE
33	202039065610	6.0	0.0	6.0	NORMALE
34	202039062224	5.5	0.0	5.5	NORMALE
35	202039066510	7.5	0.0	7.5	NORMALE
36	202039065595	10.5	0.0	10.5	NORMALE
37	202039064241	6.0	0.0	6.0	NORMALE
38	202039069511	2.0	0.0	2.0	NORMALE
39	202039062750	5.5	0.0	5.5	NORMALE
40	202039062577	8.5	0.0	8.5	NORMALE
41	202039063404	5.0	0.0	5.0	NORMALE
42	202039062981	15.0	0.0	15.0	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: notions des phénomènes de transfert / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	7.0	0.0	7.0	NORMALE
2	202039066755	15.5	0.0	15.5	NORMALE
3	202039067377	0.0	0.0	0.0	NORMALE
4	202039065452	10.5	0.0	10.5	NORMALE
5	202039067268	5.5	0.0	5.5	NORMALE
6	202039072062	0.0	0.0	0.0	NORMALE
7	202039062137	9.0	0.0	9.0	NORMALE
8	191939067589	8.0	0.0	8.0	NORMALE
9	202039063566	7.0	0.0	7.0	NORMALE
10	181839063087	0.0	0.0	0.0	NORMALE
11	202039064229	2.0	0.0	2.0	NORMALE
12	202039066124	4.0	0.0	4.0	NORMALE
13	202039066130	10.0	0.0	10.0	NORMALE
14	202039065289	4.0	0.0	4.0	NORMALE
15	191939068888	6.0	0.0	6.0	NORMALE
16	191939071366	2.0	0.0	2.0	NORMALE
17	202039065598	6.0	0.0	6.0	NORMALE
18	191939063839	4.5	0.0	4.5	NORMALE
19	202039067355	7.0	0.0	7.0	NORMALE
20	202039062178	10.0	0.0	10.0	NORMALE
21	202039062196	5.0	0.0	5.0	NORMALE
22	202039066152	5.0	0.0	5.0	NORMALE
23	202039067673	9.0	0.0	9.0	NORMALE
24	202039071018	14.0	0.0	14.0	NORMALE
25	202039072253	4.0	0.0	4.0	NORMALE
26	202039071020	8.5	0.0	8.5	NORMALE
27	202039066541	5.0	0.0	5.0	NORMALE
28	202039066542	4.0	0.0	4.0	NORMALE
29	202039066142	7.0	0.0	7.0	NORMALE
30	202039062977	5.0	0.0	5.0	NORMALE
31	202039068938	7.0	0.0	7.0	NORMALE
32	171739066686	7.0	0.0	7.0	NORMALE
33	202039067342	5.5	0.0	5.5	NORMALE
34	202039066827	12.0	0.0	12.0	NORMALE
35	202039066548	12.0	0.0	12.0	NORMALE
36	202039063782	8.0	0.0	8.0	NORMALE
37	202039062979	4.0	0.0	4.0	NORMALE
38	202039062164	7.5	0.0	7.5	NORMALE
39	202039067799	4.0	0.0	4.0	NORMALE
40	202039071026	8.5	0.0	8.5	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: notions des phénomènes de transfert / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	0.0	0.0	0.0	NORMALE
2	162039077204	12.0	0.0	12.0	NORMALE
3	202039066743	10.0	0.0	10.0	NORMALE
4	202039062985	17.0	0.0	17.0	NORMALE
5	202039071044	6.0	0.0	6.0	NORMALE
6	191939071620	7.0	0.0	7.0	NORMALE
7	202039062618	7.5	0.0	7.5	NORMALE
8	202039076978	6.0	0.0	6.0	NORMALE
9	181839069056	2.0	0.0	2.0	NORMALE
10	202039063340	11.0	0.0	11.0	NORMALE
11	202039068236	10.0	0.0	10.0	NORMALE
12	202039070649	4.0	0.0	4.0	NORMALE
13	202039063485	5.0	0.0	5.0	NORMALE
14	202039066140	7.5	0.0	7.5	NORMALE
15	202039071931	9.0	0.0	9.0	NORMALE
16	202039065553	7.5	0.0	7.5	NORMALE
17	202039065573	2.0	0.0	2.0	NORMALE
18	202039065203	5.5	0.0	5.5	NORMALE
19	202039062165	13.0	0.0	13.0	NORMALE
20	202039066141	8.5	0.0	8.5	NORMALE
21	202039070146	8.5	0.0	8.5	NORMALE
22	202039063353	0.0	0.0	0.0	NORMALE
23	202039070671	6.0	0.0	6.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	6.0	0.0	6.0	NORMALE
26	202039065305	10.5	0.0	10.5	NORMALE
27	191939067661	7.0	0.0	7.0	NORMALE
28	202039065435	10.5	0.0	10.5	NORMALE
29	202039065250	14.0	0.0	14.0	NORMALE
30	202039065602	5.5	0.0	5.5	NORMALE
31	191939071369	2.0	0.0	2.0	NORMALE
32	202039072266	7.0	0.0	7.0	NORMALE
33	202039062083	7.5	0.0	7.5	NORMALE
34	202039062122	9.0	0.0	9.0	NORMALE
35	202039069283	6.5	0.0	6.5	NORMALE
36	202039067795	6.5	0.0	6.5	NORMALE
37	191939068891	7.5	0.0	7.5	NORMALE
38	202039067860	11.5	0.0	11.5	NORMALE
39	202039063547	7.0	0.0	7.0	NORMALE
40	191939063859	6.5	0.0	6.5	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Techniques d'expression et de communication / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	19.0	0.0	19.0	NORMALE
2	182035065803	13.0	0.0	13.0	NORMALE
3	202039066811	11.0	0.0	11.0	NORMALE
4	202039066546	14.5	0.0	14.5	NORMALE
5	202039064320	15.0	0.0	15.0	NORMALE
6	202039072055	13.5	0.0	13.5	NORMALE
7	202039069800	14.0	0.0	14.0	NORMALE
8	202039077193	11.0	0.0	11.0	NORMALE
9	181839071084	2.0	0.0	2.0	NORMALE
10	202039067846	14.0	0.0	14.0	NORMALE
11	202039067845	16.5	0.0	16.5	NORMALE
12	202039066147	11.0	0.0	11.0	NORMALE
13	202039075788	8.0	0.0	8.0	NORMALE
14	202039064300	8.5	0.0	8.5	NORMALE
15	202039065601	13.5	0.0	13.5	NORMALE
16	202039065184	10.0	0.0	10.0	NORMALE
17	202039071744	14.5	0.0	14.5	NORMALE
18	192039077138	20.0	0.0	20.0	NORMALE
19	202039067800	12.5	0.0	12.5	NORMALE
20	191939068019	3.5	0.0	3.5	NORMALE
21	202039062173	11.0	0.0	11.0	NORMALE
22	202039065127	9.5	0.0	9.5	NORMALE
23	202039065481	12.0	0.0	12.0	NORMALE
24	181839073639	13.0	0.0	13.0	NORMALE
25	202039050726	16.5	0.0	16.5	NORMALE
26	161639057189	11.5	0.0	11.5	NORMALE
27	202039069801	12.0	0.0	12.0	NORMALE
28	202039066854	9.0	0.0	9.0	NORMALE
29	202039065576	15.5	0.0	15.5	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	11.5	0.0	11.5	NORMALE
32	202039065612	18.0	0.0	18.0	NORMALE
33	202039065610	10.0	0.0	10.0	NORMALE
34	202039062224	3.0	0.0	3.0	NORMALE
35	202039066510	12.0	0.0	12.0	NORMALE
36	202039065595	15.5	0.0	15.5	NORMALE
37	202039064241	9.0	0.0	9.0	NORMALE
38	202039069511	9.0	0.0	9.0	NORMALE
39	202039062750	12.5	0.0	12.5	NORMALE
40	202039062577	16.0	0.0	16.0	NORMALE
41	202039063404	11.5	0.0	11.5	NORMALE
42	202039062981	15.0	0.0	15.0	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Techniques d'expression et de communication / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	11.0	0.0	11.0	NORMALE
2	202039066755	16.5	0.0	16.5	NORMALE
3	202039067377	11.0	0.0	11.0	NORMALE
4	202039065452	18.5	0.0	18.5	NORMALE
5	202039067268	10.0	0.0	10.0	NORMALE
6	202039072062	14.0	0.0	14.0	NORMALE
7	202039062137	12.5	0.0	12.5	NORMALE
8	191939067589	14.0	0.0	14.0	NORMALE
9	202039063566	7.0	0.0	7.0	NORMALE
10	181839063087	0.0	0.0	0.0	NORMALE
11	202039064229	11.0	0.0	11.0	NORMALE
12	202039066124	16.0	0.0	16.0	NORMALE
13	202039066130	17.5	0.0	17.5	NORMALE
14	202039065289	10.5	0.0	10.5	NORMALE
15	191939068888	14.5	0.0	14.5	NORMALE
16	191939071366	12.5	0.0	12.5	NORMALE
17	202039065598	11.5	0.0	11.5	NORMALE
18	191939063839	10.0	0.0	10.0	NORMALE
19	202039067355	12.5	0.0	12.5	NORMALE
20	202039062178	10.5	0.0	10.5	NORMALE
21	202039062196	9.0	0.0	9.0	NORMALE
22	202039066152	9.0	0.0	9.0	NORMALE
23	202039067673	15.5	0.0	15.5	NORMALE
24	202039071018	16.0	0.0	16.0	NORMALE
25	202039072253	8.5	0.0	8.5	NORMALE
26	202039071020	14.0	0.0	14.0	NORMALE
27	202039066541	9.5	0.0	9.5	NORMALE
28	202039066542	12.5	0.0	12.5	NORMALE
29	202039066142	8.5	0.0	8.5	NORMALE
30	202039062977	12.0	0.0	12.0	NORMALE
31	202039068938	13.0	0.0	13.0	NORMALE
32	171739066686	15.0	0.0	15.0	NORMALE
33	202039067342	3.5	0.0	3.5	NORMALE
34	202039066827	12.5	0.0	12.5	NORMALE
35	202039066548	13.0	0.0	13.0	NORMALE
36	202039063782	12.0	0.0	12.0	NORMALE
37	202039062979	10.5	0.0	10.5	NORMALE
38	202039062164	14.0	0.0	14.0	NORMALE
39	202039067799	8.0	0.0	8.0	NORMALE
40	202039071026	14.0	0.0	14.0	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Techniques d'expression et de communication / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	14.0	0.0	14.0	NORMALE
2	162039077204	16.5	0.0	16.5	NORMALE
3	202039066743	17.0	0.0	17.0	NORMALE
4	202039062985	14.0	0.0	14.0	NORMALE
5	202039071044	11.0	0.0	11.0	NORMALE
6	191939071620	7.5	0.0	7.5	NORMALE
7	202039062618	10.0	0.0	10.0	NORMALE
8	202039076978	14.5	0.0	14.5	NORMALE
9	181839069056	10.0	0.0	10.0	NORMALE
10	202039063340	14.0	0.0	14.0	NORMALE
11	202039068236	11.5	0.0	11.5	NORMALE
12	202039070649	9.5	0.0	9.5	NORMALE
13	202039063485	7.0	0.0	7.0	NORMALE
14	202039066140	16.0	0.0	16.0	NORMALE
15	202039071931	12.0	0.0	12.0	NORMALE
16	202039065553	7.0	0.0	7.0	NORMALE
17	202039065573	2.0	0.0	2.0	NORMALE
18	202039065203	8.5	0.0	8.5	NORMALE
19	202039062165	15.0	0.0	15.0	NORMALE
20	202039066141	7.0	0.0	7.0	NORMALE
21	202039070146	10.5	0.0	10.5	NORMALE
22	202039063353	15.0	0.0	15.0	NORMALE
23	202039070671	12.0	0.0	12.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	16.0	0.0	16.0	NORMALE
26	202039065305	18.0	0.0	18.0	NORMALE
27	191939067661	13.0	0.0	13.0	NORMALE
28	202039065435	11.0	0.0	11.0	NORMALE
29	202039065250	20.0	0.0	20.0	NORMALE
30	202039065602	8.5	0.0	8.5	NORMALE
31	191939071369	9.5	0.0	9.5	NORMALE
32	202039072266	10.0	0.0	10.0	NORMALE
33	202039062083	10.5	0.0	10.5	NORMALE
34	202039062122	17.0	0.0	17.0	NORMALE
35	202039069283	16.0	0.0	16.0	NORMALE
36	202039067795	12.5	0.0	12.5	NORMALE
37	191939068891	9.0	0.0	9.0	NORMALE
38	202039067860	10.0	0.0	10.0	NORMALE
39	202039063547	13.0	0.0	13.0	NORMALE
40	191939063859	7.5	0.0	7.5	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Thermodynamique chimique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	2.75	13.25	6.95	NORMALE
2	182035065803	2.75	0.0	1.65	NORMALE
3	202039066811	6.0	12.5	8.6	NORMALE
4	202039066546	6.0	10.75	7.9	NORMALE
5	202039064320	14.25	15.75	14.85	NORMALE
6	202039072055	3.25	11.0	6.35	NORMALE
7	202039069800	11.0	9.0	10.2	NORMALE
8	202039077193	7.0	12.0	9.0	NORMALE
9	181839071084	0.5	0.0	0.3	NORMALE
10	202039067846	4.0	11.5	7.0	NORMALE
11	202039067845	10.0	10.0	10.0	NORMALE
12	202039066147	8.25	12.5	9.95	NORMALE
13	202039075788	8.5	12.0	9.9	NORMALE
14	202039064300	4.5	13.25	8.0	NORMALE
15	202039065601	2.0	12.5	6.2	NORMALE
16	202039065184	10.0	12.0	10.8	NORMALE
17	202039071744	3.5	11.25	6.6	NORMALE
18	192039077138	19.0	20.0	19.4	NORMALE
19	202039067800	5.0	9.0	6.6	NORMALE
20	191939068019	6.5	12.0	8.7	NORMALE
21	202039062173	7.25	10.0	8.35	NORMALE
22	202039065127	8.75	12.75	10.35	NORMALE
23	202039065481	3.0	11.5	6.4	NORMALE
24	181839073639	2.0	10.5	5.4	NORMALE
25	202039050726	7.0	10.75	8.5	NORMALE
26	161639057189	11.5	13.25	12.2	NORMALE
27	202039069801	11.25	10.0	10.75	NORMALE
28	202039066854	2.5	0.0	1.5	NORMALE
29	202039065576	12.5	10.5	11.7	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	8.0	10.5	9.0	NORMALE
32	202039065612	10.75	16.0	12.85	NORMALE
33	202039065610	6.5	10.5	8.1	NORMALE
34	202039062224	8.25	10.5	9.15	NORMALE
35	202039066510	8.0	11.5	9.4	NORMALE
36	202039065595	5.5	12.5	8.3	NORMALE
37	202039064241	5.0	10.0	7.0	NORMALE
38	202039069511	7.5	9.0	8.1	NORMALE
39	202039062750	9.75	10.75	10.15	NORMALE
40	202039062577	6.0	13.75	9.1	NORMALE
41	202039063404	3.5	12.5	7.1	NORMALE
42	202039062981	15.5	17.0	16.1	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Thermodynamique chimique / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	2.0	15.0	7.2	NORMALE
2	202039066755	7.25	16.0	10.75	NORMALE
3	202039067377	2.0	0.0	1.2	NORMALE
4	202039065452	9.5	13.75	11.2	NORMALE
5	202039067268	13.0	11.5	12.4	NORMALE
6	202039072062	3.5	15.5	8.3	NORMALE
7	202039062137	14.75	16.5	15.45	NORMALE
8	191939067589	15.0	16.0	15.4	NORMALE
9	202039063566	5.75	12.5	8.45	NORMALE
10	181839063087	1.0	0.0	0.6	NORMALE
11	202039064229	5.5	10.0	7.3	NORMALE
12	202039066124	6.25	12.75	8.85	NORMALE
13	202039066130	11.5	13.25	12.2	NORMALE
14	202039065289	11.5	13.25	12.2	NORMALE
15	191939068888	7.5	16.75	11.2	NORMALE
16	191939071366	2.0	12.0	6.0	NORMALE
17	202039065598	9.5	16.75	12.4	NORMALE
18	191939063839	11.5	12.5	11.9	NORMALE
19	202039067355	6.5	17.0	10.7	NORMALE
20	202039062178	6.0	13.0	8.8	NORMALE
21	202039062196	4.0	16.5	9.0	NORMALE
22	202039066152	11.5	16.5	13.5	NORMALE
23	202039067673	7.75	0.0	4.65	NORMALE
24	202039071018	12.75	15.0	13.65	NORMALE
25	202039072253	4.25	11.5	7.15	NORMALE
26	202039071020	14.5	13.25	14.0	NORMALE
27	202039066541	6.0	17.0	10.4	NORMALE
28	202039066542	1.0	13.75	6.1	NORMALE
29	202039066142	13.0	14.0	13.4	NORMALE
30	202039062977	8.0	17.0	11.6	NORMALE
31	202039068938	8.25	16.5	11.55	NORMALE
32	171739066686	2.0	12.25	6.1	NORMALE
33	202039067342	7.5	10.0	8.5	NORMALE
34	202039066827	13.0	11.5	12.4	NORMALE
35	202039066548	9.75	13.0	11.05	NORMALE
36	202039063782	3.75	0.0	2.25	NORMALE
37	202039062979	5.0	13.0	8.2	NORMALE
38	202039062164	4.5	13.5	8.1	NORMALE
39	202039067799	6.0	16.0	10.0	NORMALE
40	202039071026	8.0	15.0	10.8	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: Thermodynamique chimique / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	17.25	17.0	17.15	NORMALE
2	162039077204	9.0	16.0	11.8	NORMALE
3	202039066743	4.25	17.0	9.35	NORMALE
4	202039062985	11.5	17.5	13.9	NORMALE
5	202039071044	3.5	16.0	8.5	NORMALE
6	191939071620	3.0	11.0	6.2	NORMALE
7	202039062618	1.5	16.5	7.5	NORMALE
8	202039076978	4.5	11.75	7.4	NORMALE
9	181839069056	4.5	0.0	2.7	NORMALE
10	202039063340	4.0	17.0	9.2	NORMALE
11	202039068236	5.0	13.75	8.5	NORMALE
12	202039070649	4.0	12.5	7.4	NORMALE
13	202039063485	4.5	17.0	9.5	NORMALE
14	202039066140	4.0	17.0	9.2	NORMALE
15	202039071931	7.5	0.0	4.5	NORMALE
16	202039065553	2.25	16.0	7.75	NORMALE
17	202039065573	5.5	13.5	8.7	NORMALE
18	202039065203	3.0	14.0	7.4	NORMALE
19	202039062165	12.5	17.0	14.3	NORMALE
20	202039066141	9.75	13.5	11.25	NORMALE
21	202039070146	1.75	10.0	5.05	NORMALE
22	202039063353	2.5	16.5	8.1	NORMALE
23	202039070671	6.25	12.5	8.75	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	11.0	15.5	12.8	NORMALE
26	202039065305	4.5	16.5	9.3	NORMALE
27	191939067661	7.25	16.25	10.85	NORMALE
28	202039065435	11.0	12.5	11.6	NORMALE
29	202039065250	8.5	17.0	11.9	NORMALE
30	202039065602	9.5	16.75	12.4	NORMALE
31	191939071369	4.5	16.75	9.4	NORMALE
32	202039072266	4.5	16.5	9.3	NORMALE
33	202039062083	2.5	16.5	8.1	NORMALE
34	202039062122	2.0	16.75	7.9	NORMALE
35	202039069283	3.5	16.0	8.5	NORMALE
36	202039067795	8.0	15.5	11.0	NORMALE
37	191939068891	7.0	17.0	11.0	NORMALE
38	202039067860	5.0	17.0	9.8	NORMALE
39	202039063547	0.5	12.75	5.4	NORMALE
40	191939063859	4.5	16.5	9.3	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Chimie des solutions / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	15.25	15.25	NORMALE
2	182035065803	0.0	12.12	12.12	NORMALE
3	202039066811	0.0	15.91	15.91	NORMALE
4	202039066546	0.0	12.0	12.0	NORMALE
5	202039064320	0.0	18.33	18.33	NORMALE
6	202039072055	0.0	16.41	16.41	NORMALE
7	202039069800	0.0	18.83	18.83	NORMALE
8	202039077193	0.0	18.33	18.33	NORMALE
9	181839071084	0.0	0.0	0.0	NORMALE
10	202039067846	0.0	15.58	15.58	NORMALE
11	202039067845	0.0	15.25	15.25	NORMALE
12	202039066147	0.0	17.5	17.5	NORMALE
13	202039075788	0.0	15.25	15.25	NORMALE
14	202039064300	0.0	15.75	15.75	NORMALE
15	202039065601	0.0	18.83	18.83	NORMALE
16	202039065184	0.0	12.0	12.0	NORMALE
17	202039071744	0.0	16.41	16.41	NORMALE
18	192039077138	0.0	17.5	17.5	NORMALE
19	202039067800	0.0	14.41	14.41	NORMALE
20	191939068019	0.0	15.91	15.91	NORMALE
21	202039062173	0.0	17.5	17.5	NORMALE
22	202039065127	0.0	15.91	15.91	NORMALE
23	202039065481	0.0	14.41	14.41	NORMALE
24	181839073639	0.0	14.41	14.41	NORMALE
25	202039050726	0.0	15.25	15.25	NORMALE
26	161639057189	0.0	12.83	12.83	NORMALE
27	202039069801	0.0	16.58	16.58	NORMALE
28	202039066854	0.0	0.0	0.0	NORMALE
29	202039065576	0.0	15.91	15.91	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	0.0	15.58	15.58	NORMALE
32	202039065612	0.0	15.91	15.91	NORMALE
33	202039065610	0.0	14.75	14.75	NORMALE
34	202039062224	0.0	15.58	15.58	NORMALE
35	202039066510	0.0	14.41	14.41	NORMALE
36	202039065595	0.0	16.58	16.58	NORMALE
37	202039064241	0.0	15.58	15.58	NORMALE
38	202039069511	0.0	15.25	15.25	NORMALE
39	202039062750	0.0	16.5	16.5	NORMALE
40	202039062577	0.0	18.33	18.33	NORMALE
41	202039063404	0.0	17.5	17.5	NORMALE
42	202039062981	0.0	18.33	18.33	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Chimie des solutions / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	16.5	16.5	NORMALE
2	202039066755	0.0	16.41	16.41	NORMALE
3	202039067377	0.0	5.0	5.0	NORMALE
4	202039065452	0.0	16.5	16.5	NORMALE
5	202039067268	0.0	14.16	14.16	NORMALE
6	202039072062	0.0	14.16	14.16	NORMALE
7	202039062137	0.0	11.83	11.83	NORMALE
8	191939067589	0.0	14.5	14.5	NORMALE
9	202039063566	0.0	14.83	14.83	NORMALE
10	181839063087	0.0	0.0	0.0	NORMALE
11	202039064229	0.0	14.0	14.0	NORMALE
12	202039066124	0.0	13.16	13.16	NORMALE
13	202039066130	0.0	13.16	13.16	NORMALE
14	202039065289	0.0	13.16	13.16	NORMALE
15	191939068888	0.0	15.75	15.75	NORMALE
16	191939071366	0.0	14.0	14.0	NORMALE
17	202039065598	0.0	16.58	16.58	NORMALE
18	191939063839	0.0	14.5	14.5	NORMALE
19	202039067355	0.0	15.75	15.75	NORMALE
20	202039062178	0.0	16.41	16.41	NORMALE
21	202039062196	0.0	11.83	11.83	NORMALE
22	202039066152	0.0	15.58	15.58	NORMALE
23	202039067673	0.0	13.66	13.66	NORMALE
24	202039071018	0.0	16.41	16.41	NORMALE
25	202039072253	0.0	14.16	14.16	NORMALE
26	202039071020	0.0	16.5	16.5	NORMALE
27	202039066541	0.0	14.33	14.33	NORMALE
28	202039066542	0.0	14.33	14.33	NORMALE
29	202039066142	0.0	16.5	16.5	NORMALE
30	202039062977	0.0	14.83	14.83	NORMALE
31	202039068938	0.0	14.33	14.33	NORMALE
32	171739066686	0.0	13.16	13.16	NORMALE
33	202039067342	0.0	13.66	13.66	NORMALE
34	202039066827	0.0	16.41	16.41	NORMALE
35	202039066548	0.0	14.5	14.5	NORMALE
36	202039063782	0.0	0.0	0.0	NORMALE
37	202039062979	0.0	13.66	13.66	NORMALE
38	202039062164	0.0	14.16	14.16	NORMALE
39	202039067799	0.0	14.33	14.33	NORMALE
40	202039071026	0.0	16.5	16.5	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Chimie des solutions / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	0.0	14.83	14.83	NORMALE
2	162039077204	0.0	14.75	14.75	NORMALE
3	202039066743	0.0	15.75	15.75	NORMALE
4	202039062985	0.0	14.83	14.83	NORMALE
5	202039071044	0.0	16.08	16.08	NORMALE
6	191939071620	0.0	15.75	15.75	NORMALE
7	202039062618	0.0	14.0	14.0	NORMALE
8	202039076978	0.0	11.33	11.33	NORMALE
9	181839069056	0.0	11.0	11.0	NORMALE
10	202039063340	0.0	10.33	10.33	NORMALE
11	202039068236	0.0	15.75	15.75	NORMALE
12	202039070649	0.0	15.58	15.58	NORMALE
13	202039063485	0.0	16.25	16.25	NORMALE
14	202039066140	0.0	16.75	16.75	NORMALE
15	202039071931	0.0	15.25	15.25	NORMALE
16	202039065553	0.0	15.75	15.75	NORMALE
17	202039065573	0.0	12.33	12.33	NORMALE
18	202039065203	0.0	12.83	12.83	NORMALE
19	202039062165	0.0	16.25	16.25	NORMALE
20	202039066141	0.0	16.41	16.41	NORMALE
21	202039070146	0.0	15.58	15.58	NORMALE
22	202039063353	0.0	16.08	16.08	NORMALE
23	202039070671	0.0	15.58	15.58	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	0.0	12.33	12.33	NORMALE
26	202039065305	0.0	11.66	11.66	NORMALE
27	191939067661	0.0	13.08	13.08	NORMALE
28	202039065435	0.0	12.33	12.33	NORMALE
29	202039065250	0.0	16.58	16.58	NORMALE
30	202039065602	0.0	13.66	13.66	NORMALE
31	191939071369	0.0	12.66	12.66	NORMALE
32	202039072266	0.0	15.75	15.75	NORMALE
33	202039062083	0.0	15.58	15.58	NORMALE
34	202039062122	0.0	13.66	13.66	NORMALE
35	202039069283	0.0	16.25	16.25	NORMALE
36	202039067795	0.0	12.83	12.83	NORMALE
37	191939068891	0.0	15.33	15.33	NORMALE
38	202039067860	0.0	12.83	12.83	NORMALE
39	202039063547	0.0	11.25	11.25	NORMALE
40	191939063859	0.0	15.41	15.41	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Chimie organique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	8.13	8.13	NORMALE
2	182035065803	0.0	13.75	13.75	NORMALE
3	202039066811	0.0	14.25	14.25	NORMALE
4	202039066546	0.0	13.38	13.38	NORMALE
5	202039064320	0.0	14.75	14.75	NORMALE
6	202039072055	0.0	13.0	13.0	NORMALE
7	202039069800	0.0	15.25	15.25	NORMALE
8	202039077193	0.0	16.0	16.0	NORMALE
9	181839071084	0.0	0.0	0.0	NORMALE
10	202039067846	0.0	6.0	6.0	NORMALE
11	202039067845	0.0	15.75	15.75	NORMALE
12	202039066147	0.0	12.0	12.0	NORMALE
13	202039075788	0.0	11.38	11.38	NORMALE
14	202039064300	0.0	0.0	0.0	NORMALE
15	202039065601	0.0	16.75	16.75	NORMALE
16	202039065184	0.0	13.38	13.38	NORMALE
17	202039071744	0.0	13.0	13.0	NORMALE
18	192039077138	0.0	15.88	15.88	NORMALE
19	202039067800	0.0	13.75	13.75	NORMALE
20	191939068019	0.0	6.5	6.5	NORMALE
21	202039062173	0.0	12.0	12.0	NORMALE
22	202039065127	0.0	12.63	12.63	NORMALE
23	202039065481	0.0	12.13	12.13	NORMALE
24	181839073639	0.0	14.5	14.5	NORMALE
25	202039050726	0.0	11.5	11.5	NORMALE
26	161639057189	0.0	11.38	11.38	NORMALE
27	202039069801	0.0	13.63	13.63	NORMALE
28	202039066854	0.0	0.0	0.0	NORMALE
29	202039065576	0.0	12.63	12.63	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	0.0	6.0	6.0	NORMALE
32	202039065612	0.0	14.25	14.25	NORMALE
33	202039065610	0.0	6.0	6.0	NORMALE
34	202039062224	0.0	11.0	11.0	NORMALE
35	202039066510	0.0	14.5	14.5	NORMALE
36	202039065595	0.0	16.75	16.75	NORMALE
37	202039064241	0.0	11.0	11.0	NORMALE
38	202039069511	0.0	15.75	15.75	NORMALE
39	202039062750	0.0	11.5	11.5	NORMALE
40	202039062577	0.0	16.0	16.0	NORMALE
41	202039063404	0.0	15.88	15.88	NORMALE
42	202039062981	0.0	14.75	14.75	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Chimie organique / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	14.63	14.63	NORMALE
2	202039066755	0.0	13.5	13.5	NORMALE
3	202039067377	0.0	0.0	0.0	NORMALE
4	202039065452	0.0	15.38	15.38	NORMALE
5	202039067268	0.0	14.88	14.88	NORMALE
6	202039072062	0.0	14.88	14.88	NORMALE
7	202039062137	0.0	0.0	0.0	NORMALE
8	191939067589	0.0	15.0	15.0	NORMALE
9	202039063566	0.0	13.75	13.75	NORMALE
10	181839063087	0.0	0.0	0.0	NORMALE
11	202039064229	0.0	13.75	13.75	NORMALE
12	202039066124	0.0	15.88	15.88	NORMALE
13	202039066130	0.0	15.88	15.88	NORMALE
14	202039065289	0.0	13.0	13.0	NORMALE
15	191939068888	0.0	13.75	13.75	NORMALE
16	191939071366	0.0	7.63	7.63	NORMALE
17	202039065598	0.0	15.38	15.38	NORMALE
18	191939063839	0.0	14.38	14.38	NORMALE
19	202039067355	0.0	13.75	13.75	NORMALE
20	202039062178	0.0	15.63	15.63	NORMALE
21	202039062196	0.0	0.0	0.0	NORMALE
22	202039066152	0.0	15.88	15.88	NORMALE
23	202039067673	0.0	13.63	13.63	NORMALE
24	202039071018	0.0	15.88	15.88	NORMALE
25	202039072253	0.0	13.63	13.63	NORMALE
26	202039071020	0.0	15.63	15.63	NORMALE
27	202039066541	0.0	13.5	13.5	NORMALE
28	202039066542	0.0	7.0	7.0	NORMALE
29	202039066142	0.0	15.63	15.63	NORMALE
30	202039062977	0.0	17.75	17.75	NORMALE
31	202039068938	0.0	15.0	15.0	NORMALE
32	171739066686	0.0	13.0	13.0	NORMALE
33	202039067342	0.0	13.75	13.75	NORMALE
34	202039066827	0.0	15.63	15.63	NORMALE
35	202039066548	0.0	14.25	14.25	NORMALE
36	202039063782	0.0	0.0	0.0	NORMALE
37	202039062979	0.0	13.63	13.63	NORMALE
38	202039062164	0.0	13.63	13.63	NORMALE
39	202039067799	0.0	7.5	7.5	NORMALE
40	202039071026	0.0	14.63	14.63	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Chimie organique / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	0.0	17.75	17.75	NORMALE
2	162039077204	0.0	11.5	11.5	NORMALE
3	202039066743	0.0	12.13	12.13	NORMALE
4	202039062985	0.0	17.75	17.75	NORMALE
5	202039071044	0.0	5.0	5.0	NORMALE
6	191939071620	0.0	12.25	12.25	NORMALE
7	202039062618	0.0	8.13	8.13	NORMALE
8	202039076978	0.0	14.5	14.5	NORMALE
9	181839069056	0.0	11.5	11.5	NORMALE
10	202039063340	0.0	13.63	13.63	NORMALE
11	202039068236	0.0	11.63	11.63	NORMALE
12	202039070649	0.0	14.63	14.63	NORMALE
13	202039063485	0.0	15.88	15.88	NORMALE
14	202039066140	0.0	14.5	14.5	NORMALE
15	202039071931	0.0	13.88	13.88	NORMALE
16	202039065553	0.0	11.63	11.63	NORMALE
17	202039065573	0.0	13.5	13.5	NORMALE
18	202039065203	0.0	13.5	13.5	NORMALE
19	202039062165	0.0	16.0	16.0	NORMALE
20	202039066141	0.0	14.0	14.0	NORMALE
21	202039070146	0.0	14.25	14.25	NORMALE
22	202039063353	0.0	5.0	5.0	NORMALE
23	202039070671	0.0	15.63	15.63	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	0.0	8.5	8.5	NORMALE
26	202039065305	0.0	14.13	14.13	NORMALE
27	191939067661	0.0	14.63	14.63	NORMALE
28	202039065435	0.0	14.13	14.13	NORMALE
29	202039065250	0.0	14.5	14.5	NORMALE
30	202039065602	0.0	14.75	14.75	NORMALE
31	191939071369	0.0	13.63	13.63	NORMALE
32	202039072266	0.0	12.13	12.13	NORMALE
33	202039062083	0.0	13.5	13.5	NORMALE
34	202039062122	0.0	14.0	14.0	NORMALE
35	202039069283	0.0	16.0	16.0	NORMALE
36	202039067795	0.0	15.38	15.38	NORMALE
37	191939068891	0.0	13.88	13.88	NORMALE
38	202039067860	0.0	7.38	7.38	NORMALE
39	202039063547	0.0	13.5	13.5	NORMALE
40	191939063859	0.0	12.25	12.25	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Cinétique chimique / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	7.5	7.5	NORMALE
2	182035065803	0.0	13.0	13.0	NORMALE
3	202039066811	0.0	14.0	14.0	NORMALE
4	202039066546	0.0	11.5	11.5	NORMALE
5	202039064320	0.0	14.0	14.0	NORMALE
6	202039072055	0.0	11.75	11.75	NORMALE
7	202039069800	0.0	13.0	13.0	NORMALE
8	202039077193	0.0	14.0	14.0	NORMALE
9	181839071084	0.0	0.0	0.0	NORMALE
10	202039067846	0.0	11.25	11.25	NORMALE
11	202039067845	0.0	13.75	13.75	NORMALE
12	202039066147	0.0	14.5	14.5	NORMALE
13	202039075788	0.0	7.75	7.75	NORMALE
14	202039064300	0.0	0.0	0.0	NORMALE
15	202039065601	0.0	13.0	13.0	NORMALE
16	202039065184	0.0	13.75	13.75	NORMALE
17	202039071744	0.0	13.0	13.0	NORMALE
18	192039077138	0.0	15.25	15.25	NORMALE
19	202039067800	0.0	12.0	12.0	NORMALE
20	191939068019	0.0	12.5	12.5	NORMALE
21	202039062173	0.0	15.25	15.25	NORMALE
22	202039065127	0.0	13.75	13.75	NORMALE
23	202039065481	0.0	13.0	13.0	NORMALE
24	181839073639	0.0	11.5	11.5	NORMALE
25	202039050726	0.0	14.5	14.5	NORMALE
26	161639057189	0.0	15.25	15.25	NORMALE
27	202039069801	0.0	12.0	12.0	NORMALE
28	202039066854	0.0	0.0	0.0	NORMALE
29	202039065576	0.0	13.75	13.75	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	0.0	10.75	10.75	NORMALE
32	202039065612	0.0	14.0	14.0	NORMALE
33	202039065610	0.0	11.5	11.5	NORMALE
34	202039062224	0.0	11.5	11.5	NORMALE
35	202039066510	0.0	10.5	10.5	NORMALE
36	202039065595	0.0	13.0	13.0	NORMALE
37	202039064241	0.0	0.0	0.0	NORMALE
38	202039069511	0.0	13.0	13.0	NORMALE
39	202039062750	0.0	12.5	12.5	NORMALE
40	202039062577	0.0	14.0	14.0	NORMALE
41	202039063404	0.0	15.25	15.25	NORMALE
42	202039062981	0.0	14.0	14.0	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Cinétique chimique / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	14.75	14.75	NORMALE
2	202039066755	0.0	14.75	14.75	NORMALE
3	202039067377	0.0	0.0	0.0	NORMALE
4	202039065452	0.0	15.0	15.0	NORMALE
5	202039067268	0.0	14.75	14.75	NORMALE
6	202039072062	0.0	15.0	15.0	NORMALE
7	202039062137	0.0	15.25	15.25	NORMALE
8	191939067589	0.0	15.75	15.75	NORMALE
9	202039063566	0.0	14.25	14.25	NORMALE
10	181839063087	0.0	14.0	14.0	NORMALE
11	202039064229	0.0	14.5	14.5	NORMALE
12	202039066124	0.0	14.5	14.5	NORMALE
13	202039066130	0.0	13.0	13.0	NORMALE
14	202039065289	0.0	14.5	14.5	NORMALE
15	191939068888	0.0	14.25	14.25	NORMALE
16	191939071366	0.0	12.75	12.75	NORMALE
17	202039065598	0.0	14.75	14.75	NORMALE
18	191939063839	0.0	15.0	15.0	NORMALE
19	202039067355	0.0	14.25	14.25	NORMALE
20	202039062178	0.0	14.75	14.75	NORMALE
21	202039062196	0.0	14.75	14.75	NORMALE
22	202039066152	0.0	14.25	14.25	NORMALE
23	202039067673	0.0	13.0	13.0	NORMALE
24	202039071018	0.0	14.75	14.75	NORMALE
25	202039072253	0.0	14.5	14.5	NORMALE
26	202039071020	0.0	14.5	14.5	NORMALE
27	202039066541	0.0	14.0	14.0	NORMALE
28	202039066542	0.0	13.0	13.0	NORMALE
29	202039066142	0.0	15.0	15.0	NORMALE
30	202039062977	0.0	13.25	13.25	NORMALE
31	202039068938	0.0	13.0	13.0	NORMALE
32	171739066686	0.0	14.5	14.5	NORMALE
33	202039067342	0.0	14.5	14.5	NORMALE
34	202039066827	0.0	14.75	14.75	NORMALE
35	202039066548	0.0	14.5	14.5	NORMALE
36	202039063782	0.0	0.0	0.0	NORMALE
37	202039062979	0.0	14.25	14.25	NORMALE
38	202039062164	0.0	15.0	15.0	NORMALE
39	202039067799	0.0	15.25	15.25	NORMALE
40	202039071026	0.0	15.0	15.0	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Cinétique chimique / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	0.0	12.75	12.75	NORMALE
2	162039077204	0.0	11.0	11.0	NORMALE
3	202039066743	0.0	11.5	11.5	NORMALE
4	202039062985	0.0	10.0	10.0	NORMALE
5	202039071044	0.0	10.75	10.75	NORMALE
6	191939071620	0.0	11.25	11.25	NORMALE
7	202039062618	0.0	5.0	5.0	NORMALE
8	202039076978	0.0	12.25	12.25	NORMALE
9	181839069056	0.0	11.0	11.0	NORMALE
10	202039063340	0.0	12.75	12.75	NORMALE
11	202039068236	0.0	12.0	12.0	NORMALE
12	202039070649	0.0	14.0	14.0	NORMALE
13	202039063485	0.0	11.0	11.0	NORMALE
14	202039066140	0.0	10.75	10.75	NORMALE
15	202039071931	0.0	10.75	10.75	NORMALE
16	202039065553	0.0	12.0	12.0	NORMALE
17	202039065573	0.0	11.0	11.0	NORMALE
18	202039065203	0.0	11.0	11.0	NORMALE
19	202039062165	0.0	12.75	12.75	NORMALE
20	202039066141	0.0	10.75	10.75	NORMALE
21	202039070146	0.0	14.0	14.0	NORMALE
22	202039063353	0.0	11.25	11.25	NORMALE
23	202039070671	0.0	11.0	11.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	0.0	11.0	11.0	NORMALE
26	202039065305	0.0	10.0	10.0	NORMALE
27	191939067661	0.0	11.0	11.0	NORMALE
28	202039065435	0.0	12.25	12.25	NORMALE
29	202039065250	0.0	10.75	10.75	NORMALE
30	202039065602	0.0	11.0	11.0	NORMALE
31	191939071369	0.0	11.0	11.0	NORMALE
32	202039072266	0.0	12.0	12.0	NORMALE
33	202039062083	0.0	13.75	13.75	NORMALE
34	202039062122	0.0	11.0	11.0	NORMALE
35	202039069283	0.0	13.5	13.5	NORMALE
36	202039067795	0.0	12.25	12.25	NORMALE
37	191939068891	0.0	10.0	10.0	NORMALE
38	202039067860	0.0	12.25	12.25	NORMALE
39	202039063547	0.0	13.75	13.75	NORMALE
40	191939063859	0.0	11.25	11.25	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Mécanique des fluides / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	12.69	12.69	NORMALE
2	182035065803	0.0	13.23	13.23	NORMALE
3	202039066811	0.0	15.41	15.41	NORMALE
4	202039066546	0.0	12.75	12.75	NORMALE
5	202039064320	0.0	14.41	14.41	NORMALE
6	202039072055	0.0	12.41	12.41	NORMALE
7	202039069800	0.0	13.88	13.88	NORMALE
8	202039077193	0.0	14.11	14.11	NORMALE
9	181839071084	0.0	0.0	0.0	NORMALE
10	202039067846	0.0	14.05	14.05	NORMALE
11	202039067845	0.0	13.93	13.93	NORMALE
12	202039066147	0.0	15.93	15.93	NORMALE
13	202039075788	0.0	15.93	15.93	NORMALE
14	202039064300	0.0	12.01	12.01	NORMALE
15	202039065601	0.0	14.93	14.93	NORMALE
16	202039065184	0.0	12.61	12.61	NORMALE
17	202039071744	0.0	13.61	13.61	NORMALE
18	192039077138	0.0	17.53	17.53	NORMALE
19	202039067800	0.0	12.09	12.09	NORMALE
20	191939068019	0.0	11.8	11.8	NORMALE
21	202039062173	0.0	14.95	14.95	NORMALE
22	202039065127	0.0	14.41	14.41	NORMALE
23	202039065481	0.0	12.41	12.41	NORMALE
24	181839073639	0.0	12.33	12.33	NORMALE
25	202039050726	0.0	12.71	12.71	NORMALE
26	161639057189	0.0	14.43	14.43	NORMALE
27	202039069801	0.0	13.45	13.45	NORMALE
28	202039066854	0.0	0.0	0.0	NORMALE
29	202039065576	0.0	17.11	17.11	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	0.0	13.45	13.45	NORMALE
32	202039065612	0.0	17.21	17.21	NORMALE
33	202039065610	0.0	14.39	14.39	NORMALE
34	202039062224	0.0	12.51	12.51	NORMALE
35	202039066510	0.0	12.49	12.49	NORMALE
36	202039065595	0.0	15.23	15.23	NORMALE
37	202039064241	0.0	12.61	12.61	NORMALE
38	202039069511	0.0	13.23	13.23	NORMALE
39	202039062750	0.0	12.01	12.01	NORMALE
40	202039062577	0.0	15.61	15.61	NORMALE
41	202039063404	0.0	13.79	13.79	NORMALE
42	202039062981	0.0	15.75	15.75	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Mécanique des fluides / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	13.63	13.63	NORMALE
2	202039066755	0.0	16.76	16.76	NORMALE
3	202039067377	0.0	0.0	0.0	NORMALE
4	202039065452	0.0	16.41	16.41	NORMALE
5	202039067268	0.0	15.95	15.95	NORMALE
6	202039072062	0.0	15.65	15.65	NORMALE
7	202039062137	0.0	12.69	12.69	NORMALE
8	191939067589	0.0	14.69	14.69	NORMALE
9	202039063566	0.0	12.33	12.33	NORMALE
10	181839063087	0.0	16.0	16.0	NORMALE
11	202039064229	0.0	14.63	14.63	NORMALE
12	202039066124	0.0	13.01	13.01	NORMALE
13	202039066130	0.0	14.21	14.21	NORMALE
14	202039065289	0.0	12.41	12.41	NORMALE
15	191939068888	0.0	12.11	12.11	NORMALE
16	191939071366	0.0	12.69	12.69	NORMALE
17	202039065598	0.0	14.29	14.29	NORMALE
18	191939063839	0.0	12.93	12.93	NORMALE
19	202039067355	0.0	12.33	12.33	NORMALE
20	202039062178	0.0	17.19	17.19	NORMALE
21	202039062196	0.0	13.59	13.59	NORMALE
22	202039066152	0.0	13.53	13.53	NORMALE
23	202039067673	0.0	13.49	13.49	NORMALE
24	202039071018	0.0	16.05	16.05	NORMALE
25	202039072253	0.0	14.06	14.06	NORMALE
26	202039071020	0.0	12.43	12.43	NORMALE
27	202039066541	0.0	13.73	13.73	NORMALE
28	202039066542	0.0	14.41	14.41	NORMALE
29	202039066142	0.0	13.19	13.19	NORMALE
30	202039062977	0.0	14.5	14.5	NORMALE
31	202039068938	0.0	15.01	15.01	NORMALE
32	171739066686	0.0	12.25	12.25	NORMALE
33	202039067342	0.0	13.88	13.88	NORMALE
34	202039066827	0.0	14.81	14.81	NORMALE
35	202039066548	0.0	12.01	12.01	NORMALE
36	202039063782	0.0	3.85	3.85	NORMALE
37	202039062979	0.0	15.11	15.11	NORMALE
38	202039062164	0.0	15.21	15.21	NORMALE
39	202039067799	0.0	12.01	12.01	NORMALE
40	202039071026	0.0	13.93	13.93	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Mécanique des fluides / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	0.0	15.75	15.75	NORMALE
2	162039077204	0.0	12.5	12.5	NORMALE
3	202039066743	0.0	12.63	12.63	NORMALE
4	202039062985	0.0	14.5	14.5	NORMALE
5	202039071044	0.0	12.75	12.75	NORMALE
6	191939071620	0.0	13.38	13.38	NORMALE
7	202039062618	0.0	13.13	13.13	NORMALE
8	202039076978	0.0	13.6	13.6	NORMALE
9	181839069056	0.0	15.0	15.0	NORMALE
10	202039063340	0.0	12.13	12.13	NORMALE
11	202039068236	0.0	11.0	11.0	NORMALE
12	202039070649	0.0	13.13	13.13	NORMALE
13	202039063485	0.0	13.63	13.63	NORMALE
14	202039066140	0.0	14.13	14.13	NORMALE
15	202039071931	0.0	13.5	13.5	NORMALE
16	202039065553	0.0	10.75	10.75	NORMALE
17	202039065573	0.0	14.0	14.0	NORMALE
18	202039065203	0.0	14.63	14.63	NORMALE
19	202039062165	0.0	14.88	14.88	NORMALE
20	202039066141	0.0	12.63	12.63	NORMALE
21	202039070146	0.0	12.0	12.0	NORMALE
22	202039063353	0.0	10.75	10.75	NORMALE
23	202039070671	0.0	11.0	11.0	NORMALE
24	171739081231	0.0	11.0	11.0	NORMALE
25	202039065604	0.0	12.0	12.0	NORMALE
26	202039065305	0.0	13.63	13.63	NORMALE
27	191939067661	0.0	13.25	13.25	NORMALE
28	202039065435	0.0	14.0	14.0	NORMALE
29	202039065250	0.0	15.63	15.63	NORMALE
30	202039065602	0.0	13.63	13.63	NORMALE
31	191939071369	0.0	11.75	11.75	NORMALE
32	202039072266	0.0	14.25	14.25	NORMALE
33	202039062083	0.0	13.75	13.75	NORMALE
34	202039062122	0.0	13.75	13.75	NORMALE
35	202039069283	0.0	12.13	12.13	NORMALE
36	202039067795	0.0	15.5	15.5	NORMALE
37	191939068891	0.0	12.0	12.0	NORMALE
38	202039067860	0.0	13.5	13.5	NORMALE
39	202039063547	0.0	14.0	14.0	NORMALE
40	191939063859	0.0	13.5	13.5	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Méthodes numériques / Section A / 1

#	Matricule	Examen	CC	MG	Session
1	202039067372	0.0	15.5	15.5	NORMALE
2	182035065803	0.0	19.75	19.75	NORMALE
3	202039066811	0.0	15.0	15.0	NORMALE
4	202039066546	0.0	4.75	4.75	NORMALE
5	202039064320	0.0	17.25	17.25	NORMALE
6	202039072055	0.0	13.5	13.5	NORMALE
7	202039069800	0.0	17.75	17.75	NORMALE
8	202039077193	0.0	13.0	13.0	NORMALE
9	181839071084	0.0	0.0	0.0	NORMALE
10	202039067846	0.0	13.0	13.0	NORMALE
11	202039067845	0.0	16.0	16.0	NORMALE
12	202039066147	0.0	15.5	15.5	NORMALE
13	202039075788	0.0	14.5	14.5	NORMALE
14	202039064300	0.0	10.0	10.0	NORMALE
15	202039065601	0.0	17.75	17.75	NORMALE
16	202039065184	0.0	10.75	10.75	NORMALE
17	202039071744	0.0	11.5	11.5	NORMALE
18	192039077138	0.0	18.25	18.25	NORMALE
19	202039067800	0.0	15.5	15.5	NORMALE
20	191939068019	0.0	3.0	3.0	NORMALE
21	202039062173	0.0	17.5	17.5	NORMALE
22	202039065127	0.0	19.8	19.8	NORMALE
23	202039065481	0.0	16.5	16.5	NORMALE
24	181839073639	0.0	15.5	15.5	NORMALE
25	202039050726	0.0	15.0	15.0	NORMALE
26	161639057189	0.0	14.5	14.5	NORMALE
27	202039069801	0.0	17.75	17.75	NORMALE
28	202039066854	0.0	0.0	0.0	NORMALE
29	202039065576	0.0	17.5	17.5	NORMALE
30	202039065334	0.0	0.0	0.0	NORMALE
31	202039068532	0.0	13.0	13.0	NORMALE
32	202039065612	0.0	18.5	18.5	NORMALE
33	202039065610	0.0	3.0	3.0	NORMALE
34	202039062224	0.0	14.0	14.0	NORMALE
35	202039066510	0.0	13.5	13.5	NORMALE
36	202039065595	0.0	17.75	17.75	NORMALE
37	202039064241	0.0	0.0	0.0	NORMALE
38	202039069511	0.0	15.0	15.0	NORMALE
39	202039062750	0.0	10.0	10.0	NORMALE
40	202039062577	0.0	16.0	16.0	NORMALE
41	202039063404	0.0	16.5	16.5	NORMALE
42	202039062981	0.0	18.75	18.75	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Méthodes numériques / Section A / 2

#	Matricule	Examen	CC	MG	Session
1	202039071048	0.0	16.5	16.5	NORMALE
2	202039066755	0.0	13.0	13.0	NORMALE
3	202039067377	0.0	1.0	1.0	NORMALE
4	202039065452	0.0	19.8	19.8	NORMALE
5	202039067268	0.0	17.5	17.5	NORMALE
6	202039072062	0.0	15.0	15.0	NORMALE
7	202039062137	0.0	10.0	10.0	NORMALE
8	191939067589	0.0	17.0	17.0	NORMALE
9	202039063566	0.0	15.5	15.5	NORMALE
10	181839063087	0.0	0.0	0.0	NORMALE
11	202039064229	0.0	17.0	17.0	NORMALE
12	202039066124	0.0	11.0	11.0	NORMALE
13	202039066130	0.0	14.0	14.0	NORMALE
14	202039065289	0.0	16.0	16.0	NORMALE
15	191939068888	0.0	19.0	19.0	NORMALE
16	191939071366	0.0	10.0	10.0	NORMALE
17	202039065598	0.0	19.75	19.75	NORMALE
18	191939063839	0.0	15.0	15.0	NORMALE
19	202039067355	0.0	17.75	17.75	NORMALE
20	202039062178	0.0	17.0	17.0	NORMALE
21	202039062196	0.0	5.25	5.25	NORMALE
22	202039066152	0.0	17.5	17.5	NORMALE
23	202039067673	0.0	14.0	14.0	NORMALE
24	202039071018	0.0	18.25	18.25	NORMALE
25	202039072253	0.0	12.0	12.0	NORMALE
26	202039071020	0.0	15.0	15.0	NORMALE
27	202039066541	0.0	15.25	15.25	NORMALE
28	202039066542	0.0	6.25	6.25	NORMALE
29	202039066142	0.0	14.0	14.0	NORMALE
30	202039062977	0.0	19.8	19.8	NORMALE
31	202039068938	0.0	16.0	16.0	NORMALE
32	171739066686	0.0	13.5	13.5	NORMALE
33	202039067342	0.0	11.0	11.0	NORMALE
34	202039066827	0.0	18.5	18.5	NORMALE
35	202039066548	0.0	16.0	16.0	NORMALE
36	202039063782	0.0	0.0	0.0	NORMALE
37	202039062979	0.0	17.0	17.0	NORMALE
38	202039062164	0.0	16.5	16.5	NORMALE
39	202039067799	0.0	15.5	15.5	NORMALE
40	202039071026	0.0	17.5	17.5	NORMALE

2021/2022

Filière: Génie des procédés
génie des procédés

Niveau: Arrêté d'habilitation de l'offre de formation: N°null du

Matière: TP Méthodes numériques / Section A / 3

#	Matricule	Examen	CC	MG	Session
1	202039069806	0.0	19.75	19.75	NORMALE
2	162039077204	0.0	5.25	5.25	NORMALE
3	202039066743	0.0	14.5	14.5	NORMALE
4	202039062985	0.0	19.75	19.75	NORMALE
5	202039071044	0.0	16.5	16.5	NORMALE
6	191939071620	0.0	14.0	14.0	NORMALE
7	202039062618	0.0	10.0	10.0	NORMALE
8	202039076978	0.0	15.0	15.0	NORMALE
9	181839069056	0.0	11.25	11.25	NORMALE
10	202039063340	0.0	15.5	15.5	NORMALE
11	202039068236	0.0	13.5	13.5	NORMALE
12	202039070649	0.0	12.0	12.0	NORMALE
13	202039063485	0.0	15.0	15.0	NORMALE
14	202039066140	0.0	12.0	12.0	NORMALE
15	202039071931	0.0	12.0	12.0	NORMALE
16	202039065553	0.0	18.5	18.5	NORMALE
17	202039065573	0.0	15.0	15.0	NORMALE
18	202039065203	0.0	14.5	14.5	NORMALE
19	202039062165	0.0	16.5	16.5	NORMALE
20	202039066141	0.0	10.25	10.25	NORMALE
21	202039070146	0.0	14.0	14.0	NORMALE
22	202039063353	0.0	18.0	18.0	NORMALE
23	202039070671	0.0	14.0	14.0	NORMALE
24	171739081231	0.0	0.0	0.0	NORMALE
25	202039065604	0.0	3.25	3.25	NORMALE
26	202039065305	0.0	13.0	13.0	NORMALE
27	191939067661	0.0	12.25	12.25	NORMALE
28	202039065435	0.0	13.0	13.0	NORMALE
29	202039065250	0.0	13.0	13.0	NORMALE
30	202039065602	0.0	10.0	10.0	NORMALE
31	191939071369	0.0	11.25	11.25	NORMALE
32	202039072266	0.0	14.5	14.5	NORMALE
33	202039062083	0.0	14.5	14.5	NORMALE
34	202039062122	0.0	5.75	5.75	NORMALE
35	202039069283	0.0	15.0	15.0	NORMALE
36	202039067795	0.0	18.25	18.25	NORMALE
37	191939068891	0.0	13.0	13.0	NORMALE
38	202039067860	0.0	11.0	11.0	NORMALE
39	202039063547	0.0	13.75	13.75	NORMALE
40	191939063859	0.0	9.0	9.0	NORMALE