



2021/2022

Filière: génie civil
matériaux en génie civil

Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Anglais technique et Terminologie / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839071633	10.0	0.0	10.0	NORMALE
2	181839066586	13.0	0.0	13.0	NORMALE
3	171739067666	10.0	0.0	10.0	NORMALE
4	181839065410	12.0	0.0	12.0	NORMALE
5	181839067097	11.0	0.0	11.0	NORMALE
6	171839080088	0.0	0.0	0.0	NORMALE
7	161639072731	0.0	0.0	0.0	NORMALE
8	181839069920	10.0	0.0	10.0	NORMALE
9	181839063223	12.0	0.0	12.0	NORMALE
10	171739070800	18.0	0.0	18.0	NORMALE
11	161639078516	10.0	0.0	10.0	NORMALE
12	20902501266	12.0	0.0	12.0	NORMALE
13	171739068460	14.0	0.0	14.0	NORMALE
14	161639069939	13.0	0.0	13.0	NORMALE
15	181839067439	0.0	0.0	0.0	NORMALE
16	181839071399	0.0	0.0	0.0	NORMALE
17	2000934945	18.0	0.0	18.0	NORMALE
18	181839065197	14.0	0.0	14.0	NORMALE
19	181839066193	10.0	0.0	10.0	NORMALE
20	171739055114	17.0	0.0	17.0	NORMALE
21	181839066594	10.0	0.0	10.0	NORMALE
22	161639065361	0.0	0.0	0.0	NORMALE
23	181839072282	10.0	0.0	10.0	NORMALE
24	171739066766	11.5	0.0	11.5	NORMALE
25	171739070216	10.0	0.0	10.0	NORMALE
26	181839068423	11.0	0.0	11.0	NORMALE
27	161639076340	0.0	0.0	0.0	NORMALE
28	181839068392	11.0	0.0	11.0	NORMALE
29	181839066491	10.0	0.0	10.0	NORMALE
30	171739074260	0.0	0.0	0.0	NORMALE
31	21079072608	0.0	0.0	0.0	NORMALE
32	191439056793	18.0	0.0	18.0	NORMALE
33	171739075270	15.0	0.0	15.0	NORMALE
34	171739069722	0.0	0.0	0.0	NORMALE
35	161539075635	15.0	0.0	15.0	NORMALE
36	161539071021	11.0	0.0	11.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Anglais technique et Terminologie / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839067137	11.0	0.0	11.0	NORMALE
2	171739052666	10.0	0.0	10.0	NORMALE
3	181839068402	14.0	0.0	14.0	NORMALE
4	181839072973	0.0	0.0	0.0	NORMALE
5	181839071622	0.0	0.0	0.0	NORMALE
6	171739067301	9.0	0.0	9.0	NORMALE
7	171739075999	13.0	0.0	13.0	NORMALE
8	161639077167	10.0	0.0	10.0	NORMALE
9	20049054449	12.5	0.0	12.5	NORMALE
10	171739075147	0.0	0.0	0.0	NORMALE
11	181839066541	0.0	0.0	0.0	NORMALE
12	181839063224	12.0	0.0	12.0	NORMALE
13	161639071979	10.0	0.0	10.0	NORMALE
14	171739065193	10.5	0.0	10.5	NORMALE
15	181839073604	10.0	0.0	10.0	NORMALE
16	161639075021	13.0	0.0	13.0	NORMALE
17	161639076410	10.0	0.0	10.0	NORMALE
18	181839068204	10.0	0.0	10.0	NORMALE
19	181839066210	11.0	0.0	11.0	NORMALE
20	161639066870	12.0	0.0	12.0	NORMALE
21	171739069802	10.5	0.0	10.5	NORMALE
22	171739071151	12.0	0.0	12.0	NORMALE
23	181839068471	13.0	0.0	13.0	NORMALE
24	181839066587	10.0	0.0	10.0	NORMALE
25	2092369000	13.0	0.0	13.0	NORMALE
26	171739064323	0.0	0.0	0.0	NORMALE
27	171739070646	14.0	0.0	14.0	NORMALE
28	181839065430	15.0	0.0	15.0	NORMALE
29	171739068663	5.0	0.0	5.0	NORMALE
30	181839071635	10.0	0.0	10.0	NORMALE
31	171739074280	10.0	0.0	10.0	NORMALE
32	171739068304	10.0	0.0	10.0	NORMALE
33	171739066271	10.0	0.0	10.0	NORMALE
34	171539076249	10.0	0.0	10.0	NORMALE
35	171539070766	10.5	0.0	10.5	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2017

Matière: Anglais technique et Terminologie / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739067588	12.0	0.0	12.0	NORMALE
2	181839067139	0.0	0.0	0.0	NORMALE
3	161639067544	10.0	0.0	10.0	NORMALE
4	171739064399	10.5	0.0	10.5	NORMALE
5	171739075154	12.0	0.0	12.0	NORMALE
6	161639072418	0.0	0.0	0.0	NORMALE
7	171739074421	10.0	0.0	10.0	NORMALE
8	21119040818	15.0	0.0	15.0	NORMALE
9	181839071639	14.0	0.0	14.0	NORMALE
10	181839066391	12.0	0.0	12.0	RATTRAPAGE
11	171739065243	14.0	0.0	14.0	NORMALE
12	161639075233	14.0	0.0	14.0	NORMALE
13	181839065331	10.0	0.0	10.0	NORMALE
14	20891701198	17.0	0.0	17.0	NORMALE
15	181839066581	11.0	0.0	11.0	NORMALE
16	181839068212	12.0	0.0	12.0	NORMALE
17	161639077299	12.5	0.0	12.5	NORMALE
18	171739053377	13.0	0.0	13.0	NORMALE
19	171739066308	13.0	0.0	13.0	NORMALE
20	181839065589	14.0	0.0	14.0	NORMALE
21	171739069581	16.0	0.0	16.0	NORMALE
22	181839071624	13.0	0.0	13.0	NORMALE
23	181839068410	15.0	0.0	15.0	NORMALE
24	181839064398	14.0	0.0	14.0	NORMALE
25	2097822263	16.0	0.0	16.0	NORMALE
26	171739070111	10.0	0.0	10.0	NORMALE
27	171739071299	12.0	0.0	12.0	NORMALE
28	171739068442	15.0	0.0	15.0	NORMALE
29	181839070284	14.0	0.0	14.0	NORMALE
30	181839066592	11.0	0.0	11.0	NORMALE
31	171739080891	14.0	0.0	14.0	NORMALE
32	171739082011	13.0	0.0	13.0	NORMALE
33	161539077692	11.0	0.0	11.0	NORMALE
34	171539071050	0.0	0.0	0.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Anglais technique et Terminologie / Section A / 4

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739072261	14.0	0.0	14.0	NORMALE
2	171739064482	12.5	0.0	12.5	NORMALE
3	161639075502	0.0	0.0	0.0	NORMALE
4	20900901266	13.0	0.0	13.0	NORMALE
5	181839062963	12.0	0.0	12.0	NORMALE
6	181839071932	0.0	0.0	0.0	NORMALE
7	181839068352	13.0	0.0	13.0	NORMALE
8	171739074762	0.0	0.0	0.0	NORMALE
9	171739075163	0.0	0.0	0.0	NORMALE
10	171739053449	15.0	0.0	15.0	NORMALE
11	171739066707	11.0	0.0	11.0	NORMALE
12	181839066593	10.0	0.0	10.0	NORMALE
13	171739070204	10.0	0.0	10.0	NORMALE
14	161739081498	14.0	0.0	14.0	NORMALE
15	171739070740	10.5	0.0	10.5	NORMALE
16	181839063295	13.0	0.0	13.0	NORMALE
17	181839071625	0.0	0.0	0.0	NORMALE
18	181839063214	10.0	0.0	10.0	NORMALE
19	181839066473	14.0	0.0	14.0	NORMALE
20	19119049094	11.0	0.0	11.0	NORMALE
21	181839071162	11.0	0.0	11.0	NORMALE
22	181839069455	0.0	0.0	0.0	NORMALE
23	181839066167	13.0	0.0	13.0	NORMALE
24	181839065408	0.0	0.0	0.0	NORMALE
25	181839073316	10.0	0.0	10.0	NORMALE
26	171739065423	13.0	0.0	13.0	NORMALE
27	21069052433	0.0	0.0	0.0	NORMALE
28	171739069611	10.0	0.0	10.0	NORMALE
29	161639077343	10.0	0.0	10.0	NORMALE
30	171739068449	11.0	0.0	11.0	NORMALE
31	161639072676	0.0	0.0	0.0	NORMALE
32	181839068417	10.0	0.0	10.0	NORMALE
33	171739067591	14.0	0.0	14.0	NORMALE
34	181839066630	14.0	0.0	14.0	NORMALE
35	181839067153	13.0	0.0	13.0	NORMALE
36	161639068586	0.0	0.0	0.0	NORMALE
37	211539084006	14.0	0.0	14.0	NORMALE
38	161539075171	10.0	0.0	10.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Elasticité / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839071633	3.0	11.75	6.5	NORMALE
2	181839066586	7.0	11.75	8.9	NORMALE
3	171739067666	5.0	10.75	7.3	RATTRAPAGE
4	181839065410	4.5	10.75	7.0	NORMALE
5	181839067097	1.75	11.75	5.75	NORMALE
6	171839080088	0.0	0.0	0.0	NORMALE
7	161639072731	0.0	0.0	0.0	NORMALE
8	181839069920	5.0	14.25	8.7	NORMALE
9	181839063223	3.0	15.25	7.9	NORMALE
10	171739070800	11.5	15.75	13.2	NORMALE
11	161639078516	13.65	13.65	13.65	NORMALE
12	20902501266	3.25	11.75	6.65	NORMALE
13	171739068460	3.25	14.25	7.65	NORMALE
14	161639069939	0.75	3.5	1.85	NORMALE
15	181839067439	0.0	0.0	0.0	NORMALE
16	181839071399	0.0	0.0	0.0	NORMALE
17	2000934945	2.5	10.75	5.8	NORMALE
18	181839065197	8.5	14.0	10.7	NORMALE
19	181839066193	3.0	11.75	6.5	NORMALE
20	171739055114	5.75	9.25	7.15	NORMALE
21	181839066594	8.25	13.5	10.35	NORMALE
22	161639065361	0.0	0.0	0.0	NORMALE
23	181839072282	5.75	7.5	6.45	NORMALE
24	171739066766	16.05	16.05	16.05	NORMALE
25	171739070216	2.5	10.25	5.6	NORMALE
26	181839068423	2.75	10.25	5.75	NORMALE
27	161639076340	0.0	0.0	0.0	NORMALE
28	181839068392	1.25	0.0	0.75	NORMALE
29	181839066491	2.25	12.25	6.25	NORMALE
30	171739074260	0.0	0.0	0.0	NORMALE
31	21079072608	0.0	0.0	0.0	NORMALE
32	191439056793	11.45	11.45	11.45	NORMALE
33	171739075270	8.5	18.75	12.6	NORMALE
34	171739069722	0.0	0.0	0.0	NORMALE
35	161539075635	11.4	11.4	11.4	NORMALE
36	161539071021	6.25	10.75	8.05	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Elasticité / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839067137	8.0	10.0	8.8	NORMALE
2	171739052666	8.25	10.0	8.95	NORMALE
3	181839068402	3.5	6.0	4.5	NORMALE
4	181839072973	0.0	0.0	0.0	NORMALE
5	181839071622	0.0	0.0	0.0	NORMALE
6	171739067301	10.55	10.55	10.55	NORMALE
7	171739075999	8.9	8.9	8.9	NORMALE
8	161639077167	5.25	11.25	7.65	NORMALE
9	20049054449	2.25	12.75	6.45	NORMALE
10	171739075147	0.0	0.0	0.0	NORMALE
11	181839066541	0.0	0.0	0.0	NORMALE
12	181839063224	4.0	11.25	6.9	NORMALE
13	161639071979	3.75	10.75	6.55	NORMALE
14	171739065193	0.0	0.0	0.0	NORMALE
15	181839073604	3.5	10.75	6.4	NORMALE
16	161639075021	10.0	11.75	10.7	NORMALE
17	161639076410	11.3	11.3	11.3	NORMALE
18	181839068204	2.75	11.25	6.15	NORMALE
19	181839066210	3.75	11.75	6.95	NORMALE
20	161639066870	14.25	14.25	14.25	NORMALE
21	171739069802	0.0	0.0	0.0	NORMALE
22	171739071151	2.25	10.0	5.35	NORMALE
23	181839068471	9.75	10.75	10.15	NORMALE
24	181839066587	9.25	16.75	12.25	NORMALE
25	2092369000	5.75	11.25	7.95	NORMALE
26	171739064323	0.0	0.0	0.0	NORMALE
27	171739070646	3.5	11.25	6.6	NORMALE
28	181839065430	8.5	14.0	10.7	NORMALE
29	171739068663	6.25	10.75	8.05	NORMALE
30	181839071635	6.25	11.75	8.45	RATTRAPAGE
31	171739074280	4.0	4.5	4.2	NORMALE
32	171739068304	13.05	13.05	13.05	NORMALE
33	171739066271	6.5	11.25	8.4	RATTRAPAGE
34	171539076249	0.0	9.75	3.9	NORMALE
35	171539070766	7.3	7.3	7.3	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2017

Matière: Elasticité / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739067588	2.0	6.5	3.8	NORMALE
2	181839067139	0.0	0.0	0.0	NORMALE
3	161639067544	3.0	9.75	5.7	NORMALE
4	171739064399	10.9	10.9	10.9	NORMALE
5	171739075154	5.5	10.75	7.6	NORMALE
6	161639072418	0.0	0.0	0.0	NORMALE
7	171739074421	2.25	14.25	7.05	NORMALE
8	21119040818	12.5	16.25	14.0	NORMALE
9	181839071639	4.25	13.75	8.05	NORMALE
10	181839066391	2.25	14.25	7.05	NORMALE
11	171739065243	0.0	0.0	0.0	NORMALE
12	161639075233	5.5	5.5	5.5	NORMALE
13	181839065331	5.25	17.75	10.25	NORMALE
14	20891701198	2.5	15.75	7.8	NORMALE
15	181839066581	6.0	16.25	10.1	NORMALE
16	181839068212	4.0	10.0	6.4	NORMALE
17	161639077299	10.25	10.25	10.25	NORMALE
18	171739053377	3.75	16.5	8.85	NORMALE
19	171739066308	3.0	10.75	6.1	NORMALE
20	181839065589	3.5	10.75	6.4	NORMALE
21	171739069581	12.55	12.55	12.55	NORMALE
22	181839071624	4.75	8.0	6.05	RATTRAPAGE
23	181839068410	5.5	14.25	9.0	NORMALE
24	181839064398	2.75	14.25	7.35	NORMALE
25	2097822263	2.5	10.75	5.8	NORMALE
26	171739070111	2.0	12.5	6.2	NORMALE
27	171739071299	7.25	15.0	10.35	NORMALE
28	171739068442	14.45	14.45	14.45	NORMALE
29	181839070284	8.5	12.25	10.0	NORMALE
30	181839066592	6.75	14.25	9.75	NORMALE
31	171739080891	0.0	0.0	0.0	NORMALE
32	171739082011	5.25	14.25	8.85	NORMALE
33	161539077692	4.0	11.75	7.1	RATTRAPAGE
34	171539071050	0.0	6.0	2.4	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Elasticité / Section A / 4

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739072261	1.5	12.75	6.0	NORMALE
2	171739064482	4.5	11.25	7.2	NORMALE
3	161639075502	0.0	0.0	0.0	NORMALE
4	20900901266	9.25	11.75	10.25	NORMALE
5	181839062963	6.75	12.0	8.85	NORMALE
6	181839071932	0.0	8.5	3.4	NORMALE
7	181839068352	5.25	13.25	8.45	NORMALE
8	171739074762	0.0	7.5	3.0	NORMALE
9	171739075163	0.0	0.0	0.0	NORMALE
10	171739053449	8.75	16.5	11.85	NORMALE
11	171739066707	2.5	15.75	7.8	NORMALE
12	181839066593	5.75	11.75	8.15	NORMALE
13	171739070204	10.05	10.05	10.05	NORMALE
14	161739081498	9.5	17.25	12.6	NORMALE
15	171739070740	10.05	10.05	10.05	NORMALE
16	181839063295	2.75	10.75	5.95	NORMALE
17	181839071625	0.0	0.0	0.0	NORMALE
18	181839063214	10.5	11.5	10.9	NORMALE
19	181839066473	3.5	11.5	6.7	RATTRAPAGE
20	19119049094	5.0	14.25	8.7	NORMALE
21	181839071162	3.25	10.75	6.25	RATTRAPAGE
22	181839069455	0.0	0.0	0.0	NORMALE
23	181839066167	4.25	13.75	8.05	NORMALE
24	181839065408	0.0	0.0	0.0	NORMALE
25	181839073316	2.75	10.75	5.95	RATTRAPAGE
26	171739065423	6.0	13.75	9.1	RATTRAPAGE
27	21069052433	0.0	3.5	1.4	NORMALE
28	171739069611	4.0	10.75	6.7	RATTRAPAGE
29	161639077343	4.0	13.75	7.9	NORMALE
30	171739068449	10.25	10.25	10.25	NORMALE
31	161639072676	0.0	3.5	1.4	NORMALE
32	181839068417	7.0	9.5	8.0	NORMALE
33	171739067591	13.2	13.2	13.2	NORMALE
34	181839066630	2.75	11.75	6.35	NORMALE
35	181839067153	3.0	0.0	1.8	NORMALE
36	161639068586	0.0	0.0	0.0	NORMALE
37	211539084006	6.25	13.75	9.25	NORMALE
38	161539075171	12.7	12.7	12.7	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Matériaux de Construction I / Section A / I

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839071633	7.0	15.0	10.2	NORMALE
2	181839066586	8.5	16.0	11.5	NORMALE
3	171739067666	5.25	13.5	8.55	RATTRAPAGE
4	181839065410	3.25	13.5	7.35	NORMALE
5	181839067097	8.5	15.0	11.1	NORMALE
6	171839080088	0.0	0.0	0.0	NORMALE
7	161639072731	0.0	0.0	0.0	NORMALE
8	181839069920	8.5	12.5	10.1	NORMALE
9	181839063223	7.5	15.0	10.5	NORMALE
10	171739070800	15.5	15.0	15.3	NORMALE
11	161639078516	0.0	0.0	0.0	NORMALE
12	20902501266	11.75	16.0	13.45	NORMALE
13	171739068460	8.5	16.0	11.5	NORMALE
14	161639069939	2.0	13.0	6.4	NORMALE
15	181839067439	0.0	0.0	0.0	NORMALE
16	181839071399	0.0	0.0	0.0	NORMALE
17	2000934945	14.0	14.5	14.2	NORMALE
18	181839065197	9.0	14.5	11.2	NORMALE
19	181839066193	7.5	15.0	10.5	NORMALE
20	171739055114	5.5	15.0	9.3	NORMALE
21	181839066594	9.0	16.0	11.8	NORMALE
22	161639065361	0.0	0.0	0.0	NORMALE
23	181839072282	4.25	15.5	8.75	NORMALE
24	171739066766	6.7	6.7	6.7	NORMALE
25	171739070216	6.0	15.0	9.6	RATTRAPAGE
26	181839068423	3.0	15.0	7.8	NORMALE
27	161639076340	0.0	0.0	0.0	NORMALE
28	181839068392	2.0	0.0	1.2	NORMALE
29	181839066491	11.0	16.0	13.0	NORMALE
30	171739074260	0.0	0.0	0.0	NORMALE
31	21079072608	0.0	0.0	0.0	NORMALE
32	191439056793	10.0	10.0	10.0	NORMALE
33	171739075270	15.5	15.0	15.3	NORMALE
34	171739069722	0.0	0.0	0.0	NORMALE
35	161539075635	5.0	11.0	7.4	RATTRAPAGE
36	161539071021	5.0	0.0	3.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Matériaux de Construction I / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839067137	8.5	12.0	9.9	NORMALE
2	171739052666	7.0	0.0	4.2	NORMALE
3	181839068402	3.75	13.5	7.65	NORMALE
4	181839072973	0.0	0.0	0.0	NORMALE
5	181839071622	0.0	0.0	0.0	NORMALE
6	171739067301	5.0	5.0	5.0	NORMALE
7	171739075999	5.9	5.9	5.9	NORMALE
8	161639077167	5.25	14.5	8.95	NORMALE
9	20049054449	5.0	14.5	8.8	NORMALE
10	171739075147	0.0	0.0	0.0	NORMALE
11	181839066541	0.0	0.0	0.0	NORMALE
12	181839063224	7.5	14.5	10.3	NORMALE
13	161639071979	2.25	13.5	6.75	NORMALE
14	171739065193	0.0	0.0	0.0	NORMALE
15	181839073604	4.0	13.5	7.8	RATTRAPAGE
16	161639075021	16.5	16.0	16.3	NORMALE
17	161639076410	2.5	15.5	7.7	NORMALE
18	181839068204	5.5	14.0	8.9	NORMALE
19	181839066210	7.5	12.0	9.3	NORMALE
20	161639066870	4.4	4.4	4.4	NORMALE
21	171739069802	0.0	0.0	0.0	NORMALE
22	171739071151	2.0	14.5	7.0	NORMALE
23	181839068471	8.5	14.0	10.7	NORMALE
24	181839066587	7.0	15.0	10.2	NORMALE
25	2092369000	11.5	16.0	13.3	NORMALE
26	171739064323	0.0	0.0	0.0	NORMALE
27	171739070646	3.5	11.0	6.5	RATTRAPAGE
28	181839065430	9.0	14.5	11.2	NORMALE
29	171739068663	5.0	13.5	8.4	NORMALE
30	181839071635	4.0	13.5	7.8	NORMALE
31	171739074280	8.0	15.0	10.8	NORMALE
32	171739068304	6.8	6.8	6.8	NORMALE
33	171739066271	3.5	0.0	2.1	NORMALE
34	171539076249	0.0	0.0	0.0	NORMALE
35	171539070766	4.4	4.4	4.4	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Matériaux de Construction I / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739067588	2.0	0.0	1.2	NORMALE
2	181839067139	0.0	0.0	0.0	NORMALE
3	161639067544	2.25	14.5	7.15	NORMALE
4	171739064399	9.0	0.0	5.4	NORMALE
5	171739075154	8.0	15.0	10.8	NORMALE
6	161639072418	0.0	0.0	0.0	NORMALE
7	171739074421	4.5	13.5	8.1	NORMALE
8	21119040818	10.0	15.5	12.2	NORMALE
9	181839071639	6.5	15.0	9.9	NORMALE
10	181839066391	6.0	13.5	9.0	NORMALE
11	171739065243	0.0	0.0	0.0	NORMALE
12	161639075233	5.5	5.5	5.5	NORMALE
13	181839065331	14.5	14.5	14.5	NORMALE
14	20891701198	15.25	16.0	15.55	NORMALE
15	181839066581	7.25	14.0	9.95	NORMALE
16	181839068212	5.25	14.0	8.75	NORMALE
17	161639077299	8.75	12.0	10.05	NORMALE
18	171739053377	12.0	13.0	12.4	NORMALE
19	171739066308	7.0	14.5	10.0	NORMALE
20	181839065589	8.0	14.0	10.4	NORMALE
21	171739069581	5.9	5.9	5.9	NORMALE
22	181839071624	5.5	14.5	9.1	NORMALE
23	181839068410	9.0	13.0	10.6	NORMALE
24	181839064398	9.0	14.5	11.2	NORMALE
25	2097822263	15.0	17.0	15.8	NORMALE
26	171739070111	6.0	13.0	8.8	RATTRAPAGE
27	171739071299	10.0	13.5	11.4	NORMALE
28	171739068442	4.6	4.6	4.6	NORMALE
29	181839070284	11.0	12.5	11.6	NORMALE
30	181839066592	5.5	14.0	8.9	NORMALE
31	171739080891	0.0	0.0	0.0	NORMALE
32	171739082011	9.5	13.0	10.9	NORMALE
33	161539077692	8.5	13.0	10.3	NORMALE
34	171539071050	0.0	14.0	5.6	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 الموزع في 27 أوت 2021

Matière: Matériaux de Construction I / Section A / 4

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739072261	2.5	0.0	1.5	NORMALE
2	171739064482	5.5	0.0	3.3	NORMALE
3	161639075502	0.0	0.0	0.0	NORMALE
4	20900901266	16.0	16.0	16.0	NORMALE
5	181839062963	9.0	10.0	9.4	NORMALE
6	181839071932	0.0	13.0	5.2	NORMALE
7	181839068352	5.5	0.0	3.3	RATTRAPAGE
8	171739074762	0.0	13.5	5.4	NORMALE
9	171739075163	0.0	0.0	0.0	NORMALE
10	171739053449	7.0	13.5	9.6	NORMALE
11	171739066707	5.5	13.5	8.7	NORMALE
12	181839066593	7.0	12.5	9.2	NORMALE
13	171739070204	0.0	0.0	0.0	NORMALE
14	161739081498	13.0	0.0	7.8	NORMALE
15	171739070740	5.9	5.9	5.9	NORMALE
16	181839063295	8.0	12.5	9.8	NORMALE
17	181839071625	0.0	0.0	0.0	NORMALE
18	181839063214	9.0	15.0	11.4	NORMALE
19	181839066473	7.25	12.5	9.35	NORMALE
20	19119049094	16.0	15.0	15.6	NORMALE
21	181839071162	4.5	0.0	2.7	NORMALE
22	181839069455	0.0	0.0	0.0	NORMALE
23	181839066167	8.5	12.0	9.9	NORMALE
24	181839065408	0.0	0.0	0.0	NORMALE
25	181839073316	6.0	12.0	8.4	NORMALE
26	171739065423	3.0	13.0	7.0	NORMALE
27	21069052433	0.0	14.0	5.6	NORMALE
28	171739069611	4.5	13.0	7.9	NORMALE
29	161639077343	5.5	15.0	9.3	NORMALE
30	171739068449	0.0	0.0	0.0	NORMALE
31	161639072676	0.0	0.0	0.0	NORMALE
32	181839068417	6.25	0.0	3.75	RATTRAPAGE
33	171739067591	4.9	4.9	4.9	NORMALE
34	181839066630	3.25	10.0	5.95	NORMALE
35	181839067153	8.0	10.0	8.8	NORMALE
36	161639068586	0.0	0.0	0.0	NORMALE
37	211539084006	13.25	13.5	13.35	NORMALE
38	161539075171	8.5	13.0	10.3	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: N° رقم 835 الموزع في 27 أوت

Matière: Ouvrages en Béton Armé / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839071633	4.0	9.5	6.2	RATTRAPAGE
2	181839066586	6.5	13.0	9.1	NORMALE
3	171739067666	7.0	14.5	10.0	RATTRAPAGE
4	181839065410	6.5	13.0	9.1	RATTRAPAGE
5	181839067097	7.0	11.0	8.6	NORMALE
6	171839080088	0.0	0.0	0.0	NORMALE
7	161639072731	0.0	0.0	0.0	NORMALE
8	181839069920	6.0	14.0	9.2	NORMALE
9	181839063223	3.5	12.5	7.1	NORMALE
10	171739070800	13.5	16.5	14.7	NORMALE
11	161639078516	0.0	0.0	0.0	NORMALE
12	20902501266	12.5	13.5	12.9	NORMALE
13	171739068460	4.5	12.0	7.5	NORMALE
14	161639069939	5.0	7.0	5.8	NORMALE
15	181839067439	0.0	0.0	0.0	NORMALE
16	181839071399	0.0	0.0	0.0	NORMALE
17	2000934945	2.0	12.0	6.0	NORMALE
18	181839065197	6.0	11.0	8.0	NORMALE
19	181839066193	13.0	12.5	12.8	NORMALE
20	171739055114	2.5	11.0	5.9	NORMALE
21	181839066594	14.0	12.0	13.2	NORMALE
22	161639065361	0.0	0.0	0.0	NORMALE
23	181839072282	3.5	12.5	7.1	NORMALE
24	171739066766	0.0	0.0	0.0	NORMALE
25	171739070216	4.5	11.0	7.1	RATTRAPAGE
26	181839068423	6.5	11.0	8.3	NORMALE
27	161639076340	0.0	0.0	0.0	NORMALE
28	181839068392	2.0	0.0	1.2	NORMALE
29	181839066491	2.5	12.0	6.3	NORMALE
30	171739074260	0.0	0.0	0.0	NORMALE
31	21079072608	0.0	0.0	0.0	NORMALE
32	191439056793	3.0	7.0	4.6	NORMALE
33	171739075270	9.0	13.5	10.8	NORMALE
34	171739069722	0.0	0.0	0.0	NORMALE
35	161539075635	2.0	2.5	2.2	NORMALE
36	161539071021	2.0	6.0	3.6	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Ouvrages en Béton Armé / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839067137	7.0	10.5	8.4	NORMALE
2	171739052666	13.0	8.0	11.0	RATTRAPAGE
3	181839068402	7.5	10.0	8.5	NORMALE
4	181839072973	0.0	0.0	0.0	NORMALE
5	181839071622	0.0	0.0	0.0	NORMALE
6	171739067301	7.8	7.8	7.8	NORMALE
7	171739075999	5.6	5.6	5.6	NORMALE
8	161639077167	3.5	14.0	7.7	NORMALE
9	20049054449	9.0	12.0	10.2	NORMALE
10	171739075147	0.0	0.0	0.0	NORMALE
11	181839066541	0.0	0.0	0.0	NORMALE
12	181839063224	4.0	13.0	7.6	NORMALE
13	161639071979	2.0	11.5	5.8	NORMALE
14	171739065193	0.0	0.0	0.0	NORMALE
15	181839073604	8.0	11.0	9.2	RATTRAPAGE
16	161639075021	6.0	13.0	8.8	NORMALE
17	161639076410	8.0	13.0	10.0	NORMALE
18	181839068204	4.0	8.0	5.6	RATTRAPAGE
19	181839066210	2.0	12.0	6.0	NORMALE
20	161639066870	8.2	8.2	8.2	NORMALE
21	171739069802	10.8	10.8	10.8	NORMALE
22	171739071151	3.0	5.0	3.8	NORMALE
23	181839068471	10.0	10.0	10.0	NORMALE
24	181839066587	3.5	13.5	7.5	NORMALE
25	2092369000	8.5	12.5	10.1	NORMALE
26	171739064323	0.0	0.0	0.0	NORMALE
27	171739070646	2.0	11.5	5.8	NORMALE
28	181839065430	6.0	11.0	8.0	NORMALE
29	171739068663	6.5	12.0	8.7	NORMALE
30	181839071635	11.0	9.0	10.2	RATTRAPAGE
31	171739074280	4.5	12.0	7.5	NORMALE
32	171739068304	5.6	5.6	5.6	NORMALE
33	171739066271	8.0	9.5	8.6	RATTRAPAGE
34	171539076249	0.0	9.0	3.6	NORMALE
35	171539070766	9.0	9.0	9.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: N° رقم 835 الموزع في 27 أوت

Matière: Ouvrages en Béton Armé / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739067588	9.8	9.8	9.8	NORMALE
2	181839067139	0.0	0.0	0.0	NORMALE
3	161639067544	6.0	10.0	7.6	NORMALE
4	171739064399	7.0	0.0	4.2	RATTRAPAGE
5	171739075154	3.5	13.0	7.3	NORMALE
6	161639072418	0.0	0.0	0.0	NORMALE
7	171739074421	4.0	10.0	6.4	NORMALE
8	21119040818	6.5	15.5	10.1	NORMALE
9	181839071639	6.5	11.5	8.5	NORMALE
10	181839066391	4.5	11.75	7.4	NORMALE
11	171739065243	0.0	0.0	0.0	NORMALE
12	161639075233	10.4	10.4	10.4	NORMALE
13	181839065331	3.5	12.25	7.0	NORMALE
14	20891701198	7.5	15.5	10.7	NORMALE
15	181839066581	5.5	12.25	8.2	NORMALE
16	181839068212	5.0	9.0	6.6	NORMALE
17	161639077299	4.0	8.0	5.6	RATTRAPAGE
18	171739053377	9.0	13.5	10.8	NORMALE
19	171739066308	4.0	10.5	6.6	RATTRAPAGE
20	181839065589	3.0	12.0	6.6	NORMALE
21	171739069581	9.4	9.4	9.4	NORMALE
22	181839071624	12.0	7.5	10.2	RATTRAPAGE
23	181839068410	9.5	11.5	10.3	NORMALE
24	181839064398	8.5	12.5	10.1	NORMALE
25	2097822263	8.0	18.5	12.2	NORMALE
26	171739070111	6.5	13.0	9.1	RATTRAPAGE
27	171739071299	8.0	13.0	10.0	NORMALE
28	171739068442	5.3	5.3	5.3	NORMALE
29	181839070284	5.0	11.75	7.7	NORMALE
30	181839066592	7.0	14.0	9.8	NORMALE
31	171739080891	0.0	0.0	0.0	NORMALE
32	171739082011	5.5	13.5	8.7	NORMALE
33	161539077692	7.0	10.5	8.4	RATTRAPAGE
34	171539071050	0.0	6.0	2.4	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Ouvrages en Béton Armé / Section A / 4

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739072261	4.0	12.5	7.4	RATTRAPAGE
2	171739064482	6.0	10.0	7.6	NORMALE
3	161639075502	0.0	0.0	0.0	NORMALE
4	20900901266	13.0	16.0	14.2	NORMALE
5	181839062963	6.5	10.5	8.1	NORMALE
6	181839071932	0.0	6.0	2.4	NORMALE
7	181839068352	7.0	12.0	9.0	RATTRAPAGE
8	171739074762	0.0	9.0	3.6	NORMALE
9	171739075163	0.0	0.0	0.0	NORMALE
10	171739053449	9.5	12.5	10.7	NORMALE
11	171739066707	4.0	12.0	7.2	NORMALE
12	181839066593	4.5	12.5	7.7	NORMALE
13	171739070204	0.0	0.0	0.0	NORMALE
14	161739081498	6.0	10.0	7.6	NORMALE
15	171739070740	9.5	9.5	9.5	NORMALE
16	181839063295	6.5	11.5	8.5	NORMALE
17	181839071625	0.0	0.0	0.0	NORMALE
18	181839063214	6.5	11.0	8.3	NORMALE
19	181839066473	10.0	11.0	10.4	RATTRAPAGE
20	19119049094	9.5	16.0	12.1	NORMALE
21	181839071162	3.5	11.0	6.5	NORMALE
22	181839069455	0.0	0.0	0.0	NORMALE
23	181839066167	2.5	12.5	6.5	NORMALE
24	181839065408	0.0	0.0	0.0	NORMALE
25	181839073316	4.0	11.0	6.8	RATTRAPAGE
26	171739065423	8.0	11.5	9.4	RATTRAPAGE
27	21069052433	0.0	6.5	2.6	NORMALE
28	171739069611	7.5	10.0	8.5	RATTRAPAGE
29	161639077343	11.0	11.0	11.0	RATTRAPAGE
30	171739068449	0.0	0.0	0.0	NORMALE
31	161639072676	0.0	6.0	2.4	NORMALE
32	181839068417	6.0	8.0	6.8	RATTRAPAGE
33	171739067591	5.5	5.5	5.5	NORMALE
34	181839066630	3.0	13.0	7.0	NORMALE
35	181839067153	8.0	0.0	4.8	NORMALE
36	161639068586	0.0	0.0	0.0	NORMALE
37	211539084006	4.5	12.0	7.5	NORMALE
38	161539075171	9.2	9.2	9.2	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Technologie de Béton / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839071633	11.5	10.75	11.2	RATTRAPAGE
2	181839066586	12.0	13.38	12.55	NORMALE
3	171739067666	12.0	12.5	12.2	RATTRAPAGE
4	181839065410	5.0	11.75	7.7	RATTRAPAGE
5	181839067097	10.0	13.25	11.3	NORMALE
6	171839080088	0.0	0.0	0.0	NORMALE
7	161639072731	0.0	0.0	0.0	NORMALE
8	181839069920	2.0	13.5	6.6	NORMALE
9	181839063223	5.5	13.13	8.55	NORMALE
10	171739070800	13.5	15.88	14.45	NORMALE
11	161639078516	0.0	0.0	0.0	NORMALE
12	20902501266	13.0	15.75	14.1	NORMALE
13	171739068460	15.5	13.63	14.75	NORMALE
14	161639069939	12.0	6.13	9.65	NORMALE
15	181839067439	0.0	0.0	0.0	NORMALE
16	181839071399	0.0	0.0	0.0	NORMALE
17	2000934945	13.0	15.5	14.0	NORMALE
18	181839065197	6.5	10.0	7.9	NORMALE
19	181839066193	11.0	15.0	12.6	NORMALE
20	171739055114	2.0	11.0	5.6	NORMALE
21	181839066594	7.0	12.75	9.3	NORMALE
22	161639065361	0.0	0.0	0.0	NORMALE
23	181839072282	16.0	14.0	15.2	NORMALE
24	171739066766	0.0	0.0	0.0	NORMALE
25	171739070216	13.5	10.25	12.2	RATTRAPAGE
26	181839068423	4.0	12.88	7.55	NORMALE
27	161639076340	0.0	0.0	0.0	NORMALE
28	181839068392	1.0	0.0	0.6	NORMALE
29	181839066491	3.0	10.38	5.95	NORMALE
30	171739074260	0.0	0.0	0.0	NORMALE
31	21079072608	0.0	0.0	0.0	NORMALE
32	191439056793	7.0	2.5	5.2	RATTRAPAGE
33	171739075270	15.25	13.38	14.5	NORMALE
34	171739069722	0.0	0.0	0.0	NORMALE
35	161539075635	11.96	11.96	11.96	NORMALE
36	161539071021	8.0	0.0	4.8	RATTRAPAGE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: N° رقم 835 الموزع في 27 أوت

Matière: Technologie de Béton / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839067137	5.0	12.19	7.88	NORMALE
2	171739052666	10.0	10.0	10.0	RATTRAPAGE
3	181839068402	11.0	13.0	11.8	NORMALE
4	181839072973	0.0	0.0	0.0	NORMALE
5	181839071622	0.0	0.0	0.0	NORMALE
6	171739067301	10.56	10.56	10.56	NORMALE
7	171739075999	13.02	13.02	13.02	NORMALE
8	161639077167	10.0	13.25	11.3	NORMALE
9	20049054449	13.0	12.0	12.6	NORMALE
10	171739075147	0.0	0.0	0.0	NORMALE
11	181839066541	0.0	0.0	0.0	NORMALE
12	181839063224	12.0	13.94	12.78	NORMALE
13	161639071979	12.5	13.25	12.8	RATTRAPAGE
14	171739065193	0.0	0.0	0.0	NORMALE
15	181839073604	12.0	13.25	12.5	RATTRAPAGE
16	161639075021	12.0	15.0	13.2	NORMALE
17	161639076410	11.2	11.2	11.2	NORMALE
18	181839068204	10.0	12.25	10.9	NORMALE
19	181839066210	11.0	13.5	12.0	NORMALE
20	161639066870	14.52	14.52	14.52	NORMALE
21	171739069802	10.28	10.28	10.28	NORMALE
22	171739071151	7.5	2.5	5.5	NORMALE
23	181839068471	10.0	12.5	11.0	NORMALE
24	181839066587	11.5	12.5	11.9	NORMALE
25	2092369000	12.5	15.25	13.6	NORMALE
26	171739064323	0.0	0.0	0.0	NORMALE
27	171739070646	11.88	11.88	11.88	NORMALE
28	181839065430	10.0	10.0	10.0	NORMALE
29	171739068663	10.0	13.5	11.4	NORMALE
30	181839071635	13.5	12.75	13.2	RATTRAPAGE
31	171739074280	14.88	14.88	14.88	NORMALE
32	171739068304	10.96	10.96	10.96	NORMALE
33	171739066271	11.5	11.5	11.5	RATTRAPAGE
34	171539076249	10.62	10.62	10.62	NORMALE
35	171539070766	9.38	9.38	9.38	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: N° رقم 835 الموزع في 27 أوت

Matière: Technologie de Béton / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739067588	13.92	13.92	13.92	NORMALE
2	181839067139	0.0	0.0	0.0	NORMALE
3	161639067544	11.5	11.5	11.5	NORMALE
4	171739064399	10.32	10.32	10.32	NORMALE
5	171739075154	9.0	12.19	10.28	RATTRAPAGE
6	161639072418	0.0	0.0	0.0	NORMALE
7	171739074421	4.0	11.69	7.08	NORMALE
8	21119040818	7.0	14.63	10.05	NORMALE
9	181839071639	8.5	12.75	10.2	NORMALE
10	181839066391	8.0	12.63	9.85	RATTRAPAGE
11	171739065243	0.0	0.0	0.0	NORMALE
12	161639075233	13.26	13.26	13.26	NORMALE
13	181839065331	8.5	15.19	11.18	NORMALE
14	20891701198	12.0	15.13	13.25	NORMALE
15	181839066581	8.0	12.13	9.65	NORMALE
16	181839068212	10.0	11.5	10.6	NORMALE
17	161639077299	12.78	12.78	12.78	NORMALE
18	171739053377	8.75	11.69	9.93	NORMALE
19	171739066308	12.0	12.19	12.08	RATTRAPAGE
20	181839065589	11.0	13.5	12.0	NORMALE
21	171739069581	11.68	11.68	11.68	NORMALE
22	181839071624	10.0	12.75	11.1	NORMALE
23	181839068410	7.75	13.38	10.0	NORMALE
24	181839064398	4.0	13.63	7.85	NORMALE
25	2097822263	17.0	15.75	16.5	NORMALE
26	171739070111	13.5	7.19	10.98	RATTRAPAGE
27	171739071299	14.5	14.19	14.38	NORMALE
28	171739068442	12.36	12.36	12.36	NORMALE
29	181839070284	10.0	12.75	11.1	NORMALE
30	181839066592	8.5	12.13	9.95	NORMALE
31	171739080891	0.0	0.0	0.0	NORMALE
32	171739082011	6.0	13.88	9.15	NORMALE
33	161539077692	8.0	6.25	7.3	RATTRAPAGE
34	171539071050	0.0	7.0	2.8	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 الموزع في 27 أوت 2021

Matière: Technologie de Béton / Section A / 4

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739072261	11.68	11.68	11.68	NORMALE
2	171739064482	11.82	11.82	11.82	NORMALE
3	161639075502	0.0	0.0	0.0	NORMALE
4	20900901266	15.0	17.0	15.8	NORMALE
5	181839062963	6.5	12.25	8.8	NORMALE
6	181839071932	0.0	5.25	2.1	NORMALE
7	181839068352	11.0	12.25	11.5	RATTRAPAGE
8	171739074762	0.0	2.5	1.0	NORMALE
9	171739075163	0.0	0.0	0.0	NORMALE
10	171739053449	8.0	13.25	10.1	NORMALE
11	171739066707	8.0	12.88	9.95	NORMALE
12	181839066593	10.0	13.88	11.55	NORMALE
13	171739070204	11.16	11.16	11.16	NORMALE
14	161739081498	13.0	15.0	13.8	NORMALE
15	171739070740	8.88	8.88	8.88	NORMALE
16	181839063295	5.0	13.81	8.52	NORMALE
17	181839071625	0.0	0.0	0.0	NORMALE
18	181839063214	6.0	14.0	9.2	NORMALE
19	181839066473	9.0	13.63	10.85	NORMALE
20	19119049094	14.5	13.5	14.1	NORMALE
21	181839071162	6.0	11.38	8.15	RATTRAPAGE
22	181839069455	0.0	0.0	0.0	NORMALE
23	181839066167	5.0	14.0	8.6	NORMALE
24	181839065408	0.0	0.0	0.0	NORMALE
25	181839073316	13.0	13.31	13.12	RATTRAPAGE
26	171739065423	9.0	11.13	9.85	RATTRAPAGE
27	21069052433	0.0	5.75	2.3	NORMALE
28	171739069611	12.0	10.5	11.4	RATTRAPAGE
29	161639077343	11.0	14.13	12.25	NORMALE
30	171739068449	0.0	0.0	0.0	NORMALE
31	161639072676	0.0	0.0	0.0	NORMALE
32	181839068417	14.5	2.5	9.7	RATTRAPAGE
33	171739067591	11.86	11.86	11.86	NORMALE
34	181839066630	8.5	14.75	11.0	RATTRAPAGE
35	181839067153	17.0	2.5	11.2	RATTRAPAGE
36	161639068586	0.0	0.0	0.0	NORMALE
37	211539084006	11.0	14.0	12.2	NORMALE
38	161539075171	11.58	11.58	11.58	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: N° رقم الموزع في 27 أوت 2021

Matière: Thermique des Batiments / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839071633	14.5	12.75	13.8	RATTRAPAGE
2	181839066586	14.25	13.0	13.75	NORMALE
3	171739067666	13.0	11.75	12.5	RATTRAPAGE
4	181839065410	13.0	9.25	11.5	RATTRAPAGE
5	181839067097	9.75	9.25	9.55	NORMALE
6	171839080088	0.0	0.0	0.0	NORMALE
7	161639072731	0.0	0.0	0.0	NORMALE
8	181839069920	6.25	12.0	8.55	NORMALE
9	181839063223	10.0	11.0	10.4	NORMALE
10	171739070800	14.75	12.5	13.85	NORMALE
11	161639078516	0.0	0.0	0.0	NORMALE
12	20902501266	9.75	12.38	10.8	NORMALE
13	171739068460	12.5	13.25	12.8	NORMALE
14	161639069939	13.25	0.0	7.95	NORMALE
15	181839067439	0.0	0.0	0.0	NORMALE
16	181839071399	0.0	0.0	0.0	NORMALE
17	2000934945	10.0	10.13	10.05	NORMALE
18	181839065197	10.75	11.0	10.85	NORMALE
19	181839066193	11.75	15.25	13.15	NORMALE
20	171739055114	4.75	0.0	2.85	NORMALE
21	181839066594	10.0	11.75	10.7	NORMALE
22	161639065361	0.0	0.0	0.0	NORMALE
23	181839072282	15.0	9.75	12.9	NORMALE
24	171739066766	10.0	10.0	10.0	NORMALE
25	171739070216	12.5	10.25	11.6	RATTRAPAGE
26	181839068423	16.25	10.13	13.8	NORMALE
27	161639076340	0.0	0.0	0.0	NORMALE
28	181839068392	3.75	0.0	2.25	NORMALE
29	181839066491	12.5	10.75	11.8	NORMALE
30	171739074260	0.0	0.0	0.0	NORMALE
31	21079072608	0.0	0.0	0.0	NORMALE
32	191439056793	12.75	10.38	11.8	RATTRAPAGE
33	171739075270	16.75	14.25	15.75	NORMALE
34	171739069722	0.0	0.0	0.0	NORMALE
35	161539075635	3.75	10.0	6.25	NORMALE
36	161539071021	7.25	6.13	6.8	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Thermique des Batiments / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839067137	6.25	9.0	7.35	NORMALE
2	171739052666	15.0	12.13	13.85	NORMALE
3	181839068402	15.0	10.38	13.15	NORMALE
4	181839072973	0.0	0.0	0.0	NORMALE
5	181839071622	0.0	0.0	0.0	NORMALE
6	171739067301	10.4	10.4	10.4	NORMALE
7	171739075999	10.2	10.2	10.2	NORMALE
8	161639077167	3.75	15.0	8.25	NORMALE
9	20049054449	8.75	11.13	9.7	NORMALE
10	171739075147	0.0	0.0	0.0	NORMALE
11	181839066541	0.0	0.0	0.0	NORMALE
12	181839063224	8.75	12.25	10.15	NORMALE
13	161639071979	9.75	11.75	10.55	NORMALE
14	171739065193	10.9	10.9	10.9	NORMALE
15	181839073604	12.5	9.0	11.1	RATTRAPAGE
16	161639075021	15.5	12.63	14.35	NORMALE
17	161639076410	10.8	10.8	10.8	NORMALE
18	181839068204	10.0	11.5	10.6	NORMALE
19	181839066210	11.0	10.63	10.85	NORMALE
20	161639066870	4.6	4.6	4.6	NORMALE
21	171739069802	10.4	10.4	10.4	NORMALE
22	171739071151	15.75	0.0	9.45	NORMALE
23	181839068471	15.0	11.13	13.45	NORMALE
24	181839066587	10.0	13.38	11.35	NORMALE
25	2092369000	6.75	10.63	8.3	NORMALE
26	171739064323	0.0	0.0	0.0	NORMALE
27	171739070646	1.25	10.0	4.75	NORMALE
28	181839065430	11.0	11.0	11.0	NORMALE
29	171739068663	9.75	9.88	9.8	NORMALE
30	181839071635	13.75	0.0	8.25	RATTRAPAGE
31	171739074280	11.2	11.2	11.2	NORMALE
32	171739068304	11.2	11.2	11.2	NORMALE
33	171739066271	10.0	10.0	10.0	RATTRAPAGE
34	171539076249	10.8	10.8	10.8	NORMALE
35	171539070766	11.4	11.4	11.4	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: N° رقم 835 الموزع في 27 أوت

Matière: Thermique des Batiments / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739067588	10.4	10.4	10.4	NORMALE
2	181839067139	0.0	0.0	0.0	NORMALE
3	161639067544	10.2	10.2	10.2	NORMALE
4	171739064399	11.5	11.75	11.6	RATTRAPAGE
5	171739075154	12.5	11.0	11.9	NORMALE
6	161639072418	0.0	0.0	0.0	NORMALE
7	171739074421	2.0	12.0	6.0	NORMALE
8	21119040818	16.75	13.75	15.55	NORMALE
9	181839071639	2.5	12.25	6.4	NORMALE
10	181839066391	11.75	12.5	12.05	RATTRAPAGE
11	171739065243	0.0	0.0	0.0	NORMALE
12	161639075233	11.4	11.4	11.4	NORMALE
13	181839065331	10.5	12.25	11.2	NORMALE
14	20891701198	5.5	11.75	8.0	NORMALE
15	181839066581	7.5	12.25	9.4	NORMALE
16	181839068212	11.75	9.13	10.7	RATTRAPAGE
17	161639077299	10.4	10.4	10.4	NORMALE
18	171739053377	9.5	10.25	9.8	NORMALE
19	171739066308	12.25	10.13	11.4	RATTRAPAGE
20	181839065589	5.5	11.63	7.95	NORMALE
21	171739069581	10.6	10.6	10.6	NORMALE
22	181839071624	10.0	12.38	10.95	RATTRAPAGE
23	181839068410	15.0	12.88	14.15	NORMALE
24	181839064398	12.0	12.0	12.0	NORMALE
25	2097822263	15.75	11.13	13.9	NORMALE
26	171739070111	3.5	0.0	2.1	NORMALE
27	171739071299	16.25	9.88	13.7	NORMALE
28	171739068442	10.6	10.6	10.6	NORMALE
29	181839070284	11.75	10.5	11.25	NORMALE
30	181839066592	3.25	13.25	7.25	NORMALE
31	171739080891	0.0	0.0	0.0	NORMALE
32	171739082011	4.75	13.5	8.25	NORMALE
33	161539077692	13.0	11.25	12.3	RATTRAPAGE
34	171539071050	0.0	0.0	0.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: Thermique des Batiments / Section A / 4

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739072261	10.0	10.0	10.0	NORMALE
2	171739064482	1.25	0.0	0.75	NORMALE
3	161639075502	0.0	0.0	0.0	NORMALE
4	20900901266	13.75	11.63	12.9	NORMALE
5	181839062963	11.0	12.13	11.45	NORMALE
6	181839071932	0.0	6.5	2.6	NORMALE
7	181839068352	8.75	10.13	9.3	RATTRAPAGE
8	171739074762	0.0	0.0	0.0	NORMALE
9	171739075163	0.0	0.0	0.0	NORMALE
10	171739053449	11.25	12.13	11.6	NORMALE
11	171739066707	8.5	7.88	8.25	NORMALE
12	181839066593	8.25	8.25	8.25	NORMALE
13	171739070204	0.0	0.0	0.0	NORMALE
14	161739081498	2.5	10.62	5.75	NORMALE
15	171739070740	10.0	10.0	10.0	NORMALE
16	181839063295	12.0	8.88	10.75	NORMALE
17	181839071625	0.0	0.0	0.0	NORMALE
18	181839063214	10.0	11.0	10.4	NORMALE
19	181839066473	12.75	10.13	11.7	RATTRAPAGE
20	19119049094	15.0	9.5	12.8	NORMALE
21	181839071162	4.25	11.88	7.3	RATTRAPAGE
22	181839069455	0.0	0.0	0.0	NORMALE
23	181839066167	10.25	9.38	9.9	NORMALE
24	181839065408	0.0	0.0	0.0	NORMALE
25	181839073316	9.75	10.0	9.85	RATTRAPAGE
26	171739065423	13.5	10.88	12.45	RATTRAPAGE
27	21069052433	0.0	0.0	0.0	NORMALE
28	171739069611	8.0	10.38	8.95	NORMALE
29	161639077343	2.5	10.75	5.8	NORMALE
30	171739068449	10.0	10.0	10.0	NORMALE
31	161639072676	0.0	3.0	1.2	NORMALE
32	181839068417	12.75	6.25	10.15	RATTRAPAGE
33	171739067591	9.4	9.4	9.4	NORMALE
34	181839066630	7.25	10.38	8.5	RATTRAPAGE
35	181839067153	8.5	0.0	5.1	RATTRAPAGE
36	161639068586	0.0	0.0	0.0	NORMALE
37	211539084006	6.0	10.63	7.85	NORMALE
38	161539075171	10.0	10.0	10.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: TP Liant / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839071633	0.0	13.0	13.0	NORMALE
2	181839066586	0.0	14.0	14.0	NORMALE
3	171739067666	0.0	14.5	14.5	NORMALE
4	181839065410	0.0	14.5	14.5	NORMALE
5	181839067097	0.0	15.25	15.25	NORMALE
6	171839080088	0.0	0.0	0.0	NORMALE
7	161639072731	0.0	13.0	13.0	NORMALE
8	181839069920	0.0	14.0	14.0	NORMALE
9	181839063223	0.0	15.0	15.0	NORMALE
10	171739070800	0.0	14.0	14.0	NORMALE
11	161639078516	0.0	16.0	16.0	NORMALE
12	20902501266	0.0	14.0	14.0	NORMALE
13	171739068460	0.0	13.75	13.75	NORMALE
14	161639069939	0.0	14.5	14.5	NORMALE
15	181839067439	0.0	0.0	0.0	NORMALE
16	181839071399	0.0	0.0	0.0	NORMALE
17	2000934945	0.0	14.0	14.0	NORMALE
18	181839065197	0.0	14.0	14.0	NORMALE
19	181839066193	0.0	15.25	15.25	NORMALE
20	171739055114	0.0	15.25	15.25	NORMALE
21	181839066594	0.0	15.0	15.0	NORMALE
22	161639065361	0.0	12.5	12.5	NORMALE
23	181839072282	0.0	15.5	15.5	NORMALE
24	171739066766	0.0	12.5	12.5	NORMALE
25	171739070216	0.0	13.5	13.5	NORMALE
26	181839068423	0.0	14.0	14.0	NORMALE
27	161639076340	0.0	0.0	0.0	NORMALE
28	181839068392	0.0	0.0	0.0	NORMALE
29	181839066491	0.0	13.75	13.75	NORMALE
30	171739074260	0.0	0.0	0.0	NORMALE
31	21079072608	0.0	0.0	0.0	NORMALE
32	191439056793	0.0	13.5	13.5	NORMALE
33	171739075270	0.0	14.0	14.0	NORMALE
34	171739069722	0.0	0.0	0.0	NORMALE
35	161539075635	0.0	15.0	15.0	NORMALE
36	161539071021	0.0	13.5	13.5	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 الموزع في 27 أوت 2021

Matière: TP Liant / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839067137	0.0	13.5	13.5	NORMALE
2	171739052666	0.0	15.0	15.0	NORMALE
3	181839068402	0.0	13.0	13.0	NORMALE
4	181839072973	0.0	0.0	0.0	NORMALE
5	181839071622	0.0	0.0	0.0	NORMALE
6	171739067301	0.0	15.5	15.5	NORMALE
7	171739075999	0.0	16.5	16.5	NORMALE
8	161639077167	0.0	14.5	14.5	NORMALE
9	20049054449	0.0	14.0	14.0	NORMALE
10	171739075147	0.0	0.0	0.0	NORMALE
11	181839066541	0.0	0.0	0.0	NORMALE
12	181839063224	0.0	15.0	15.0	NORMALE
13	161639071979	0.0	14.5	14.5	NORMALE
14	171739065193	0.0	0.0	0.0	NORMALE
15	181839073604	0.0	13.0	13.0	NORMALE
16	161639075021	0.0	14.0	14.0	NORMALE
17	161639076410	0.0	11.5	11.5	NORMALE
18	181839068204	0.0	15.0	15.0	NORMALE
19	181839066210	0.0	14.5	14.5	NORMALE
20	161639066870	0.0	16.0	16.0	NORMALE
21	171739069802	0.0	13.0	13.0	NORMALE
22	171739071151	0.0	14.0	14.0	NORMALE
23	181839068471	0.0	15.0	15.0	NORMALE
24	181839066587	0.0	15.0	15.0	NORMALE
25	2092369000	0.0	15.5	15.5	NORMALE
26	171739064323	0.0	0.0	0.0	NORMALE
27	171739070646	0.0	14.0	14.0	NORMALE
28	181839065430	0.0	14.0	14.0	NORMALE
29	171739068663	0.0	14.5	14.5	NORMALE
30	181839071635	0.0	13.0	13.0	NORMALE
31	171739074280	0.0	13.0	13.0	NORMALE
32	171739068304	0.0	14.0	14.0	NORMALE
33	171739066271	0.0	13.0	13.0	NORMALE
34	171539076249	0.0	12.0	12.0	NORMALE
35	171539070766	0.0	14.5	14.5	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: TP Liants / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739067588	0.0	12.0	12.0	NORMALE
2	181839067139	0.0	0.0	0.0	NORMALE
3	161639067544	0.0	16.0	16.0	NORMALE
4	171739064399	0.0	14.0	14.0	NORMALE
5	171739075154	0.0	13.0	13.0	NORMALE
6	161639072418	0.0	0.0	0.0	NORMALE
7	171739074421	0.0	14.0	14.0	NORMALE
8	21119040818	0.0	15.0	15.0	NORMALE
9	181839071639	0.0	14.5	14.5	NORMALE
10	181839066391	0.0	14.5	14.5	NORMALE
11	171739065243	0.0	0.0	0.0	NORMALE
12	161639075233	0.0	13.0	13.0	NORMALE
13	181839065331	0.0	14.0	14.0	NORMALE
14	20891701198	0.0	15.5	15.5	NORMALE
15	181839066581	0.0	14.0	14.0	NORMALE
16	181839068212	0.0	14.5	14.5	NORMALE
17	161639077299	0.0	11.5	11.5	NORMALE
18	171739053377	0.0	15.0	15.0	NORMALE
19	171739066308	0.0	14.5	14.5	NORMALE
20	181839065589	0.0	14.0	14.0	NORMALE
21	171739069581	0.0	13.0	13.0	NORMALE
22	181839071624	0.0	14.5	14.5	NORMALE
23	181839068410	0.0	15.0	15.0	NORMALE
24	181839064398	0.0	14.0	14.0	NORMALE
25	2097822263	0.0	14.5	14.5	NORMALE
26	171739070111	0.0	15.0	15.0	NORMALE
27	171739071299	0.0	15.0	15.0	NORMALE
28	171739068442	0.0	13.5	13.5	NORMALE
29	181839070284	0.0	14.0	14.0	NORMALE
30	181839066592	0.0	14.5	14.5	NORMALE
31	171739080891	0.0	14.0	14.0	NORMALE
32	171739082011	0.0	14.5	14.5	NORMALE
33	161539077692	0.0	14.5	14.5	NORMALE
34	171539071050	0.0	14.5	14.5	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: TP Liants / Section A / 4

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739072261	0.0	13.0	13.0	NORMALE
2	171739064482	0.0	15.0	15.0	NORMALE
3	161639075502	0.0	0.0	0.0	NORMALE
4	20900901266	0.0	15.5	15.5	NORMALE
5	181839062963	0.0	14.5	14.5	NORMALE
6	181839071932	0.0	13.5	13.5	NORMALE
7	181839068352	0.0	14.0	14.0	NORMALE
8	171739074762	0.0	13.5	13.5	NORMALE
9	171739075163	0.0	0.0	0.0	NORMALE
10	171739053449	0.0	15.5	15.5	NORMALE
11	171739066707	0.0	14.0	14.0	NORMALE
12	181839066593	0.0	15.0	15.0	NORMALE
13	171739070204	0.0	15.5	15.5	NORMALE
14	161739081498	0.0	14.0	14.0	NORMALE
15	171739070740	0.0	15.0	15.0	NORMALE
16	181839063295	0.0	13.5	13.5	NORMALE
17	181839071625	0.0	0.0	0.0	NORMALE
18	181839063214	0.0	15.0	15.0	NORMALE
19	181839066473	0.0	15.0	15.0	NORMALE
20	19119049094	0.0	15.0	15.0	NORMALE
21	181839071162	0.0	15.0	15.0	NORMALE
22	181839069455	0.0	0.0	0.0	NORMALE
23	181839066167	0.0	14.5	14.5	NORMALE
24	181839065408	0.0	0.0	0.0	NORMALE
25	181839073316	0.0	13.5	13.5	NORMALE
26	171739065423	0.0	14.0	14.0	NORMALE
27	21069052433	0.0	15.0	15.0	NORMALE
28	171739069611	0.0	14.0	14.0	NORMALE
29	161639077343	0.0	15.25	15.25	NORMALE
30	171739068449	0.0	10.0	10.0	NORMALE
31	161639072676	0.0	14.0	14.0	NORMALE
32	181839068417	0.0	13.5	13.5	NORMALE
33	171739067591	0.0	15.0	15.0	NORMALE
34	181839066630	0.0	14.5	14.5	NORMALE
35	181839067153	0.0	13.0	13.0	NORMALE
36	161639068586	0.0	0.0	0.0	NORMALE
37	211539084006	0.0	15.5	15.5	NORMALE
38	161539075171	0.0	11.5	11.5	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2017

Matière: TP Physique des Matériaux / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839071633	0.0	10.0	10.0	NORMALE
2	181839066586	0.0	15.0	15.0	NORMALE
3	171739067666	0.0	13.0	13.0	NORMALE
4	181839065410	0.0	15.0	15.0	NORMALE
5	181839067097	0.0	13.0	13.0	NORMALE
6	171839080088	0.0	0.0	0.0	NORMALE
7	161639072731	0.0	8.5	8.5	NORMALE
8	181839069920	0.0	13.0	13.0	NORMALE
9	181839063223	0.0	15.0	15.0	NORMALE
10	171739070800	0.0	16.0	16.0	NORMALE
11	161639078516	0.0	7.0	7.0	NORMALE
12	20902501266	0.0	15.0	15.0	NORMALE
13	171739068460	0.0	15.0	15.0	NORMALE
14	161639069939	0.0	8.0	8.0	NORMALE
15	181839067439	0.0	0.0	0.0	NORMALE
16	181839071399	0.0	0.0	0.0	NORMALE
17	2000934945	0.0	16.0	16.0	NORMALE
18	181839065197	0.0	10.0	10.0	NORMALE
19	181839066193	0.0	15.0	15.0	NORMALE
20	171739055114	0.0	10.0	10.0	NORMALE
21	181839066594	0.0	15.0	15.0	NORMALE
22	161639065361	0.0	0.0	0.0	NORMALE
23	181839072282	0.0	10.0	10.0	NORMALE
24	171739066766	0.0	0.0	0.0	NORMALE
25	171739070216	0.0	12.0	12.0	NORMALE
26	181839068423	0.0	12.0	12.0	NORMALE
27	161639076340	0.0	0.0	0.0	NORMALE
28	181839068392	0.0	0.0	0.0	NORMALE
29	181839066491	0.0	15.0	15.0	NORMALE
30	171739074260	0.0	0.0	0.0	NORMALE
31	21079072608	0.0	0.0	0.0	NORMALE
32	191439056793	0.0	12.25	12.25	NORMALE
33	171739075270	0.0	15.0	15.0	NORMALE
34	171739069722	0.0	0.0	0.0	NORMALE
35	161539075635	0.0	6.0	6.0	NORMALE
36	161539071021	0.0	10.0	10.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2017

Matière: TP Physique des Matériaux / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839067137	0.0	15.0	15.0	NORMALE
2	171739052666	0.0	8.0	8.0	NORMALE
3	181839068402	0.0	10.0	10.0	NORMALE
4	181839072973	0.0	0.0	0.0	NORMALE
5	181839071622	0.0	0.0	0.0	NORMALE
6	171739067301	0.0	13.5	13.5	NORMALE
7	171739075999	0.0	12.25	12.25	NORMALE
8	161639077167	0.0	16.0	16.0	NORMALE
9	20049054449	0.0	15.0	15.0	NORMALE
10	171739075147	0.0	0.0	0.0	NORMALE
11	181839066541	0.0	0.0	0.0	NORMALE
12	181839063224	0.0	16.0	16.0	NORMALE
13	161639071979	0.0	15.0	15.0	NORMALE
14	171739065193	0.0	0.0	0.0	NORMALE
15	181839073604	0.0	15.0	15.0	NORMALE
16	161639075021	0.0	15.0	15.0	NORMALE
17	161639076410	0.0	9.88	9.88	NORMALE
18	181839068204	0.0	15.0	15.0	NORMALE
19	181839066210	0.0	13.0	13.0	NORMALE
20	161639066870	0.0	9.25	9.25	NORMALE
21	171739069802	0.0	9.38	9.38	NORMALE
22	171739071151	0.0	10.0	10.0	NORMALE
23	181839068471	0.0	15.0	15.0	NORMALE
24	181839066587	0.0	15.0	15.0	NORMALE
25	2092369000	0.0	16.0	16.0	NORMALE
26	171739064323	0.0	0.0	0.0	NORMALE
27	171739070646	0.0	10.5	10.5	NORMALE
28	181839065430	0.0	10.0	10.0	NORMALE
29	171739068663	0.0	16.0	16.0	NORMALE
30	181839071635	0.0	12.0	12.0	NORMALE
31	171739074280	0.0	12.33	12.33	NORMALE
32	171739068304	0.0	12.42	12.42	NORMALE
33	171739066271	0.0	15.0	15.0	NORMALE
34	171539076249	0.0	10.0	10.0	NORMALE
35	171539070766	0.0	12.38	12.38	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2021

Matière: TP Physique des Matériaux / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739067588	0.0	8.63	8.63	NORMALE
2	181839067139	0.0	0.0	0.0	NORMALE
3	161639067544	0.0	10.5	10.5	NORMALE
4	171739064399	0.0	9.88	9.88	NORMALE
5	171739075154	0.0	10.13	10.13	NORMALE
6	161639072418	0.0	0.0	0.0	NORMALE
7	171739074421	0.0	15.0	15.0	NORMALE
8	21119040818	0.0	15.0	15.0	NORMALE
9	181839071639	0.0	15.0	15.0	NORMALE
10	181839066391	0.0	15.0	15.0	NORMALE
11	171739065243	0.0	0.0	0.0	NORMALE
12	161639075233	0.0	8.88	8.88	NORMALE
13	181839065331	0.0	15.0	15.0	NORMALE
14	20891701198	0.0	15.0	15.0	NORMALE
15	181839066581	0.0	15.0	15.0	NORMALE
16	181839068212	0.0	10.0	10.0	NORMALE
17	161639077299	0.0	10.0	10.0	NORMALE
18	171739053377	0.0	12.0	12.0	NORMALE
19	171739066308	0.0	15.0	15.0	NORMALE
20	181839065589	0.0	15.0	15.0	NORMALE
21	171739069581	0.0	11.83	11.83	NORMALE
22	181839071624	0.0	10.0	10.0	NORMALE
23	181839068410	0.0	14.0	14.0	NORMALE
24	181839064398	0.0	15.0	15.0	NORMALE
25	2097822263	0.0	16.0	16.0	NORMALE
26	171739070111	0.0	12.0	12.0	NORMALE
27	171739071299	0.0	15.0	15.0	NORMALE
28	171739068442	0.0	10.5	10.5	NORMALE
29	181839070284	0.0	12.0	12.0	NORMALE
30	181839066592	0.0	15.0	15.0	NORMALE
31	171739080891	0.0	11.13	11.13	NORMALE
32	171739082011	0.0	13.0	13.0	NORMALE
33	161539077692	0.0	13.0	13.0	NORMALE
34	171539071050	0.0	0.0	0.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 الموزع في 27 أوت 2021

Matière: TP Physique des Matériaux / Section A / 4

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739072261	0.0	8.5	8.5	NORMALE
2	171739064482	0.0	12.5	12.5	NORMALE
3	161639075502	0.0	0.0	0.0	NORMALE
4	20900901266	0.0	16.0	16.0	NORMALE
5	181839062963	0.0	10.0	10.0	NORMALE
6	181839071932	0.0	10.0	10.0	NORMALE
7	181839068352	0.0	10.0	10.0	NORMALE
8	171739074762	0.0	10.0	10.0	NORMALE
9	171739075163	0.0	0.0	0.0	NORMALE
10	171739053449	0.0	15.0	15.0	NORMALE
11	171739066707	0.0	15.0	15.0	NORMALE
12	181839066593	0.0	12.0	12.0	NORMALE
13	171739070204	0.0	8.88	8.88	NORMALE
14	161739081498	0.0	15.0	15.0	NORMALE
15	171739070740	0.0	11.75	11.75	NORMALE
16	181839063295	0.0	14.0	14.0	NORMALE
17	181839071625	0.0	0.0	0.0	NORMALE
18	181839063214	0.0	14.0	14.0	NORMALE
19	181839066473	0.0	10.0	10.0	NORMALE
20	19119049094	0.0	14.0	14.0	NORMALE
21	181839071162	0.0	12.0	12.0	NORMALE
22	181839069455	0.0	0.0	0.0	NORMALE
23	181839066167	0.0	15.0	15.0	NORMALE
24	181839065408	0.0	0.0	0.0	NORMALE
25	181839073316	0.0	12.0	12.0	NORMALE
26	171739065423	0.0	12.0	12.0	NORMALE
27	21069052433	0.0	10.0	10.0	NORMALE
28	171739069611	0.0	15.0	15.0	NORMALE
29	161639077343	0.0	13.0	13.0	NORMALE
30	171739068449	0.0	0.0	0.0	NORMALE
31	161639072676	0.0	10.0	10.0	NORMALE
32	181839068417	0.0	10.0	10.0	NORMALE
33	171739067591	0.0	11.63	11.63	NORMALE
34	181839066630	0.0	10.0	10.0	NORMALE
35	181839067153	0.0	10.0	10.0	NORMALE
36	161639068586	0.0	0.0	0.0	NORMALE
37	211539084006	0.0	15.0	15.0	NORMALE
38	161539075171	0.0	0.0	0.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 الموزع في 27 أوت 2021

Matière: TP Technologie du Béton / Section A / 1

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839071633	0.0	10.0	10.0	NORMALE
2	181839066586	0.0	12.5	12.5	NORMALE
3	171739067666	0.0	12.75	12.75	NORMALE
4	181839065410	0.0	12.5	12.5	NORMALE
5	181839067097	0.0	11.5	11.5	NORMALE
6	171839080088	0.0	0.0	0.0	NORMALE
7	161639072731	0.0	13.08	13.08	NORMALE
8	181839069920	0.0	13.0	13.0	NORMALE
9	181839063223	0.0	13.0	13.0	NORMALE
10	171739070800	0.0	14.5	14.5	NORMALE
11	161639078516	0.0	15.0	15.0	NORMALE
12	20902501266	0.0	15.25	15.25	NORMALE
13	171739068460	0.0	12.5	12.5	NORMALE
14	161639069939	0.0	8.5	8.5	NORMALE
15	181839067439	0.0	0.0	0.0	NORMALE
16	181839071399	0.0	0.0	0.0	NORMALE
17	2000934945	0.0	14.5	14.5	NORMALE
18	181839065197	0.0	10.0	10.0	NORMALE
19	181839066193	0.0	11.5	11.5	NORMALE
20	171739055114	0.0	9.0	9.0	NORMALE
21	181839066594	0.0	13.0	13.0	NORMALE
22	161639065361	0.0	0.0	0.0	NORMALE
23	181839072282	0.0	12.0	12.0	NORMALE
24	171739066766	0.0	11.0	11.0	NORMALE
25	171739070216	0.0	10.0	10.0	NORMALE
26	181839068423	0.0	12.75	12.75	NORMALE
27	161639076340	0.0	0.0	0.0	NORMALE
28	181839068392	0.0	1.0	1.0	NORMALE
29	181839066491	0.0	12.75	12.75	NORMALE
30	171739074260	0.0	0.0	0.0	NORMALE
31	21079072608	0.0	0.0	0.0	NORMALE
32	191439056793	0.0	10.0	10.0	NORMALE
33	171739075270	0.0	13.75	13.75	NORMALE
34	171739069722	0.0	0.0	0.0	NORMALE
35	161539075635	0.0	12.0	12.0	NORMALE
36	161539071021	0.0	3.0	3.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2017

Matière: TP Technologie du Béton / Section A / 2

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	181839067137	0.0	10.25	10.25	NORMALE
2	171739052666	0.0	1.0	1.0	NORMALE
3	181839068402	0.0	12.63	12.63	NORMALE
4	181839072973	0.0	0.0	0.0	NORMALE
5	181839071622	0.0	0.0	0.0	NORMALE
6	171739067301	0.0	13.95	13.95	NORMALE
7	171739075999	0.0	16.0	16.0	NORMALE
8	161639077167	0.0	13.5	13.5	NORMALE
9	20049054449	0.0	13.38	13.38	NORMALE
10	171739075147	0.0	0.0	0.0	NORMALE
11	181839066541	0.0	0.0	0.0	NORMALE
12	181839063224	0.0	13.5	13.5	NORMALE
13	161639071979	0.0	11.75	11.75	NORMALE
14	171739065193	0.0	10.0	10.0	NORMALE
15	181839073604	0.0	11.5	11.5	NORMALE
16	161639075021	0.0	15.25	15.25	NORMALE
17	161639076410	0.0	12.73	12.73	NORMALE
18	181839068204	0.0	11.0	11.0	NORMALE
19	181839066210	0.0	11.88	11.88	NORMALE
20	161639066870	0.0	12.0	12.0	NORMALE
21	171739069802	0.0	13.25	13.25	NORMALE
22	171739071151	0.0	11.25	11.25	NORMALE
23	181839068471	0.0	13.0	13.0	NORMALE
24	181839066587	0.0	13.0	13.0	NORMALE
25	2092369000	0.0	15.5	15.5	NORMALE
26	171739064323	0.0	0.0	0.0	NORMALE
27	171739070646	0.0	14.0	14.0	NORMALE
28	181839065430	0.0	11.0	11.0	NORMALE
29	171739068663	0.0	12.13	12.13	NORMALE
30	181839071635	0.0	10.63	10.63	NORMALE
31	171739074280	0.0	13.95	13.95	NORMALE
32	171739068304	0.0	14.5	14.5	NORMALE
33	171739066271	0.0	12.38	12.38	NORMALE
34	171539076249	0.0	14.55	14.55	NORMALE
35	171539070766	0.0	13.8	13.8	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 المؤرخ في 27 أوت 2017

Matière: TP Technologie du Béton / Section A / 3

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739067588	0.0	10.0	10.0	NORMALE
2	181839067139	0.0	0.0	0.0	NORMALE
3	161639067544	0.0	3.45	3.45	NORMALE
4	171739064399	0.0	10.0	10.0	NORMALE
5	171739075154	0.0	11.4	11.4	NORMALE
6	161639072418	0.0	0.0	0.0	NORMALE
7	171739074421	0.0	11.63	11.63	NORMALE
8	21119040818	0.0	13.75	13.75	NORMALE
9	181839071639	0.0	12.0	12.0	NORMALE
10	181839066391	0.0	11.75	11.75	NORMALE
11	171739065243	0.0	0.0	0.0	NORMALE
12	161639075233	0.0	12.2	12.2	NORMALE
13	181839065331	0.0	13.63	13.63	NORMALE
14	20891701198	0.0	15.0	15.0	NORMALE
15	181839066581	0.0	12.88	12.88	NORMALE
16	181839068212	0.0	3.0	3.0	NORMALE
17	161639077299	0.0	13.0	13.0	NORMALE
18	171739053377	0.0	14.0	14.0	NORMALE
19	171739066308	0.0	11.5	11.5	NORMALE
20	181839065589	0.0	10.75	10.75	NORMALE
21	171739069581	0.0	13.5	13.5	NORMALE
22	181839071624	0.0	11.0	11.0	NORMALE
23	181839068410	0.0	14.25	14.25	NORMALE
24	181839064398	0.0	13.25	13.25	NORMALE
25	2097822263	0.0	15.5	15.5	NORMALE
26	171739070111	0.0	13.0	13.0	NORMALE
27	171739071299	0.0	13.0	13.0	NORMALE
28	171739068442	0.0	14.0	14.0	NORMALE
29	181839070284	0.0	13.0	13.0	NORMALE
30	181839066592	0.0	14.0	14.0	NORMALE
31	171739080891	0.0	13.85	13.85	NORMALE
32	171739082011	0.0	13.25	13.25	NORMALE
33	161539077692	0.0	7.75	7.75	NORMALE
34	171539071050	0.0	4.0	4.0	NORMALE

2021/2022

Filière: génie civil
matériaux en génie civil

Niveau: Arrêté d'habilitation de l'offre de formation: قرار رقم 835 الموزع في 27 أوت 2021

Matière: TP Technologie du Béton / Section A / 4

PV de délibération par matière (Session Rattrapage)

#	Matricule	Examen	CC	MG	Session
1	171739072261	0.0	12.03	12.03	NORMALE
2	171739064482	0.0	0.0	0.0	NORMALE
3	161639075502	0.0	0.0	0.0	NORMALE
4	20900901266	0.0	16.0	16.0	NORMALE
5	181839062963	0.0	13.63	13.63	NORMALE
6	181839071932	0.0	11.25	11.25	NORMALE
7	181839068352	0.0	10.25	10.25	NORMALE
8	171739074762	0.0	10.0	10.0	NORMALE
9	171739075163	0.0	0.0	0.0	NORMALE
10	171739053449	0.0	13.75	13.75	NORMALE
11	171739066707	0.0	10.75	10.75	NORMALE
12	181839066593	0.0	14.13	14.13	NORMALE
13	171739070204	0.0	11.6	11.6	NORMALE
14	161739081498	0.0	10.0	10.0	NORMALE
15	171739070740	0.0	15.0	15.0	NORMALE
16	181839063295	0.0	13.25	13.25	NORMALE
17	181839071625	0.0	0.0	0.0	NORMALE
18	181839063214	0.0	13.5	13.5	NORMALE
19	181839066473	0.0	12.13	12.13	NORMALE
20	19119049094	0.0	13.25	13.25	NORMALE
21	181839071162	0.0	11.5	11.5	NORMALE
22	181839069455	0.0	0.0	0.0	NORMALE
23	181839066167	0.0	13.13	13.13	NORMALE
24	181839065408	0.0	0.0	0.0	NORMALE
25	181839073316	0.0	13.25	13.25	NORMALE
26	171739065423	0.0	9.75	9.75	NORMALE
27	21069052433	0.0	10.25	10.25	NORMALE
28	171739069611	0.0	7.5	7.5	NORMALE
29	161639077343	0.0	13.0	13.0	NORMALE
30	171739068449	0.0	0.0	0.0	NORMALE
31	161639072676	0.0	1.0	1.0	NORMALE
32	181839068417	0.0	5.5	5.5	NORMALE
33	171739067591	0.0	10.55	10.55	NORMALE
34	181839066630	0.0	13.75	13.75	NORMALE
35	181839067153	0.0	1.0	1.0	NORMALE
36	161639068586	0.0	0.0	0.0	NORMALE
37	211539084006	0.0	13.5	13.5	NORMALE
38	161539075171	0.0	0.0	0.0	NORMALE